

#### TABLE OF CONTENTS

GENERAL INFORMATION	.4
Panels	
Power Raceway	
Environmental Impact	
Storage	
Legacy Customers	4
SUSTAINABLE DESIGN	.5
Manufacturing Process	
Shipping Initiatives	5
TERMS AND CONDITIONS	. 6
Ordering	
Pricing	6
Taxes.	
Lead Time Customer's Own Material	
Storage Fee	
Compliance with Law	
Shipping	
Accessorial Charges Freight Damage	
Delay/Force Majeure	
Returns Warranty Claims	
Warranty	
Certifications & Standards	
Key-Alike Program	
GSA Contract Overview	10
GSA Contract Details Wall Mounting Suggestions	11 12
Wall Mounting Details	13
FINISHES	14
Fabrics	<b>14</b> 14
Laminates	14
Edge Bands	14
Paints	15
Plexiglass	15
Glass Designer Glass	15 15
Corian	15
Textured Corian	15
CUSTOM FINISHES PROGRAM	16
Customer's Own Fabric	10 16
Customer's Own Laminate	16
Custom RAL Paint Finishes	16
LEGACY FINISHES	17
Legacy – Laminates	17
Legacy – Edge Bands	17
Legacy – Paint & Plastics	17

PANELS18Features18Construction18Surface Materials18Fabric Panels20Insert Panels20Insert Panels22Perforated Aluminum Insert Panels24Tequity Panels26Sliding Doors28Post Assemblies30End Kits32Wall Starter/Wall Mounted Channel33Posts (Multi-height)34Connectors/Shrouds35STACK-ON PANELS36
Components36Stack-on Panel Connectors36Specifying Stack-on Configurations36Stack-on Diagram37Stack-on Configurations38Fabric with slots40Fabric without slots42Insert with slots44Insert with slots46Perforated Aluminum Insert w/slots48Perforated Aluminum Insert w/o slots50Stack-on Posts52Panel Accessories53Frameless Glass54Frameless Glass56Slat Rail57Slat Rail Accessories57
ELECTRICAL58How to Order.58Infeeds.60Technical Data.61Ceiling Infeeds.62Base Infeeds.63Components.64Knock-out Replacement Cover.64Jumper.65Dedicated Neutral System Components.66Dedicated Neutral Jumpers.67Charge Spot (Wireless Charger)68Desktop Data & Power.68Ashley Duo.68Ashley Quad.69

WORKSURFACES         70           Features         70           Wiring & Cabling         70           Edge Detail         70           Surface Materials         70           General Information         72           Support Information         73           Grain Direction         74           Straights         76           Corners         78           Split Corner         78           Blended Corners         79           Corner Peninsulas         80           Peninsulas         81           Half Round & Linking         82           Blended Double Corner         83           35° Curved Corner         83           Sypports         84           Legs         86           Worksurface for Height Adjustable Supports         88           Electric Height Adjustable Base         89           120°         92           Transition Tops         94           CASCADE WORKSURFACES         95           Cascade Edge         95           Straights         96           Corners & Extended Corners         97           Cornere Peninsulas         100	
Wiring & Cabling       70         Edge Detail.       70         Surface Materials       70         General Information       72         Support Information       73         Grain Direction       74         Straights       76         Corners       78         Blended Corners       79         Corner Peninsulas       80         Peninsulas       81         Half Round & Linking       82         Blended Double Corner       83         Supports       84         Legs       86         Worksurface for Height Adjustable Supports       88         Electric Height Adjustable Base       89         120°       92         Transition Tops       94         CASCADE WORKSURFACES       95         Gascade Edge       95         Straights       96         Corners & Extended Corners       97         Corners       101	VORKSURFACES
Wiring & Cabling       70         Edge Detail       70         Surface Materials       70         General Information       72         Support Information       73         Grain Direction       74         Straights       76         Corners       78         Blended Corners       79         Corner Peninsulas       80         Peninsulas       81         Half Round & Linking       82         Blended Double Corner       83         135° Curved Corner       83         Supports       84         Legs       86         Worksurface for Height Adjustable Supports       88         Electric Height Adjustable Base       89         120° Planning       90         120°       92         Transition Tops       94         CASCADE WORKSURFACES       95         Cascade Edge       95         Straights       96         Corners & Extended Corners       97         Corners & Extended Corners       100	eatures 70
Edge Detail.70Surface Materials70Surface Materials70General Information72Support Information73Grain Direction74Straights76Corners78Split Corner78Blended Corners79Corner Peninsulas80Peninsulas81Half Round & Linking82Blended Double Corner83135° Curved Corner83Supports84Legs86Worksurface for Height Adjustable Supports88Electric Height Adjustable Base91120° Planning90120°92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Straights96Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
Surface Materials 70 General Information 72 Support Information 73 Grain Direction 74 Straights 76 Corners 78 Split Corner 78 Blended Corners 79 Corner Peninsulas 80 Peninsulas 81 Half Round & Linking 82 Blended Double Corner 83 135° Curved Corner 83 Supports 84 Legs 86 Worksurface for Height Adjustable Supports 88 Electric Height Adjustable Base 89 120° Planning 90 120° 92 Transition Tops 94 <b>CASCADE WORKSURFACES 95</b> Cascade Edge 95 Straights 96 Corners & Extended Corners 97 Corner Peninsulas 98 Waves 99 Rounds 100 Accessories 101 Personal Drawer 101 <b>COUNTER CAPS 102</b> Corners 103 <b>PANEL SUPPORTED STORAGE 104</b> Open Shelves 104 Overheads 106 Shared Storage 108 Tackboards 110 Wall Mounted Channel 111 <b>LIGHTING 112</b> <b>TASK 114</b> REED Premier 114 Tazetta 115	
General Information72Support Information73Strain Direction74Straights76Corners78Split Corner78Slended Corners79Corner Peninsulas80Peninsulas81Half Round & Linking82Blended Double Corner83I35° Curved Corner83Supports84egs86Worksurface for Height Adjustable Supports88Electric Height Adjustable Base89120° Planning90120°92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Straights96Corners & Extended Corners97Corners & Extended Corners97Corners & Extended Corners97Corners & Extended Corners98Naves99Rounds100Accessories101PANEL SUPPORTED STORAGE104Open Shelves104Dernerade Storage108Fackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Fazetta115	5
Support Information	
Grain Direction74Straights76Corners78Split Corner78Blended Corners79Corner Peninsulas80Peninsulas81Half Round & Linking82Blended Double Corner83Supports84Legs86Worksurface for Height Adjustable Supports88Electric Height Adjustable Base89120° Planning90120°92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Straights96Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
Straights76Corners78Split Corner78Blended Corners79Corner Peninsulas80Peninsulas81Half Round & Linking82Blended Double Corner83135° Curved Corner83Supports84Legs86Worksurface for Height Adjustable Supports88Electric Height Adjustable Base89120° Planning90120°92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Straights96Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	••
Corners78Split Corner78Split Corner79Corner Peninsulas80Peninsulas81Half Round & Linking82Blended Double Corner83Isbrodyne Corner83Supports84Legs86Worksurface for Height Adjustable Supports88Electric Height Adjustable Base89120° Planning90120°92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Straights96Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
Split Corner78Blended Corners.79Corner Peninsulas80Peninsulas81Half Round & Linking82Blended Double Corner.83135° Curved Corner.83Supports84Legs86Worksurface for Height Adjustable Supports88Electric Height Adjustable Base89120° Planning90120°92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Straights96Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	5
Biended Corners.79Corner Peninsulas80Peninsulas81Half Round & Linking82Blended Double Corner.83135° Curved Corner.83Supports84Legs86Worksurface for Height Adjustable Supports88Electric Height Adjustable Base89120° Planning90120°92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Straights96Corners & Extended Corners97Corner Peninsulas98Waves.99Rounds.100Accessories.101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier.114Tazetta115	
Corner Peninsulas80Peninsulas81Half Round & Linking82Blended Double Corner83135° Curved Corner83Supports84Legs86Worksurface for Height Adjustable Supports88Electric Height Adjustable Base89120° Planning90120°92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Straights96Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	•
Peninsulas81Half Round & Linking82Blended Double Corner.83135° Curved Corner.83Supports84Legs86Worksurface for Height Adjustable Supports88Electric Height Adjustable Base89120° Planning90120°92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Cascade Edge95Cascade Edge97Corners & Extended Corners97Corners & Extended Corners97Corners & Extended Corners97Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
Half Round & Linking82Blended Double Corner.83135° Curved Corner.83Supports84Legs86Worksurface for Height Adjustable Supports88Electric Height Adjustable Base89120° Planning90120°92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Cascade Edge95Cascade Edge97Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
Blended Double Corner.       83         135° Curved Corner.       83         Supports       84         Legs       86         Worksurface for Height Adjustable Supports       88         Electric Height Adjustable Base       89         120° Planning       90         120°       92         Transition Tops       94         CASCADE WORKSURFACES       95         Cascade Edge       95         Cascade Edge       95         Cascade Edge       95         Corners & Extended Corners       97         Corners & Extended Corners       97         Corner Peninsulas       98         Waves       99         Rounds       100         Accessories       101         Personal Drawer       101         Personal Drawer       102         Corners       103         PANEL SUPPORTED STORAGE       104         Open Shelves       104         Overheads       106         Shared Storage       108         Wall Mounted Channel       111         LIGHTING       112         TASK       114         REED Premier       114 <td></td>	
135° Curved Corner.83Supports84Legs86Worksurface for Height Adjustable Supports88Electric Height Adjustable Base89120° Planning90120°.92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Cascade Edge95Corners & Extended Corners97Corners & Extended Corners97Corners & Extended Corners97Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Corners103PANEL SUPPORTED STORAGE104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	5
Supports84Legs86Worksurface for Height Adjustable Supports88Electric Height Adjustable Base89120° Planning90120°92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Cascade Edge95Corners & Extended Corners97Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
Legs86Worksurface for Height Adjustable Supports88Electric Height Adjustable Base89120° Planning90120°92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Cascade Edge95Corners & Extended Corners97Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101Corners102Corners103PANEL SUPPORTED STORAGE104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
Worksurface for Height Adjustable Supports88Electric Height Adjustable Base89120° Planning90120°.92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Cascade Edge95Corners & Extended Corners97Corners & Extended Corners97Corners & Extended Corners98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Corners103PANEL SUPPORTED STORAGE104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
Electric Height Adjustable Base89120° Planning90120°.92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Straights96Corners & Extended Corners97Corners & Extended Corners97Corners & Extended Corners98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Corners103PANEL SUPPORTED STORAGE104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
120° Planning90120°92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Straights96Corners & Extended Corners97Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	Vorksurface for Height Adjustable Supports 88
120°92Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Straights96Corners & Extended Corners97Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
Transition Tops94CASCADE WORKSURFACES95Cascade Edge95Straights96Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
CASCADE WORKSURFACES95Cascade Edge95Straights96Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
Cascade Edge95Straights96Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	ransition Tops
Straights96Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Overheads106Shared Storage108Fackboards110LIGHTING112IASK114REED Premier114Fazetta115	
Corners & Extended Corners97Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	5
Corner Peninsulas98Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110LIGHTING112TASK114REED Premier114Tazetta115	5
Waves99Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
Rounds100Accessories101Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
Accessories.101Personal Drawer.101COUNTER CAPS102Straights.102Corners.103PANEL SUPPORTED STORAGE104Open Shelves.104Overheads.106Shared Storage.108Tackboards.110Wall Mounted Channel111LIGHTING.112TASK.114REED Premier.114Tazetta115	
Personal Drawer101COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
COUNTER CAPS102Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	
Straights102Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Fazetta115	
Corners103PANEL SUPPORTED STORAGE104Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Fazetta115	OUNTER CAPS
PANEL SUPPORTED STORAGE       104         Open Shelves       104         Overheads       106         Shared Storage       108         Fackboards       110         Wall Mounted Channel       111         LIGHTING       112         FASK       114         REED Premier       114         Fazetta       115	traights
Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	orners
Open Shelves104Overheads106Shared Storage108Fackboards110Nall Mounted Channel111LIGHTING112FASK114REED Premier114Fazetta115	
Open Shelves104Overheads106Shared Storage108Tackboards110Wall Mounted Channel111LIGHTING112TASK114REED Premier114Tazetta115	ANEL SUPPORTED STORAGE 104
Overheads 106 Shared Storage 108 Tackboards 110 Wall Mounted Channel 111 LIGHTING 112 TASK 114 REED Premier 114 Tazetta 115	
Shared Storage       108         Tackboards       110         Wall Mounted Channel       111         LIGHTING       112         TASK       114         REED Premier       114         Tazetta       115	•
Tackboards. 110 Wall Mounted Channel 111 LIGHTING 112 TASK 114 REED Premier. 114 Tazetta 115	
Wall Mounted Channel 111 LIGHTING 112 TASK 114 REED Premier 114 Tazetta 115	5
LIGHTING         112           TASK         114           REED Premier         114           Tazetta         115	
TASK         114           REED Premier         114           Tazetta         115	
REED Premier	IGHTING
REED Premier. 114 Tazetta 115	
Tazetta	ASK 114
Treestanding Lights	EED Premier. 114
	EED Premier. 114 azetta 115

TABLES118Features118Construction118Surface Materials118	_
OCCASIONAL         120           Round         120           Square         121	
CONFERENCE         122           Oval         122           Rectangle         123	
DESKS         124           C-Legs         124           O-Legs         124           T-Legs         124	
SIT/STAND DESKS 126 Electric Height Adjustable 126 Stand-biased 127	-
SIT/STAND PACKAGES 128	
1000 Series Sit/Stand Packages1288000 Series Sit/Stand Packages129	

STORAGE	134
Accessory Availability.	
PEDESTALS	
Features Construction	
Surface Materials	
Pedestals	
FILE CENTERS	
Construction	
Surface Materials File Centers	. 142
LATERALS	
Features	
Construction	
Surface Materials Laterals	
Lateral – BF.	149
Lateral – Worksurface Supporting	
Lateral – Lateral/Open Shelves	
Lateral – Common Tops	. 151
Lateral – Cushions	
TOWERS.	
Features Construction	
Surface Materials	. 152
24" Wide 24" Wide – Side Access	
15" Wide	
15" Wide – Side Access	
CREDENZAS	. 158
CREDENZAS	. <b>158</b> . 158
<b>CREDENZAS</b> Features Construction Surface Materials	158 158 158 158
<b>CREDENZAS</b> Features Construction Surface Materials Credenzas	<b>158</b> 158 158 158 158
CREDENZAS Features Construction Surface Materials Credenzas Credenza – Drawers Credenza – Shelves	<b>158</b> 158 158 158 160 160 160
CREDENZAS Features Construction Surface Materials Credenzas Credenza – Drawers Credenza – Shelves	<b>158</b> 158 158 158 160 160 160 160
CREDENZAS Features. Construction Surface Materials Credenzas Credenza – Drawers Credenza – Shelves Accessories. Credenza – Common Tops	<b>158</b> 158 158 158 160 160 160 160 160
CREDENZAS Features Construction Surface Materials Credenzas Credenza – Drawers Credenza – Shelves Accessories. Credenza – Common Tops Credenza – Cushion Tops	<b>158</b> 158 158 158 160 160 160 160 161 161
CREDENZAS Features Construction Surface Materials Credenzas Credenza – Drawers Credenza – Drawers Accessories Credenza – Common Tops Credenza – Cushion Tops CABINETS Features	<b>158</b> 158 158 160 160 160 160 161 161 <b>161</b> <b>162</b>
CREDENZAS Features Construction Surface Materials Credenzas Credenza – Drawers Credenza – Drawers Credenza – Common Tops Credenza – Cushion Tops CABINETS Features Construction	<b>158</b> 158 158 158 160 160 160 160 161 161 161 <b>162</b> 162 162
CREDENZAS Features Construction Surface Materials Credenzas Credenza – Drawers Credenza – Drawers Credenza – Shelves Accessories Credenza – Common Tops Credenza – Cushion Tops Credenza – Cushion Tops CABINETS Features Construction Surface Materials	<b>158</b> 158 158 158 160 160 160 161 161 161 <b>162</b> 162 162 162
CREDENZAS Features. Construction Surface Materials Credenzas. Credenza – Drawers Credenza – Shelves Accessories. Credenza – Common Tops Credenza – Cushion Tops Cabinets	<b>158</b> 158 158 158 160 160 160 160 161 161 161 <b>162</b> 162 162 162 164
CREDENZAS Features. Construction Surface Materials Credenza – Drawers Credenza – Drawers Credenza – Shelves Accessories. Credenza – Common Tops Credenza – Cushion Tops Cabinets Surface Materials Cabinets LOCKERS Features.	<b>158</b> 158 158 158 160 160 160 161 161 161 162 162 162 164 <b>166</b>
CREDENZAS Features Construction Surface Materials Credenzas Credenza – Drawers Credenza – Shelves Accessories Credenza – Common Tops Credenza – Cushion Tops Credenza – Cushion Tops CABINETS Features Construction Surface Materials Cabinets LOCKERS Features. Construction	<b>158</b> 158 158 158 160 160 160 161 161 161 162 162 162 162 164 <b>166</b>
CREDENZAS Features Construction Surface Materials Credenzas Credenza – Drawers Credenza – Shelves Accessories Credenza – Common Tops Credenza – Common Tops Credenza – Cushion Tops Credenza – Cushion Tops CABINETS Features Construction Surface Materials Cabinets LOCKERS Features. Construction Surface Materials Construction Surface Materials	<b>158</b> 158 158 158 160 160 160 161 161 161 162 162 162 162 164 <b>166</b> 166
CREDENZAS Features Construction Surface Materials Credenzas Credenza – Drawers Credenza – Shelves Accessories Credenza – Common Tops Credenza – Common Tops Credenza – Cushion Tops Credenza – Cushion Tops CABINETS Features Construction Surface Materials Cabinets LOCKERS Features Construction Surface Materials Construction Surface Materials Construction Surface Materials Construction Surface Materials Cockers Lockers Lockers Lockers – Double	<b>158</b> 158 158 158 160 160 160 160 161 161 161 162 162 162 164 166 166 166 166 168
CREDENZAS Features. Construction Surface Materials Credenzas. Credenza – Drawers Credenza – Drawers Credenza – Shelves Accessories. Credenza – Common Tops Credenza – Common Tops Credenza – Cushion Tops Credenza – Cushion Tops Cabinets Construction Surface Materials Construction Surface Materials Construction Surface Materials Cockers. Lockers – Double Lockers – Quad	158 158 158 160 160 160 161 161 161 161 162 162 162 162 164 166 166 166 166 168 168
CREDENZAS Features. Construction Surface Materials Credenzas. Credenza – Drawers Credenza – Shelves Accessories. Credenza – Common Tops Credenza – Common Tops Credenza – Cushion Tops Credenza – Cushion Tops Cabinets Construction Surface Materials Construction Surface Materials Construction Surface Materials Construction Surface Materials Lockers Lockers – Double Lockers – Quad Lockers – Cubby	158 158 158 160 160 160 161 161 161 162 162 162 162 164 166 166 166 166 168 168 168 168
CREDENZAS Features Construction Surface Materials Credenza – Drawers Credenza – Drawers Credenza – Shelves Accessories Credenza – Common Tops Credenza – Cushion Tops Credenza – Cushion Tops CABINETS Features Construction Surface Materials Cabinets LOCKERS Features Construction Surface Materials Lockers Lockers Lockers Coders Code	158 158 158 158 160 160 160 161 161 162 162 162 164 166 166 166 166 166 168 168 168 168 168
CREDENZAS Features. Construction Surface Materials Credenza – Drawers Credenza – Drawers Credenza – Shelves Accessories. Credenza – Common Tops Credenza – Cushion Tops Construction Surface Materials Costruction Surface Materials Lockers Lockers – Double Lockers – Quad Lockers – Cubby Lockers – Common Tops BOOKCASES Features.	158 158 158 158 160 160 160 160 161 161 162 162 162 162 164 166 166 166 166 166 168 168 168 168 168
CREDENZAS Features. Construction Surface Materials Credenzas. Credenza – Drawers Credenza – Shelves Accessories. Credenza – Common Tops Credenza – Cushion Tops Credenza – Cushion Tops CABINETS Features. Construction Surface Materials Cabinets LOCKERS Features. Construction Surface Materials Construction Surface Materials Lockers. Lockers. Lockers – Double Lockers – Quad Lockers – Cubby Lockers – Common Tops BOOKCASES Features. Construction	158 158 158 158 160 160 160 160 160 161 161 162 162 162 162 164 166 166 166 166 168 168 168 168 168 168
CREDENZAS Features. Construction Surface Materials Credenza – Drawers Credenza – Drawers Credenza – Shelves Accessories. Credenza – Common Tops Credenza – Cushion Tops Construction Surface Materials Costruction Surface Materials Lockers Lockers – Double Lockers – Quad Lockers – Cubby Lockers – Common Tops BOOKCASES Features.	158 158 158 158 160 160 160 160 160 161 161 162 162 162 162 164 166 166 166 166 168 168 168 168 168 168

WORKPLACE ACCESSORIES	. 174
Keyboard Trays	176
Keyboard Arms	176
Easy Combos	
Monitor Arms	178
CPU Holders	178
Forearm Supports	179
Anti-fatigue Floor Mats	179
Tablet Holder	179
StandUp	180
StandUp A1	181
GRADED IN EARRICS	187

GRADED IN FABRICS	182
Carnegie	182
C.F. Stinson	182
Designtex	183
Guilford of Maine	183
Luna	183
Luna	184
Maharam	
Mayer	184
Momentum	185

## 

## **General Information**

#### PANELS

Width dimension of all panels is centerline to centerline of adjacent panel connectors.

Panel thickness is 1½". Panel thickness at the base covers is 2".

#### **FABRIC PANELS**

Fabric panels incorporate a mineral wool core construction. Fabric panels are acoustical and fully tackable. The base raceway is nominally 5" high.

#### **INSERT PANELS**

Insert panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with plexiglass, laminate, perforated aluminum or as an open frame for complete accessibility through the panel.

#### **STACK-ON PANELS**

Stack-on panels connect on the top of any standard panel to provide additional privacy or new aesthetic options and can also be load bearing.

#### **PANEL CONNECTORS**

Panel connectors are 1½" diameter and required at every panel connection and panel end (except when postless end assembly is used). Posts are painted to match the selected trim finish and include an adjustable glide on the bottom for leveling.

#### POWER

Fabric and insert panels accept electrical components.

Equity panels distribute power through the office and directly to the individual workstation through field-installed modular, electrical wiring components in the base of the panels. The panel base is factory prepared to accept a terminal block in a centered location where two 20-amp receptacles can be installed; one on each side of a panel, arranged back-to-back. An auxiliary side mount duplex receptacle is also available and plugs directly into the side of the terminal block connector end when a second duplex receptacle is required.

#### RACEWAY

The panel base cover provides openings for receptacles and/ or communication outlets, which can be covered when not in use.

All panel bases provide a cable management segment to facilitate lay-in of workstation cables and cords.

#### **CABLE CAPACITY**

ELECTRICAL	WITH		WITH	IOUT
FILL	100%	40%	100%	40%
Cat 5	36	14	102	40
Cat 6	28	11	80	32

#### **STORAGE**

All storage components come standard locking.

Master key and key alike are available upon request.

#### **LEGACY PRODUCTS**

Neutral Posture offers Legacy products for existing Equity which was ordered before February of 2016.

For any code compliance testing data, please contact Customer Service at customerservice@neutralposture.com or 979.778.0502.

## **Sustainable Design**

#### **ENVIRONMENTAL IMPACT**

Neutral Posture takes great pride in providing one of the most environmentally friendly furniture systems available on the market today.

Building an effective Green Program takes a company-wide effort, but we think it's worth the effort to ensure that our manufacturing process leaves the smallest possible footprint on the environment. Neutral Posture products are designed and manufactured to support a long and useful product life. Our products, if need be, can withstand repeated service, repairs and handling; and our products are made with standardized parts and components which make replacing worn out parts easy and as green as possible.

The steel and plastic materials used to construct Equity can be recycled after the product's life. The system is also designed to be cleaned with low environmental impact materials.

The clean technology used to manufacture the Equity system results in negligible off-gassing from the product.

We continually work with many 3rd party organizations to firmly establish a quality Sustainability Program.

- BIFMA level® Certification
- SCS Indoor Advantage Gold Certification
   LEED
- Underwriters Laboratories (UL)
- Canadian Standards Association (CSA)
- Occupational Safety and Health
   Administration (OSHA)
- ISO 9001:2015

#### **GREEN MANUFACTURING PROCESS**

Neutral Posture is highly efficient in its manufacturing process. New roll forming machines can change between parts with zero scrap. Current manufacturing efforts recycle process water and refrain from using hazardous process chemicals.

#### PLASTIC

Neutral Posture uses plastic which contains up to 25% pre-consumer recycled plastics. The majority of the plastics used in Neutral Posture products are #3 and #7 plastics and can be recycled in many areas.

#### **STEEL & ALUMINUM**

Neutral Posture products contain steel and aluminum that is 100% recyclable. Additionally, up to 25% of this steel comes from preconsumer recycled product. Aluminum maintains a high scrap value and is known for having a very long working life.

#### FABRIC

Neutral Posture maintains an excellent supply of green fabrics. These fabrics are made from pre- and post-consumer recycled materials. Some fabrics contain 100% recycled materials and continues to divert recycled plastic from landfills, turning it into beautiful designs.

#### PANEL INNER

Neutral Posture uses mineral wool, spun from basalt and volcanic rocks to provide lightweight, sound resistant panels. These mineral wool inserts are considered rapidly renewable products.

#### WOOD

Wood worksurfaces and panels use 100% recycled/recovered wood fiber. All adhesives used in these products are virtually VOC-free and pass stringent emission standards.

#### **GREEN SHIPPING INITIATIVES**

Neutral Posture holds their freight carrier partners accountable to similar criteria as suppliers, however, due to the immense impact freight companies have on the environment, all carriers must also become a partner in the Environmental Protection Agency (EPA) SmartWay program within one year of service. All freight carriers are screened through a logistics company and become a partner associate with Neutral Posture based on annual evaluation reports.

#### PACKAGING OPTIONS

Our cardboard shipping boxes are produced from 45% recycled material and 100% of the materials come from renewable pulp sources. For large orders, customers can choose to use a box made from 100% recycled materials for an upcharge.

#### A LONG AND HEALTHY PRODUCT LIFE

Neutral Posture products are made to last, as is evidenced by our limited lifetime warranty. Neutral Posture has been around since the 1980s and it is not unusual to find original products from our first year of production in perfect working condition. Although we are continually improving our products, we allow for retrofitting of earlier generations. This allows the customer to upgrade individual components as desired without having to discard the product they already have or purchase a new one. This helps avoid filling landfills with used furniture and is another way in which Neutral Posture customers contribute to their immediate health and wellbeing as well as the continued wellness of our environment.

For more information about Neutral Posture's sustainability program, visit NeutralPosture.com/sustainability.

#### **TERMS AND CONDITIONS**

For all non-rated or new accounts, payment terms are Cash in Advance (C.I.A.) until credit has been approved or rated. Please send full credit information and references and allow time for Credit Department approval.

For all established accounts, payment is due within thirty (30) days from the invoice date. Neutral Posture (NP) reserves the right to change or cancel the terms of sale based on volume, credit rating and/or credit information. Prepayment, whole or in part, may be requested at any time at the discretion of the corporate office. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

Past due accounts are subject to a 1.5% late charge or maximum amount permitted under local law, for each thirty (30) days the outstanding balance remains open after the due date.

Withholding of payments based on carrier damages, shortages or other disputes is illegal and subject to charges.

Neutral Posture does not accept credit cards.

#### ORDERING

All orders must be in writing; faxed, emailed or mailed. The product model number(s) contained in the order acknowledgment shall be the final expression of the order. A purchase order is not binding on NP until customer has received NP's order confirmation or acknowledgment. Orders must have a contact name and phone number. Orders may not be canceled without written consent of Neutral Posture.

To expedite complete/correct entry of your order, be certain all model numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order number(s), bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Orders should be sent to: Neutral Posture, Inc. 3904 N Texas Avenue Bryan, TX 77803 979.778.0502 (Option 2) 800.446.3746 979.778.0408 FAX E-mail: orderentry@neutralposture.com

When an order is received, it is assigned a scheduled ship date. That date is shown on the order acknowledgment.

Purchase orders may not be changed or canceled, in whole or in part, without prior written consent of NP. Changes may affect delivery dates. Expenses incurred because of changes shall be charged to customer. In the event of cancellation, customer will be liable for reasonable cancellation charges as established by NP. Orders for special product, orders including customer's own material (COM) and orders pursuant to expedited delivery programs, may not be canceled.

An Expedite Fee of a minimum of 3% of net will be charged for orders requiring less than standard lead time.

#### PRICES

Prices are subject to change without notice. List prices shall be those in effect on the date of receipt of purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. Prices in effect at time of shipment prevails in the event of a discrepancy.

#### TAXES

All sales, use, excise and other taxes applicable to the sale of the products shall be paid by customer. If customer claims an exemption from any tax, customer shall submit to NP the appropriate exemption certificates.

#### LEAD TIME

Please contact Customer Service for current lead time at customerservice@neutralposture.com or 979.778.0502.

#### CUSTOMER'S OWN MATERIAL (COM)

A customer who requests a fabric or other surface material not standard to NP's line of products, must submit samples of the requested material to NP prior to entry of a customer order. NP shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories and/or Canadian Standards Association. If the COM is acceptable, NP will then establish a price for using the COM. For a description of the procedures for submitting samples and testing, contact Customer Service. NP shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Customer shall indemnify and hold NP harmless for any damages, injuries or losses arising out of or related to use of the COM on the product.

#### **STORAGE FEE**

Any changes made by the customer to postpone the delivery date on orders which have already gone into production, will be charged a storage fee. This fee will be applied to both partially and fully built orders. NP will advise of fee prior to applying charge.

#### **COMPLIANCE WITH LAW**

Customer is solely responsible for compliance with all applicable federal, state and local laws, ordinances, regulations, rules and standards relating to the installation, maintenance, use and operation of the products.

#### **TERMS AND CONDITIONS**

#### SHIPPING

Most NP products include shipping. For Equity, only orders that are over \$2,000 (Net) include shipping. For orders under \$2,000 (Net) please contact Customer Service for a shipping quote. In accordance with the aforementioned conditions, all standard discount orders are F.O.B destination delivered by way of parcel or freight carrier dock to dock within the forty-eight (48) contiguous United States and the District of Columbia. NP will designate the shipping mode and carrier based on geographical location and best service as defined by our Logistics Department.

For orders shipping outside the forty-eight (48) contiguous United States and the District of Columbia, customer pays shipping from port of embarkation to destination and order will be shipped "best way". Customer will incur additional charges if they choose to specify a freight carrier.

Any order requiring special delivery service, other than normal dock to dock delivery, will incur additional charges. These services include, but are not limited to residential delivery, limited access delivery, lift gate service, inside delivery, call before delivery, re-routed deliveries, specific delivery date/time requests or congestion fees. These charges will be quoted upon customer request.

Conditions beyond the control of NP, including weather, available facilities and traffic conditions, may affect exact time of delivery. NP shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.

Delivery date and time are at the discretion of the carrier within reasonable transit time unless special arrangements have been agreed to in writing between customer and NP prior to shipment.

#### **Accessorial Charges**

Delivery Appointment Required Inside Delivery/Pick Up Items Over 96 Inches Lift Gate Required Limited Access Delivery Notification/CBD Residential Delivery Ship Fully Assembled Pre-delivery Notification Re-delivery/Return Trip

Contact Customer Service at customerservice@neutralposture.com or 979.778.0502 for pricing.

#### **DELAY/FORCE MAJEURE**

NP shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, NP may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available product or cancel any purchase order.

#### **FREIGHT DAMAGE**

Upon receipt of shipment consignee is responsible for checking delivery for shortages or signs of damage. If a problem is discovered, bring it to the driver's attention immediately. If any of the goods called for on the Bill of Lading are shorted or damaged, consignees should not accept them until the carrier makes a notation on the freight bill of the shorted or damaged goods. The more precise the notation, the easier the claim can be resolved. NP's responsibility ceases when the consignee signs the freight delivery receipt as received in good condition. Shipping claims must be made within thirty (30) days of shipment delivery.

#### RETURNS

The return of product without written authorization by NP shall not be accepted. All merchandise returns must be pre-approved by the corporate office and sent freight prepaid. Contact the Warranty Department, warrantyrequest@neutralposture.com, to receive a Return Merchandise Authorization (RMA) number for any return. RMAs are valid for thirty (30) days and any returned merchandise without a RMA number will be refused.

No deductions from any NP invoices can be made for return merchandise until it is approved by the corporate office. No deductions will be honored until returned goods are processed through our Quality Control Audit.

All returns for canceled orders must be pre-approved by the corporate office and sent freight prepaid. No returns will be authorized unless our inventory allows it, the parts are in good reusable condition and it was sold within the last thirty (30) days. Authorized seating returns will be charged a thirty percent (30%) (twenty percent (20%) for GSA) restocking fee, by agreement, to cover handling, inspection, stocking and repackaging. Authorized systems returns are subject to a forty-five percent (45%) of list restocking charge. Products not currently offered for sale by NP (including COM) shall not be authorized for return. All returned products must be unused, in original condition and in the original NP packing cartons. No refund or credit will be given for damaged products.

#### WARRANTY CLAIMS

Neutral Posture reserves the right to specify that items or parts claimed to be defective, be returned to the factory for our inspection. If the claim is justified, repair or replacement of defective parts under warranty will be made through NP at no cost to the customer. NP will, at its discretion, reimburse the furniture dealer for labor (actual costs only) on warranty parts. The furniture dealer must submit a quote to be approved prior to service. If approved, the furniture dealer must then submit an invoice to NP for reimbursement after the service is completed. Freight for products and parts covered under warranty will be covered for the fortyeight (48) contiguous states and the District of Columbia, with the method of shipping at NP's discretion. All claims must include the product serial number. NP will have no warranty obligation if the product was subjected to abuse, alteration, misuse, negligence or accident or if the user fails to perform the proper maintenance for the product.

#### WARRANTY

Neutral Posture warrants to the original purchaser only that the products Neutral Posture manufactures and sells to purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

This comprehensive warranty applies to all products installed or reconfigured by an authorized installer.

Warranty period set forth below is for 24-hour, 7 days a week, multi-shift use. Should any failure occur to a product listed below during the applicable warranty period from the date of shipment, Neutral Posture shall, upon prompt written notice, repair or replace, at its discretion, the affected part or parts.

#### **PRODUCT AND PERIOD OF WARRANTY**

#### Lifetime

Panels and panel connector parts, high pressure laminate worksurfaces, table tops and common tops, storage

#### 10 Years

Cascade worksurfaces, height adjustable worksurface supports (except for gas lift), laminate overhead doors, sliding doors, desktop and storage accessories (unless otherwise specified)

5 Years

Table bases, tapered table legs, anti-fatigue mats, operational parts, controls, electrical, lighting (except light ballasts, bulbs and power supply), special or custom product, height adjustable worksurface support gas lift, modesty/privacy screens, mobile screens, desktop screens

3 Years

Electric height adjustable bases (including motor), fabric

1 Year

Light ballasts, bulbs and power supply

This warranty does not apply to:

- Damage caused by a carrier.
- Normal wear and tear or acts or omissions of parties other than Neutral Posture (including user modification, improper use or installation of products).
- COM or other third party materials applied to products.
- Products not installed by or under the auspices of a Neutral Posture Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes including colorfastness due to aging or exposure to light.

The express warranties contained herein are in lieu of all other warranties, express or implied, including any warranties of merchantability and fitness for particular purpose and all other warranties arising from course of dealing or usage of trade.

The remedies provided above are the customer's sole remedies for any failure of Neutral Posture to comply with its obligations regarding the workmanship of its products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Neutral Posture, with respect to or arising out of the product furnished hereunder.

#### **CERTIFICATIONS & STANDARDS**

#### ANSI/BIFMA

Independent tests show that Equity components meet or exceed current ANSI/BIFMA X5.6 Panel System and ANSI/ BIFMA X5.9 Storage Unit standards. Electrical components are UL listed. Panels have tested to NRC ratings of 0.75.

#### SCS INDOOR ADVANTAGE CERTIFICATION

The Equity product line is certified by SCS Global Services for indoor air quality.

#### DESIGN

NP reserves the right to make changes and improvements in design and materials and to discontinue parts and components at their discretion.

#### WOMEN'S BUSINESS ENTERPRISE (WBE)

This certification is administered by the Women's Business Enterprise National Council (WBENC) and is used by most large corporations to qualify potential vendors as credible diversity suppliers.

#### WOMAN OWNED SMALL BUSINESS (WOSB)

The U.S. Small Business Administration's WOSB Federal Contract Program provides greater access to federal contracting opportunities for WOSBs. The program allows contracting officers to set aside specific contracts for certified WOSBs and helps federal agencies achieve the existing statutory goal of five percent of federal contracting dollars being awarded to WOSBs. NP is certified as a WOSB.

#### **HISTORICALLY UNDERUTILIZED BUSINESS (HUB)**

The Texas Historically Underutilized Business (HUB) program encourages the use of HUBs in state procurement and provides information to minority and woman-owned businesses on the state's procurement process.

#### BUSINESS AND INSTITUTIONAL FURNITURE MANUFACTURER'S ASSOCIATION

NP is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of office furniture in its everyday use. Although this testing does not serve as a warranty or guarantee, NP standard products within this price list meet or exceed applicable ANSI/BIFMA X5.6 Panel Systems and ANSI/BIFMA X5.9 Storage Unit standards. Combinations of options added on to the standard products may not meet ANSI/ BIFMA standards. Those combinations which do not meet ANSI/BIFMA standards are not available on GSA. Additionally, Equity is BIFMA level 2 certified. For more information, contact Customer Service at customerservice@neutralposture.com.

#### **GENERAL INFORMATION**

Neutral Posture pedestals, overheads and storage cabinets ship with lock cores. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

#### **KEY-ALIKE**

Furniture may be keyed alike at no charge if specified with a furniture order. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

#### KEYS

A key is shipped with every lock core. 199 key numbers are available. For numbers above 199, contact Customer Service. Additional keys and key blanks are available.

#### **MASTER KEYING**

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately. See service parts below for master key model # and pricing.

#### **INSTALLING LOCK CORES**

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts below for change key model number and pricing.

#### SERVICE PARTS

MODEL #	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$21
NAKC	Change Key	\$21
NKM	Master Key	\$21

NOTE: A letter of approval on company letterhead from the client must accompany all orders for change and master keys.


## NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

#### **HOW TO SPECIFY KEY-ALIKE**

Following is an example of how to specify keyalike for a cluster of 10 workstations.

#### **STEP 1**

Using the project floor plan, count the number of locks in each workstation.



#### **STEP 2**

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

3 workstations with 4 locks per station 2 overhead w/laminate fronts 2 workstations with 5 locks per station 5 workstations with 2 locks per station

#### STEP 3

For the first group (3 sets of 4 locks), enter the number of workstations in the quantity column.

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4	Set of 4 cores/keys	N/C	N/C

#### STEP 4

Then enter the model number "NSPEC\_\_\_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4	Set of 4 cores/keys	N/C	N/C

#### STEP 4b

If the station has overheads w/laminate fronts add a suffix for the number of locks needed for the overheads w/laminate fronts for that group (i.e., for 2 overhead laminate front locks per station, add the suffix "OL2").

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4OL2	Set of 4 cores/keys, 2 for overheads w/laminate fronts	N/C	N/C

#### STEP 5

Repeat for other groups.

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
3	NSPEC4OL2	Set of 3 cores/keys	N/C	N/C
2	NSPEC5	Set of 5 cores/keys	N/C	N/C
5	NSPEC2	Set of 2 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

## **GSA Contract Overview**

#### **GSA CONTRACT**

We have had a contract with GSA for over 25 years and they continue to be our most favored customer.

NP is dedicated to helping government agencies meet their facilities and acquisition needs. NP is registered with the System For Award Management (SAM) formerly Central Contractor Registry (CCR) with ORCA certifications, has an assigned cage code of 0UTL8 and is eligible to receive federal contract awards. NP is also recognized as a Woman Owned Small Disadvantaged Business by the U.S. Small Business Administration (SBA).

#### WOMEN-OWNED SMALL BUSINESS (WOSB)/ ECONOMICALLY DISADVANTAGED WOMEN-OWNED SMALL BUSINESS (EDWOSB)

The U. S. Small Business Administration (SBA) issued the Final Rule to amend its regulations governing small business contracting procedures. The SBA has increased the emphasis and awareness of contracting mandates regarding the new 5% spend mandate for WOSB/EDWOSB's similar to those in place for 8a, SDV and HUB Zone businesses.

The SBA has also implemented a Sole Source vehicle for Economically Disadvantaged Women-Owned Small Businesses (EDWOSB). Neutral Posture, a small business manufacturer, received this certification in April of 2016.

Our Packaged Office contract includes many great manufacturing partners and we are willing to team with other manufacturers to support strong GSA Dealers and meet the needs of our customers.

For more information please visit NeutralPosture.com/WOSB

#### **GSA OVERVIEW**

GSA Contract# GS-27F-0014Y

Schedule MAS – Furniture

SIN 337121H	Household, Dormitory & Quarters Furniture
SIN 337127	Institutional Furniture
SIN 33721	Office Furniture
SIN 33721P	Packaged Office Furniture
SIN OLM	Order Level Materials

#### **NAICS CODES**

337127	Institutional Furniture Manufacturing
337211	Wood Office Furniture Manufacturing
337214	Office Furniture (except wood) Manufacturing
423210	Furniture Merchant Wholesalers

NP products may be found on GSA Advantage.

#### TERM DATE 6/26/2012 - 6/26/2027

	DAIL 0/20/20	2 - 0/20/2027
1a.	<b>Special Item Nu</b> SIN 337121H SIN 337127 SIN 33721 SIN 33721P SIN OLM	mbers Awarded Household, Dormitory & Quarters Furniture Institutional Furniture Office Furniture Packaged Office Furniture Order Level Materials
1b.	Lowest Priced I SIN 337121H SIN 337127 SIN 33721 SIN 33721P	tem Contact Corporate Office Contact Corporate Office SPTRY Pencil Tray Contact Corporate Office
1c.	the second second	e — <b>SIN 33721</b> ; (non-union inclusive IFF) ur (union inclusive of IFF)
2.	SIN 337127 SIN 33721 SIN 33721P	r \$1,000,000 \$250,000 \$250,000 \$5,000,000 \$0
3.	Minimum Orde	r \$50
4.	Geographic Con CONUS & OCON	
5.	Point of Product 3904 N. Texas A	<b>tion</b> venue, Bryan, 77803, Brazos County, TX, USA
6.	<b>Discount from I</b> Seating/Workp SIN 33721 — Di	lace Accessories
	Systems SIN 33721 — Di	scount 70%
7.	Quantity Discou No discount tie	u <b>nts</b> rs have been negotiated.
8.	Prompt Paymer Net 30 Days	nt Terms
9.	Government Pu Visa/Master Car	r <b>chase Cards Accepted</b> d
10.	<b>Foreign Item</b> None	
11a.	<b>Time of Deliver</b> 5 – 90 days after	
		ery available. Contact Customer Service.
		2-day Delivery n upcharge. Contact Customer Service.
12.	of Columbia. Po	NUS, within the 48 contiguous states and the District rt of embarkation for delivery to Alaska, Hawaii, Puerto Islands and U.S. Government installations overseas.
13.	Ordering Addre Neutral Posture attn: Order Entr 3904 N. Texas A Bryan, TX 77803 979.778.0502 800.446.3746	, lnc. y/ * or dealer venue

#### **GSA Contract Details** GS-27F-0014Y

- 16. Export Packing Charges Contact Customer Service for quote.
- 17. Terms and Conditions of Government Purchase Card Government purchase cards will be accepted for purchases at prices shown in this authorized price list (no additional discount offered).
- 18. Terms and Conditions Of Rental, Maintenance, and Repair Not applicable
- Terms and Conditions of Installation 19. Installation and instruction are available from authorized dealers. Please contact your local NP Dealer for pricing.
- 20. Terms and Conditions of Repair Parts Repair parts are offered at the agreed upon discount from the NP repair parts price list in effect at the time the repair parts are ordered.
- 20a. Terms and Conditions for Any Other Services GSA has accepted all of our standard terms and conditions as noted on page 6-8.
- 21. List of Service and Distribution Points Not applicable

#### 22. List of Dealers

Please contact Customer Service, or visit NeutralPosture. com for the name of your nearest authorized Dealer.

- 23. Preventive Maintenance Not offered or applicable
- 24. Environmental Attributes Not applicable

#### 25. Other Information

Tax Identification Number (TIN):	74-2983577
Unique Entity ID	EYTGAM8GGLJ3
DUNS:	61-0339723
Cage Code:	0UTL8
NAICS:	337214

#### 26. SAM

NP is registered in System For Award Management (SAM).

NOTE: It is mandatory that all Government purchase orders be made out to NP only. Local Dealers are not authorized to accept purchase orders, issue invoices or receive payment of Government funds for these items without serious violation of this Federal Supply Schedule Contract.

15. Warranty Provision

fax 979.778.0408

14. Payment Address Neutral Posture, Inc. 3904 N. Texas Avenue Bryan, TX 77803

orderentry@neutralposture.com

Neutral Posture's commercial warranty applies.

\* Authorized Dealers should be cited on order

#### WALL MOUNTING SUGGESTIONS

The following information is provided only as a guide and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a customer's site wall. Wall specification/construction is the responsibility of the customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the customer should always consult local code agencies.

## Wall Mounting

	New Construction	Existing Construction				
		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Steel Stud Wall, the studs being only ceiling height
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade (cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the locally approved wood backing system as directed by the manufacturer.) Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 <sup>1</sup> / <sub>2</sub> " wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%s" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ¼" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking

## **Finishes**

#### FABRICS

Α		WIDTH
Forte	Mayer	54"
Quattro	Mayer	54"
Strata	Mayer	66"
В		
Cape Cod	Guilford of Maine	66"
Cross Check	Mayer	54"
Grasscloth	Mayer	66"
Luminary	Mayer	66"
Metallation	Guilford of Maine	66"
Metro	Guilford of Maine	66"
Pact	Momentum	66"
Sprite	Guilford of Maine	66"
Tweed	Guilford of Maine	66"
C		
Infinity C-Zero	Momentum	57"
Fedora	Mayer	54"
Marathon C-Zero	Momentum	57"
Millennium C-Zero	Momentum	56"
Odyssey C-Zero	Momentum	56"
Rattan	Guilford of Maine	66"
Reverb	Mayer	54"
Tradition C-Zero	Momentum	56"
Verse	Momentum	66"
D		
Echo	Mayer	54"

#### LAMINATES L1 Casual Linen SS-CLN Grey Mesh SP-GRM Linen SS-LN Mangalore Mango SW-MGM **Mission Maple** SW-MNM Nickle Ev SS-NEV Organic Cotton SS-OC Soft Gold Mesh SP-SGM Sterling Ash SW-STA L2 Asian Sand PW-ASD Astro Strandz PP-AST Biltmore Cherry PW-BCH Cosmic Strandz PP-CST **Empire Mahogany** PW-EMH Fired Steel PP-FIS Forged Steel PP-FOS Shaker Cherry PW-SCH Silver Alchemy PW-SAL Studio Teak PW-STK Vapor Strandz PP-VST

#### **EDGE BANDS**

Asian Sand	EB-ASD
Astro Strandz	EB-AST
Beige	EB-BEI
Biltmore Cherry	EB-BCH
Casual Linen	EB-CLN
Cosmic Strandz	EB-CST
Custom Laminate	EB-COL
Empire Mahogany	EB-EMH
Fashion Grey	EB-FGR
Fired Steel	EB-FIS
Forged Steel	EB-FOR
Grey	EB-GRY
Grey Mesh	EB-GRM
Khaki Brown	EB-BRN
Linen	EB-LN
Mangalore Mango	EB-MGM
Mission Maple	EB-MNM
Nickle Ev	EB-NEV
Organic Cotton	EB-OC
Pepperdust	EB-PPR
Platinum	EB-PLT
Sand	EB-SND
Shadow	EB-SHD
Shaker Cherry	EB-SCH
Silver Alchemy	EB-SAL
Slate Grey	EB-SGR
Soft Gold Mesh	EB-SGM
Sterling Ash	EB-STA
Studio Teak	EB-STK
Vapor Strandz	EB-VST
Virtual Design Laminate	EB-VL

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

## **Finishes**

#### PAINTS

# P1Cream201TDesigner Beige202TGrey203TJet Black204TSky White200T

#### **P2**

Brass	303
Champagne	301
Platinum	302

PLEXIGLASS

Clear	CL
lce	IC
Frost (Not Available on Insert Panels)	LF
Smoked	SM
Translucent	TR

#### GLASS

Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

#### **DESIGNER GLASS**

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call Customer Service for a quote 979.778.0502 ext 301.

#### CORIAN

Glacier White	
Pearl Grey	
Corian Clay	
Silver Grey	
Corian Grey	

#### **TEXTURED CORIAN**

CR001	Glacier White	CR001T
CR002	Pearl Grey	CR002T
CR003	Corian Clay	CR003T
CR004	Silver Grey	CR004T
CR005	Corian Grey	CR005T

## **Custom Finishes Program**

While Neutral Posture offers a large selection of unique finishes, we understand you might want to create a signature on your project or brand your project. We are offering an easy way for you to provide pricing to your client.

#### **CUSTOMER'S OWN FABRIC**

Neutral Posture can apply any UL fire rated fabric. This will add to the lead time as we will require three yards of fabric to test on a panel. Test yardage should be sent to the factory address in Bryan, TX with the project name clearly marked on the label noting test yardage.

Neutral Posture Test Fabric Attention: Systems Product Manager 3904 N. Texas Ave. Bryan, TX 77803

We can also grade-in any fabric from any supplier in the industry. Please contact Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

#### **CUSTOMER'S OWN LAMINATE**

All of Neutral Posture's standard laminates are Wilsonart. For your project, you can select any Wilsonart laminate and use L1 for standard laminates, L2 for premium laminates and L3 for custom and virtual library programs. An upcharge may apply for matching edge banding. Please contact Customer Service for more information.

We can also grade-in any laminate from any other supplier. Please contact Customer Service for grade-in pricing. Note that all grade-ins must be pre-approved for suitability before production begins.

#### **CUSTOM RAL PAINT FINISHES**

Whether it is an 8 person or 1,000 person project, use any RAL powder coat color on your metal products. If you have any questions, please contact Customer Service for more information.

#### **HOW TO PRICE**

For Each Order	
Setup fee per RAL color	\$1,100 (NET)
Each item using an RAL color	P3 Pricing

## Legacy finishes are only available for existing customers to match existing installs

**Bright White** 

Clear Maple

Jet Black

Caramel Maple

Medium Cherry

Pumice (was LF)

#### **LEGACY – LAMINATES**

LE	GAC	:Y –	EDG	E BAN	IDS
----	-----	------	-----	-------	-----

118

MC

CM

111

124

119

#### L1

Bright White	118
Caramel Maple	MC
Clear Maple	CM
Deep Mahogany	MP58
Jet Black	111
Medium Cherry	124
Pearwood	PA
Pumice (was LF)	119
Warm Cherry	WM
White Essence	ES7
Winter Grey Matrix	MR6

## NOTE: If your laminate is not listed please contact Customer Service at customerservice@neutralposture.com or 979.778.0502 ext. 301 to check availability.

#### **LEGACY – PAINTS & PLASTICS**

P1	
Jet Black	111
Brown	112
Dark Grey (was Y3)	113
Folkstone Grey (was LA)	114
Med. Grey (was Y2)	115
Sandstone	116
Soft Grey (was E)	117
Dark Neutral	D
Taupe	R
P2	
Beige Mist Metallic	611
Medium Metallic Grey	612
Beige Metallic	Н
Light Tan Metallic	W
P3	
Bright White	118
Silver	613

#### NOTE: EP1 and EP2 panels and components are not available in the following:

Step 1 – Model #						<b>Step 2</b> – Surface Finish	<b>Step 3</b> – Trim Finish	
	Тор Сар	Panel Type	w	н	Raceway	Fabric	Paint	
EP Equity Panel	3 Beveled N Flat	FA Fabric Panel	36	29	K with knockouts N without knockouts	F298 Forte	301 Champagne	
EP		FA	36		К	F298	301	

#### **FEATURES**

HEI	GHTS
29"	Н
36"	Н
41"	Н
49"	Н
54"	Н
61"	Н
66"	Н
81"	Н
wII	חדווכ


#### WIDTHS

12" W 18" W 24" W 30" W 36" W 42" W 48" W 60" W

#### THICKNESS

1 1⁄2"

#### TOP CAP



3 – Beveled

RACEWAY

(K) with knockouts(N) without knockouts

#### PANEL RATINGS

NRC	.75
STC	15

N – Flat

### CONSTRUCTION

FABRIC PANEL FRAME Galvaneal roll formed steel frame

**FABRIC PANEL CORE** Mineral wool Fiberglass backer

#### **INSERT PANEL FRAME** Extruded aluminum

#### **INSERT PANEL CORE**

¼" Laminate¼" Perforated aluminum¼" PlexiglassOpen Frame

#### **TOP CAP, SLOTTED STANDARD**

Cold rolled, roll formed steel

#### TOP CAP CLIP Spring steel

RACEWAY COVER, RACEWAY BASE & RACEWAY RETENTION CHANNEL

Cold rolled, roll formed steel

**RACEWAY STANCHIONS** Pressed & folded steel

PANEL HOOKS Steel

**POSTS** Steel tube

**POST CONNECTORS** Diecast aluminum

SHROUDS Pressed & folded steel

#### **SURFACE MATERIALS**

**ALL PANELS** Trim – paint

FABRIC PANELS (FA)

Fabric

#### **INSERT PANELS**

Plexiglass (PG)	
Clear	CL
lce	IC
Smoked	SM
Translucent	TR

## Glass (GL)

Clear	CL
Grey	GR
Smoked	SM
Translucent	TR

#### Designer Glass (DG)

Patterns from Skyline Design. Some exceptions apply.

There is a minimum \$500 set-up and crating fee for all designer glass orders. Please call customer service for a quote 979.778.0502 ext 301.


Laminate (LM) Laminate

Perforated Aluminum (PA) Paint


Open Frame (OF) Paint

POSTS, CONNECTORS & SHROUDS Paint

PANELS



## **Fabric Panels**



		<b>,</b>	• • • • • • • • • • • • •	•••••	•••••	•••••		••••••	••••••	••••••••••	•••••
29" H		FABRIC								PAINT	
W	MODEL #	A	В	C	D	E	F	G	н	P2	P3
12"	EP( <mark>3</mark> /N)FA1229(K/N)	\$519	\$549	\$589	\$639	\$699	\$769	\$849	\$939	+ \$30	+ \$60
18"	EP(3/N)FA1829(K/N)	\$580	\$610	\$650	\$700	\$760	\$830	\$910	\$1,000	+ \$30	+ \$60
24"	EP(3/N)FA2429(K/N)	\$639	\$669	\$709	\$759	\$819	\$889	\$969	\$1,059	+ \$30	+ \$60
30"	EP(3/N)FA3029(K/N)	\$700	\$730	\$770	\$820	\$880	\$950	\$1,030	\$1,120	+ \$30	+ \$60
36"	EP(3/N)FA3629(K/N)	\$784	\$844	\$924	\$1,024	\$1,144	\$1,284	\$1,444	\$1,624	+ \$30	+ \$60
42"	EP(3/N)FA4229(K/N)	\$833	\$893	\$973	\$1,073	\$1,193	\$1,333	\$1,493	\$1,673	+ \$30	+ \$60
48"	EP(3/N)FA4829(K/N)	\$881	\$941	\$1,021	\$1,121	\$1,241	\$1,381	\$1,541	\$1,721	+ \$30	+ \$60
60"	EP(3/N)FA6029(K/N)	\$929	\$989	\$1,069	\$1,169	\$1,289	\$1,429	\$1,589	\$1,769	+ \$30	+ \$60

## 41" H

12"	EP(3/N)FA1241(K/N)	\$580	\$620	\$670	\$730	\$810	\$900	\$1,010	\$1,140	+ \$30	+ \$60
18"	EP(3/N)FA1841(K/N)	\$639	\$679	\$729	\$789	\$869	\$959	\$1,069	\$1,199	+ \$30	+ \$60
24"	EP(3/N)FA2441(K/N)	\$700	\$740	\$790	\$850	\$930	\$1,020	\$1,130	\$1,260	+ \$30	+ \$60
30"	EP(3/N)FA3041(K/N)	\$760	\$800	\$850	\$910	\$990	\$1,080	\$1,190	\$1,320	+ \$30	+ \$60
36"	EP(3/N)FA3641(K/N)	\$845	\$925	\$1,025	\$1,145	\$1,305	\$1,495	\$1,735	\$2,025	+ \$30	+ \$60
42"	EP(3/N)FA4241(K/N)	\$905	\$985	\$1,085	\$1,205	\$1,365	\$1,555	\$1,795	\$2,085	+ \$30	+ \$60
48"	EP(3/N)FA4841(K/N)	\$966	\$1,046	\$1,146	\$1,266	\$1,426	\$1,616	\$1,856	\$2,146	+ \$30	+ \$60
60"	EP(3/N)FA6041(K/N)	\$1,026	\$1,106	\$1,206	\$1,326	\$1,486	\$1,676	\$1,916	\$2,206	+ \$30	+ \$60

#### **49" H**

_											
12"	EP(3/N)FA1249(K/N)	\$652	\$692	\$742	\$802	\$882	\$982	\$1,102	\$1,252	+ \$30	+ \$60
18"	EP( <mark>3/N)FA1849</mark> (K/N)	\$712	\$752	\$802	\$862	\$942	\$1,042	\$1,162	\$1,312	+ \$30	+ \$60
24"	EP(3/N)FA2449(K/N)	\$773	\$813	\$863	\$923	\$1,003	\$1,103	\$1,223	\$1,373	+ \$30	+ \$60
30"	EP(3/N)FA3049(K/N)	\$833	\$873	\$923	\$983	\$1,063	\$1,163	\$1,283	\$1,433	+ \$30	+ \$60
36"	EP(3/N)FA3649(K/N)	\$918	\$998	\$1,098	\$1,218	\$1,388	\$1,598	\$1,868	\$2,188	+ \$30	+ \$60
42"	EP(3/N)FA4249(K/N)	\$978	\$1,058	\$1,158	\$1,278	\$1,448	\$1,658	\$1,928	\$2,248	+ \$30	+ \$60
48"	EP(3/N)FA4849(K/N)	\$1,038	\$1,118	\$1,218	\$1,338	\$1,508	\$1,718	\$1,988	\$2,308	+ \$30	+ \$60
60"	EP( <mark>3</mark> /N)FA6049(K/N)	\$1,122	\$1,202	\$1,302	\$1,422	\$1,592	\$1,802	\$2,072	\$2,392	+ \$30	+ \$60


#### 54" H

-											
12"	EP(3/N)FA1254(K/N)	\$712	\$752	\$802	\$872	\$972	\$1,082	\$1,212	\$1,372	+ \$30	+ \$60
18"	EP(3/N)FA1854(K/N)	\$773	\$813	\$863	\$933	\$1,033	\$1,143	\$1,273	\$1,433	+ \$30	+ \$60
24"	EP(3/N)FA2454(K/N)	\$833	\$873	\$923	\$993	\$1,093	\$1,203	\$1,333	\$1,493	+ \$30	+ \$60
30"	EP(3/N)FA3054(K/N)	\$894	\$934	\$984	\$1,054	\$1,154	\$1,264	\$1,394	\$1,554	+ \$30	+ \$60
36"	EP(3/N)FA3654(K/N)	\$990	\$1,080	\$1,180	\$1,320	\$1,530	\$1,760	\$2,030	\$2,360	+ \$30	+ \$60
42"	EP(3/N)FA4254(K/N)	\$1,050	\$1,140	\$1,240	\$1,380	\$1,590	\$1,820	\$2,090	\$2,420	+ \$30	+ \$60
48"	EP(3/N)FA4854(K/N)	\$1,111	\$1,201	\$1,301	\$1,441	\$1,651	\$1,881	\$2,151	\$2,481	+ \$30	+ \$60
60"	EP(3/N)FA6054(K/N)	\$1,195	\$1,285	\$1,385	\$1,525	\$1,735	\$1,965	\$2,235	\$2,565	+ \$30	+ \$60

Specify	Application Notes	Assembly	Top Cap Styles	
1. Model # 2. Fabric 3. Paint	The panel is fabric covered. If two different fabrics are used on one panel, the price will reflect the cost of the most expensive panel fabric. NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.	Included • Panel • Top cap • Metal raceway covers Ordered Separately • Posts • Panel connectors • Electrical components	3 – Beveled	N – Flat

Panels

## **Fabric Panels**




			•••••	••••••	•••••		•••••				•••••
61"	H				FAB	RIC				PAII	٩T
W	MODEL #	A	В	c	D	E	F	G	Н	P2	P3
12"	EP(3/N)FA1261(K/N)	\$773	\$823	\$883	\$963	\$1,073	\$1,193	\$1,333	\$1,503	+ \$30	+ \$60
18"	EP(3/N)FA1861(K/N)	\$833	\$883	\$943	\$1,023	\$1,133	\$1,253	\$1,393	\$1,563	+ \$30	+ \$60
24"	EP(3/N)FA2461(K/N)	\$894	\$944	\$1,004	\$1,084	\$1,194	\$1,314	\$1,454	\$1,624	+ \$30	+ \$60
30"	EP(3/N)FA3061(K/N)	\$953	\$1,003	\$1,063	\$1,143	\$1,253	\$1,373	\$1,513	\$1,683	+ \$30	+ \$60
36"	EP(3/N)FA3661(K/N)	\$1,038	\$1,138	\$1,258	\$1,418	\$1,648	\$1,898	\$2,178	\$2,518	+ \$30	+ \$60
42"	EP(3/N)FA4261(K/N)	\$1,098	\$1,198	\$1,318	\$1,478	\$1,708	\$1,958	\$2,238	\$2,578	+ \$30	+ \$60
48"	EP(3/N)FA4861(K/N)	\$1,159	\$1,259	\$1,379	\$1,539	\$1,769	\$2,019	\$2,299	\$2,639	+ \$30	+ \$60
60"	EP(3/N)FA6061(K/N)	\$1,267	\$1,367	\$1,487	\$1,647	\$1,877	\$2,127	\$2,407	\$2,747	+ \$30	+ \$60
12"	EP(3/N)FA1266(K/N)	\$797	\$847	\$907	\$987	\$1,107	\$1,237	\$1,387	\$1,567	+ \$30	+ \$60
66"											
18"	EP(3/N)FA1866(K/N)	\$857	\$907	\$967	\$1,047	\$1,167	\$1,297	\$1,447	\$1,627	+ \$30	+ \$60
24"	EP(3/N)FA2466(K/N)	\$918	\$968	\$1,028	\$1,108	\$1,228	\$1,358	\$1,508	\$1,688	+ \$30	+ \$60
30"	EP(3/N)FA3066(K/N)	\$978	\$1,028	\$1,088	\$1,168	\$1,288	\$1,418	\$1,568	\$1,748	+ \$30	+ \$60
36"	EP(3/N)FA3666(K/N)	\$1,074	\$1,184	\$1,314	\$1,474	\$1,724	\$2,004	\$2,324	\$2,714	+ \$30	+ \$60
42"	EP(3/N)FA4266(K/N)	\$1,135	\$1,245	\$1,375	\$1,535	\$1,785	\$2,065	\$2,385	\$2,775	+ \$30	+ \$60
48"	EP(3/N)FA4866(K/N)	\$1,195	\$1,305	\$1,435	\$1,595	\$1,845	\$2,125	\$2,445	\$2,835	+ \$30	+ \$60
60"	EP( <mark>3</mark> /N)FA6066(K/N)	\$1,304	\$1,414	\$1,544	\$1,704	\$1,954	\$2,234	\$2,554	\$2,944	+ \$30	+ \$60
81"	u										
12"	EP(3/N)FA1281(K/N)	\$857	\$917	\$977	\$1,067	\$1,217	\$1,387	\$1,577	\$1,797	+ \$30	+ \$60
18"	EP(3/N)FA1881(K/N)	\$918	\$978	\$1,038	\$1,128	\$1,278	\$1,448	\$1,638	\$1,858	+ \$30	+ \$60
10		7710	2270	91,050	J1,120	21,270	91,170	91,050	91,050	1,250	1,200

18"	EP(3/N)FA1881(K/N)	\$918	\$978	\$1,038	\$1,128	\$1,278	\$1,448	\$1,638	\$1,858	+ \$30	+ \$60
24"	EP(3/N)FA2481(K/N)	\$978	\$1,038	\$1,098	\$1,188	\$1,338	\$1,508	\$1,698	\$1,918	+ \$30	+ \$60
30"	EP(3/N)FA3081(K/N)	\$1,038	\$1,098	\$1,158	\$1,248	\$1,398	\$1,568	\$1,758	\$1,978	+ \$30	+ \$60
36"	EP(3/N)FA3681(K/N)	\$1,256	\$1,376	\$1,496	\$1,686	\$2,016	\$2,386	\$2,796	\$3,256	+ \$30	+ \$60
42"	EP(3/N)FA4281(K/N)	\$1,401	\$1,521	\$1,641	\$1,831	\$2,161	\$2,531	\$2,941	\$3,401	+ \$30	+ \$60
48"	EP(3/N)FA4881(K/N)	\$1,509	\$1,629	\$1,749	\$1,939	\$2,269	\$2,639	\$3,049	\$3,509	+ \$30	+ \$60
60"	EP(3/N)FA6081(K/N)	\$1,618	\$1,738	\$1,858	\$2,048	\$2,378	\$2,748	\$3,158	\$3,618	+ \$30	+ \$60

					UPCHARGE	(NET)			
Guardian <sup>®</sup> Panel Option					HEIGH	IT			
BULLET RESISTANT PANEL			29"	41"	49"	54"	61"	66"	81"
NIJ Level IIIA compliant		30"	\$263	\$380	\$444	\$488	\$552	\$597	\$733
Protection against handguns	WIDTH	36"	\$315	\$456	\$532	\$586	\$663	\$717	\$880
up to .44 Magnum	MIE	42"	\$368	\$532	\$622	\$685	\$774	\$836	\$1,026
<ul> <li>Inconspicuous – looks like a regular panel</li> </ul>		48"	\$420	\$608	\$710	\$782	\$883	\$956	\$1,173

NOTE: To specify a Guardian Panel add a "G" to the end of the panels model number.

Pricing is for P1 paint colors. Add the appropriate upcharge if using P2 or P3 trim.



									•••••••	
29" H			(	LASS INSERT		LA	WINATE INSE	RT	PAII	NT
W	MODEL #	OF	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP(3/N)()1229(K/N)	\$841	\$1,023	\$1,131	\$1,324	\$1,083	\$1,191	\$1,300	+ \$30	+ \$60
18"	EP(3/N)()1829(K/N)	\$854	\$1,047	\$1,168	\$1,445	\$1,143	\$1,257	\$1,372	+ \$30	+ \$60
24"	EP(3/N)()2429(K/N)	\$865	\$1,071	\$1,203	\$1,566	\$1,179	\$1,297	\$1,415	+ \$30	+ \$60
30"	EP(3/N)()3029(K/N)	\$889	\$1,107	\$1,252	\$1,686	\$1,216	\$1,338	\$1,459	+ \$30	+ \$60
36"	EP(3/N)()3629(K/N)	\$914	\$1,155	\$1,313	\$1,796	\$1,276	\$1,404	\$1,531	+ \$30	+ \$60
42"	EP(3/N)()4229(K/N)	\$938	\$1,216	\$1,372	\$1,916	\$1,337	\$1,471	\$1,604	+ \$30	+ \$60
48"	EP(3/N)()4829(K/N)	\$962	\$1,288	\$1,445	\$2,049	\$1,409	\$1,550	\$1,691	+ \$30	+ \$60
60"	EP(3/N)()6029(K/N)	\$1,010	\$1,372	\$1,530	\$2,254	\$1,493	\$1,642	\$1,792	+ \$30	+ \$60
11" U										
<u>41" H</u>										
12"	EP(3/N)()1241(K/N)	\$889	\$1,143	\$1,276	\$1,493	\$1,143	\$1,257	\$1,372	+ \$30	+ \$60
18"	EP(3/N)()1841(K/N)	\$902	\$1,168	\$1,300	\$1,602	\$1,264	\$1,390	\$1,517	+ \$30	+ \$60
24"	EP(3/N)()2441(K/N)	\$914	\$1,203	\$1,348	\$1,735	\$1,313	\$1,444	\$1,576	+ \$30	+ \$60
30"	EP(3/N)()3041(K/N)	\$938	\$1,252	\$1,409	\$1,892	\$1,372	\$1,509	\$1,646	+ \$30	+ \$60
36"	EP(3/N)()3641(K/N)	\$962	\$1,313	\$1,469	\$2,013	\$1,433	\$1,576	\$1,720	+ \$30	+ \$60
42"	EP(3/N)()4241(K/N)	\$986	\$1,385	\$1,541	\$2,145	\$1,506	\$1,657	\$1,807	+ \$30	+ \$60
48"	EP(3/N)()4841(K/N)	\$1,010	\$1,469	\$1,638	\$2,363	\$1,602	\$1,762	\$1,922	+ \$30	+ \$60
60"	EP(3/N)()6041(K/N)	\$1,058	\$1,566	\$1,747	\$2,713	\$1,710	\$1,881	\$2,052	+ \$30	+ \$60
49" H										
12"	EP(3/N)()1249(K/N)	\$902	\$1,168	\$1,300	\$1,517	\$1,203	\$1,323	\$1,444	+ \$30	+ \$60
18"	EP(3/N)()1849(K/N)	\$914	\$1,203	\$1,337	\$1,638	\$1,300	\$1,430	\$1,560	+ \$30	+ \$60
24"	EP(3/N)()2449(K/N)	\$926	\$1,252	\$1,397	\$1,783	\$1,361	\$1,497	\$1,633	+ \$30	+ \$60

12"	EP(3/N)()1249(K/N)	\$902	\$1,168	\$1,300	\$1,517	\$1,203	\$1,323	\$1,444	+ \$30	+ \$60
18"	EP(3/N)()1849(K/N)	\$914	\$1,203	\$1,337	\$1,638	\$1,300	\$1,430	\$1,560	+ \$30	+ \$60
24"	EP(3/N)()2449(K/N)	\$926	\$1,252	\$1,397	\$1,783	\$1,361	\$1,497	\$1,633	+ \$30	+ \$60
30"	EP(3/N)()3049(K/N)	\$950	\$1,313	\$1,469	\$1,976	\$1,433	\$1,576	\$1,720	+ \$30	+ \$60
36"	EP(3/N)()3649(K/N)	\$974	\$1,385	\$1,541	\$2,169	\$1,506	\$1,657	\$1,807	+ \$30	+ \$60
42"	EP(3/N)()4249(K/N)	\$999	\$1,469	\$1,626	\$2,375	\$1,590	\$1,749	\$1,908	+ \$30	+ \$60
48"	EP(3/N)()4849(K/N)	\$1,023	\$1,566	\$1,723	\$2,592	\$1,686	\$1,855	\$2,023	+ \$30	+ \$60
60"	EP(3/N)()6049(K/N)	\$1,071	\$1,699	\$1,880	\$2,870	\$1,844	\$2,028	\$2,213	+ \$30	+ \$60

#### 54" H

Plexiglass Finishes

CL . . Clear

SM. . Smoked

Glass Finishes

CL . . Clear

GR . . Grey SM. . Smoked TR ... Translucent

TR . . Translucent

IC . . . Ice

12"	EP(3/N)()1254(K/N)	\$938	\$1,179	\$1,313	\$1,530	\$1,264	\$1,390	\$1,517	+ \$30	+ \$60
18"	EP(3/N)()1854(K/N)	\$950	\$1,227	\$1,361	\$1,662	\$1,324	\$1,456	\$1,589	+ \$30	+ \$60
24"	EP(3/N)()2454(K/N)	\$962	\$1,288	\$1,433	\$1,820	\$1,397	\$1,537	\$1,676	+ \$30	+ \$60
30"	EP(3/N)()3054(K/N)	\$986	\$1,361	\$1,517	\$2,024	\$1,482	\$1,630	\$1,778	+ \$30	+ \$60
36"	EP(3/N)()3654(K/N)	\$1,010	\$1,445	\$1,602	\$2,230	\$1,566	\$1,723	\$1,879	+ \$30	+ \$60
42"	EP(3/N)()4254(K/N)	\$1,034	\$1,541	\$1,699	\$2,448	\$1,662	\$1,828	\$1,994	+ \$30	+ \$60
48"	EP(3/N)()4854(K/N)	\$1,058	\$1,651	\$1,820	\$2,689	\$1,783	\$1,961	\$2,140	+ \$30	+ \$60
60"	EP(3/N)()6054(K/N)	\$1,107	\$1,783	\$1,965	\$2,955	\$1,928	\$2,121	\$2,314	+ \$30	+ \$60

#### Specify

- 1. Model #
- 2. Insert type
- 3. Insert color
- 4. Paint

**NOTE: Power duplexes cannot** be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

#### **Application Notes**

Insert Panels are

#### constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered with multiple insert options or as an open frame for complete accessibility through the panel.

#### Assembly Included

#### Panel

• Top cap


Metal raceway covers

#### **Ordered Separately**


- Posts Panel connectors
- Electrical components

#### Top Cap Styles





## **Insert Panels**



60"

EP(3/N)()6081(K/N)

									······	
61" H			G	GLASS INSERT		LA	MINATE INSE	RT	PAII	١T
W	MODEL #	OF	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP(3/N)()1261(K/N)	\$950	\$1,192	\$1,337	\$1,578	\$1,288	\$1,417	\$1,546	+ \$30	+ \$60
18"	EP( <mark>3</mark> /N)( )1861(K/N)	\$962	\$1,252	\$1,397	\$1,699	\$1,348	\$1,483	\$1,618	+ \$30	+ \$60
24"	EP(3/N)()2461(K/N)	\$974	\$1,324	\$1,482	\$1,880	\$1,433	\$1,576	\$1,720	+ \$30	+ \$60
30"	EP(3/N)()3061(K/N)	\$999	\$1,409	\$1,578	\$2,097	\$1,530	\$1,683	\$1,836	+ \$30	+ \$60
36"	EP(3/N)()3661(K/N)	\$1,023	\$1,506	\$1,675	\$2,314	\$1,626	\$1,789	\$1,951	+ \$30	+ \$60
42"	EP(3/N)()4261(K/N)	\$1,047	\$1,614	\$1,796	\$2,556	\$1,747	\$1,922	\$2,096	+ \$30	+ \$60
48"	EP(3/N)()4861(K/N)	\$1,071	\$1,735	\$1,928	\$2,810	\$1,880	\$2,068	\$2,256	+ \$30	+ \$60
60"	EP(3/N)()6061(K/N)	\$1,131	\$1,868	\$2,073	\$3,208	\$2,024	\$2,226	\$2,429	+ \$30	+ \$60
66" H										
12"	EP( <mark>3</mark> /N)( )1266(K/N)	\$962	\$1,203	\$1,348	\$1,590	\$1,300	\$1,430	\$1,560	+ \$30	+ \$60
18"	EP(3/N)()1866(K/N)	\$974	\$1,276	\$1,421	\$1,747	\$1,372	\$1,509	\$1,646	+ \$30	+ \$60
24"	EP(3/N)()2466(K/N)	\$986	\$1,361	\$1,517	\$1,940	\$1,469	\$1,616	\$1,763	+ \$30	+ \$60
30"	EP(3/N)()3066(K/N)	\$1,010	\$1,457	\$1,626	\$2,169	\$1,578	\$1,736	\$1,894	+ \$30	+ \$60
36"	EP(3/N)()3666(K/N)	\$1,034	\$1,566	\$1,735	\$2,399	\$1,686	\$1,855	\$2,023	+ \$30	+ \$60
42"	EP(3/N)()4266(K/N)	\$1,058	\$1,686	\$1,868	\$2,652	\$1,820	\$2,002	\$2,184	+ \$30	+ \$60
48"	EP(3/N)()4866(K/N)	\$1,083	\$1,820	\$2,013	\$2,918	\$1,965	\$2,162	\$2,358	+ \$30	+ \$60
60"	EP(3/N)()6066(K/N)	\$1,143	\$1,965	\$2,158	\$3,304	\$2,109	\$2,320	\$2,531	+ \$30	+ \$60
04111										
81" H										
12"	EP(3/N)()1281(K/N)	\$1,034	\$1,433	\$1,602	\$1,868	\$1,554	\$1,709	\$1,865	+ \$30	+ \$60
18"	EP(3/N)()1881(K/N)	\$1,047	\$1,554	\$1,723	\$2,085	\$1,675	\$1,843	\$2,010	+ \$30	+ \$60
24"	EP(3/N)()2481(K/N)	\$1,058	\$1,675	\$1,844	\$2,327	\$1,796	\$1,976	\$2,155	+ \$30	+ \$60
30"	EP(3/N)()3081(K/N)	\$1,083	\$1,796	\$1,965	\$2,568	\$1,916	\$2,108	\$2,299	+ \$30	+ \$60
36"	EP(3/N)()3681(K/N)	\$1,107	\$1,916	\$2,085	\$2,810	\$2,037	\$2,241	\$2,444	+ \$30	+ \$60
42"	EP(3/N)()4281(K/N)	\$1,131	\$2,037	\$2,206	\$3,051	\$2,158	\$2,374	\$2,590	+ \$30	+ \$60
48"	EP(3/N)()4881(K/N)	\$1,155	\$2,182	\$2,351	\$3,317	\$2,303	\$2,533	\$2,764	+ \$30	+ \$60

\$1,240 \$2,363 \$2,532

\$4,041 \$2,483

\$2,731

\$2,980

+ \$30

+ \$60

	Top Cap	Panel Type	w	н	Raceway
EP Equity Panel	3 Beveled N Flat	OF Open frame DG Designer glass insert GL Glass insert <b>PG Plexiglass insert</b> LM Laminate insert	36	29	K With knockouts N Without knockouts
EP	N	PG	36	29	κ

29" H			I	NSERT PAINT		FRAME	PAINT
w	MODEL #	PA	P1	P2	P3	P2	P3
12"	EP(3/N)PA1229(K/N)	\$962	\$1,012	\$1,022	\$1,032	+ \$30	+ \$60
18"	EP(3/N)PA1829(K/N)	\$974	\$1,034	\$1,054	\$1,074	+ \$30	+ \$60
24"	EP(3/N)PA2429(K/N)	\$999	\$1,059	\$1,089	\$1,119	+ \$30	+ \$60
30"	EP(3/N)PA3029(K/N)	\$1,034	\$1,094	\$1,124	\$1,164	+ \$30	+ \$60
36"	EP(3/N)PA3629(K/N)	\$1,083	\$1,143	\$1,173	\$1,213	+ \$30	+ \$60
42"	EP(3/N)PA4229(K/N)	\$1,131	\$1,201	\$1,241	\$1,281	+ \$30	+ \$60
48"	EP(3/N)PA4829(K/N)	\$1,203	\$1,273	\$1,323	\$1,373	+ \$30	+ \$60
60"	EP(3/N)PA6029(K/N)	\$1,288	\$1,358	\$1,418	\$1,478	+ \$30	+ \$60
41" H							
12"	EP(3/N)PA1241(K/N)	\$1,058	\$1,128	\$1,148	\$1,168	+ \$30	+ \$60
18"	EP(3/N)PA1841(K/N)	\$1,083	\$1,153	\$1,173	\$1,203	+ \$30	+ \$60
24"	EP(3/N)PA2441(K/N)	\$1,119	\$1,189	\$1,219	\$1,259	+ \$30	+ \$60
30"	EP(3/N)PA3041(K/N)	\$1,168	\$1,238	\$1,278	\$1,328	+ \$30	+ \$60
36"	EP(3/N)PA <mark>3641</mark> (K/N)	\$1,227	\$1,297	\$1,347	\$1,407	+ \$30	+ \$60
42"	EP(3/N)PA <mark>4241</mark> (K/N)	\$1,288	\$1,368	\$1,428	\$1,498	+ \$30	+ \$60
48"	EP(3/N)PA <mark>4841</mark> (K/N)	\$1,372	\$1,452	\$1,532	\$1,602	+ \$30	+ \$60
60"	EP(3/N)PA6041(K/N)	\$1,469	\$1,549	\$1,649	\$1,739	+ \$30	+ \$60
49" H							
12"	EP(3/N)PA1249(K/N)	\$1,083	\$1,153	\$1,173	\$1,193	+ \$30	+ \$60
18"	EP(3/N)PA1849(K/N)	\$1,119	\$1,189	\$1,219	\$1,249	+ \$30	+ \$60
24"	EP(3/N)PA2449(K/N)	\$1,168	\$1,238	\$1,288	\$1,328	+ \$30	+ \$60
30"	EP(3/N)PA3049(K/N)	\$1,227	\$1,297	\$1,357	\$1,407	+ \$30	+ \$60
36"	EP(3/N)PA3649(K/N)	\$1,288	\$1,368	\$1,438	\$1,508	+ \$30	+ \$60
42"	EP(3/N)PA <mark>4249</mark> (K/N)	\$1,372	\$1,452	\$1,532	\$1,622	+ \$30	+ \$60
48"	EP(3/N)PA4849(K/N)	\$1,469	\$1,549	\$1,649	\$1,749	+ \$30	+ \$60
60"	EP(3/N)PA6049(K/N)	\$1,602	\$1,682	\$1,802	\$1,912	+ \$30	+ \$60
54" H							
12"	EP(3/N)PA1254(K/N)	\$1,095	\$1,165	\$1,185	\$1,205	+ \$30	+ \$60
18"	EP(3/N)PA1854(K/N)	\$1,143	\$1,213	\$1,243	\$1,273	+ \$30	+ \$60
24"	EP(3/N)PA2454(K/N)	\$1,203	\$1,273	\$1,323	\$1,373	+ \$30	+ \$60
30"	EP(3/N)PA3054(K/N)	\$1,264	\$1,344	\$1,404	\$1,464	+ \$30	+ \$60
36"	EP(3/N)PA3654(K/N)	\$1,348	\$1,428	\$1,508	\$1,588	+ \$30	+ \$60
42"	EP(3/N)PA4254(K/N)	\$1,445	\$1,525	\$1,615	\$1,705	+ \$30	+ \$60

#### Specify

48"

60"

- 1. Model #
- Insert paint
   Paint

NOTE: Power duplexes cannot be installed on 12" W panels. Side mount receptacles available on 24" W panels and wider.

EP(3/N)PA4854(K/N)

EP(3/N)PA6054(K/N)

#### Application Notes

Insert Panels are constructed with a tapered aluminum frame that is mitered in the corners. Insert panels may be ordered multiple insert options or as an open frame for complete accessibility through the panel.

#### Assembly Included

\$1,554

\$1,686 \$1,766

\$1,634

\$1,734

\$1,896

#### • Panel • Top cap

Metal raceway covers

#### .

## Ordered Separately Posts

- Panel connectors
- Electrical components

#### Top Cap Styles

3 – Beveled

\$1,834

\$2,026



+ \$30


+ \$30

+ \$60

+ \$60




#### Insert Panels Perforated Aluminum



61" H			I	NSERT PAINT	r	FRAME	PAINT
W	MODEL #	PA	P1	P2	P3	P2	P3
12"	EP( <mark>3</mark> /N)PA1261(K/N)	\$1,107	\$1,177	\$1,197	\$1,227	+ \$30	+ \$60
18"	EP(3/N)PA1861(K/N)	\$1,168	\$1,238	\$1,278	\$1,318	+ \$30	+ \$60
24"	EP(3/N)PA2461(K/N)	\$1,227	\$1,307	\$1,357	\$1,407	+ \$30	+ \$60
30"	EP(3/N)PA3061(K/N)	\$1,313	\$1,393	\$1,453	\$1,523	+ \$30	+ \$60
36"	EP(3/N)PA3661(K/N)	\$1,409	\$1,489	\$1,569	\$1,649	+ \$30	+ \$60
42"	EP(3/N)PA4261(K/N)	\$1,517	\$1,597	\$1,687	\$1,787	+ \$30	+ \$60
48"	EP(3/N)PA4861(K/N)	\$1,638	\$1,718	\$1,818	\$1,938	+ \$30	+ \$60
60"	EP(3/N)PA6061(K/N)	\$2,037	\$2,097	\$2,217	\$2,357	+ \$30	+ \$60
<b>66" H</b>	EP(3/N)PA1266(K/N)	\$1,119	\$1,189	\$1,219	\$1,249	+ \$30	+ \$60
12"	EP(3/N)PA1266(K/N)	\$1,119	\$1,189	\$1,219	\$1,249	+ \$30	+ \$60
18"	EP(3/N)PA1866(K/N)	\$1,192	\$1,262	\$1,302	\$1,352	+ \$30	+ \$60
24"	EP(3/N)PA2466(K/N)	\$1,264	\$1,344	\$1,394	\$1,454	+ \$30	+ \$60
30"	EP(3/N)PA3066(K/N)	\$1,361	\$1,441	\$1,511	\$1,581	+ \$30	+ \$60
36"	EP(3/N)PA3666(K/N)	\$1,469	\$1,549	\$1,639	\$1,729	+ \$30	+ \$60
42"	EP(3/N)PA4266(K/N)	\$1,578	\$1,668	\$1,768	\$1,868	+ \$30	+ \$60
48"	EP(3/N)PA4866(K/N)	\$1,686	\$1,796	\$1,916	\$2,036	+ \$30	+ \$60
60"	EP(3/N)PA6066(K/N)	\$2,061	\$2,231	\$2,361	\$2,511	+ \$30	+ \$60
81" H							

• • • •							
12"	EP(3/N)PA1281(K/N)	\$1,313	\$1,413	\$1,453	\$1,503	+ \$30	+ \$60
18"	EP(3/N)PA1881(K/N)	\$1,433	\$1,533	\$1,593	\$1,673	+ \$30	+ \$60
24"	EP(3/N)PA2481(K/N)	\$1,554	\$1,654	\$1,734	\$1,834	+ \$30	+ \$60
30"	EP(3/N)PA3081(K/N)	\$1,796	\$1,896	\$1,996	\$2,116	+ \$30	+ \$60
36"	EP(3/N)PA3681(K/N)	\$1,916	\$2,016	\$2,136	\$2,276	+ \$30	+ \$60
42"	EP(3/N)PA4281(K/N)	\$1,989	\$2,089	\$2,249	\$2,399	+ \$30	+ \$60
48"	EP(3/N)PA4881(K/N)	\$2,049	\$2,149	\$2,359	\$2,519	+ \$30	+ \$60
60"	EP(3/N)PA6081(K/N)	\$2,652	\$2,852	\$3,102	\$3,302	+ \$30	+ \$60

	Тор Сар	Panel Type	W	н	Raceway
EP Equity Panel	3 Beveled N Flat	PA Perforated Aluminum	36	29	K With knockouts N Without knockouts
EP	N	PA	36	29	κ



		 •••••••••••••••••••••••••••••••••••••••	••••••	
29" H			PAINT	
W	MODEL #	P1	P2	P3
12"	EP(3/N)TQ1229	\$398	\$448	\$473
18"	EP(3/N)TQ1829	\$459	\$509	\$534
24"	EP(3/N)TQ2429	\$519	\$569	\$594
30"	EP(3/N)TQ3029	\$580	\$630	\$655
36"	EP(3/N)TQ3629	\$664	\$714	\$739
42"	EP(3/N)TQ4229	\$712	\$762	\$787
48"	EP(3/N)TQ4829	\$760	\$810	\$835
60"	EP(3/N)TQ6029	\$809	\$859	\$884

## 41" H

12"	EP(3/N)TQ1241	\$459	\$509	\$534
18"	EP(3/N)TQ1841	\$519	\$569	\$594
24"	EP(3/N)TQ2441	\$580	\$630	\$655
30"	EP(3/N)TQ3041	\$639	\$689	\$714
36"	EP(3/N)TQ3641	\$725	\$775	\$800
42"	EP(3/N)TQ4241	\$784	\$834	\$859
48"	EP(3/N)TQ4841	\$845	\$895	\$920
60"	EP(3/N)TQ6041	\$905	\$955	\$980

#### 49" H

12"	EP(3/N)TQ1249	\$531	\$581	\$606
18"	EP(3/N)TQ1849	\$591	\$641	\$666
24"	EP(3/N)TQ2449	\$652	\$702	\$727
30"	EP(3/N)TQ3049	\$712	\$762	\$787
36"	EP(3/N)TQ3649	\$797	\$847	\$872
42"	EP(3/N)TQ <mark>4249</mark>	\$857	\$907	\$932
48"	EP(3/N)TQ4849	\$918	\$968	\$993
60"	EP(3/N)TQ6049	\$1,002	\$1,052	\$1,077

#### 54" H

-				
12"	EP(3/N)TQ1254	\$591	\$641	\$666
18"	EP(3/N)TQ1854	\$652	\$702	\$727
24"	EP(3/N)TQ2454	\$712	\$762	\$787
30"	EP(3/N)TQ3054	\$773	\$823	\$848
36"	EP(3/N)TQ3654	\$869	\$919	\$944
42"	EP(3/N)TQ4254	\$929	\$979	\$1,004
48"	EP(3/N)TQ4854	\$990	\$1,040	\$1,065
60"	EP(3/N)TQ6054	\$1,074	\$1,124	\$1,149

1. Model #

#### 2. Paint

#### Application Notes

Tequity panels are constructed with a 16 gauge welded steel frame.

#### Worksurface Support

w/Tequity Panels When specifying worksurfaces use panel to worksurface brackets to support each corner.


Assembly	
Included	
<ul> <li>Panel</li> </ul>	
Ton con	

• Top cap


## Ordered Separately Posts

Panel connectors





## Tequity<sup>™</sup> Panels



W MODEL# P1 P2	P3
W MODEL# FI F2	
12" <b>EP(3/N)TQ1261</b> \$652 \$702	\$727
18" <b>EP(3/N)TQ1861</b> \$712 \$762	\$787
24" <b>EP(3/N)TQ2461</b> \$773 \$823	\$848
30" EP(3/N)TQ3061 \$833 \$883	\$908
36" <b>EP(3/N)TQ3661</b> \$918 \$968	\$993
42" <b>EP(3/N)TQ4261</b> \$978 \$1,028	\$1,053
48" <b>EP(3/N)TQ4861</b> \$1,038 \$1,088	\$1,113
60" <b>EP(3/N)TQ6061</b> \$1,147 \$1,197	\$1,222

## 66" H

12"	EP(3/N)TQ1266	\$676	\$726	\$751
18"	EP(3/N)TQ1866	\$736	\$786	\$811
24"	EP(3/N)TQ2466	\$797	\$847	\$872
30"	EP(3/N)TQ3066	\$857	\$907	\$932
36"	EP(3/N)TQ3666	\$953	\$1,003	\$1,028
42"	EP(3/N)TQ4266	\$1,014	\$1,064	\$1,089
48"	EP(3/N)TQ4866	\$1,074	\$1,124	\$1,149
60"	EP(3/N)TQ6066	\$1,183	\$1,233	\$1,258

## 81" H

-				
12"	EP(3/N)TQ1281	\$676	\$726	\$751
18"	EP(3/N)TQ1881	\$736	\$786	\$811
24"	EP(3/N)TQ2481	\$797	\$847	\$872
30"	EP(3/N)TQ3081	\$857	\$907	\$932
36"	EP(3/N)TQ3681	\$953	\$1,003	\$1,028
42"	EP( <mark>3</mark> /N)TQ <mark>4281</mark>	\$1,014	\$1,064	\$1,089
48"	EP( <mark>3</mark> /N)TQ <mark>4881</mark>	\$1,074	\$1,124	\$1,149
60"	EP( <mark>3</mark> /N)TQ <mark>6081</mark>	\$1,183	\$1,233	\$1,258

	Top Cap	Panel Type	W	н
EP Equity Panel	3 Beveled N Flat	TQ Tequity	36	29
EP	Ν	TQ	36	29

## **Sliding Doors**

H	W	>

49" H			INSER	ГТҮРЕ	LAI	MINATE INSE	RT	PAII	NT
OPENING	ACTUAL OPENING	MODEL #	PG	CR	LM 1	LM 2	LM 3	P2	P3
36"	34.5"	EDR( ) <mark>3649(L/R)</mark> B	\$1,904	\$2,665	\$1,820	\$2,002	\$2,184	+ \$30	+ \$60
54" H									
36"	34.5"	EDR( ) <mark>3654</mark> (L/R)B	\$2,000	\$2,906	\$2,024	\$2,226	\$2,429	+ \$30	+ \$60

#### Specify

- 1. Model #
- 2. Insert type
- 3. Insert color
- 4. Paint

#### Application Notes

Sliding doors can mount on an end or corner post and require a straight, unobstructed panel run of at least 42" for their open position. Left/Right refers to opening direction.

#### NOTE: Sliding doors are only

compatible with N (flat) top caps.

#### Insert Type

**CR** . . Corian **PG** . . Plexiglass **LM** . . Laminate

#### Plexiglass Finishes

CL . . Clear IC . . . lce SM . . Smoked TR . . Translucent LF . . . Frost

#### **Corian Finishes**

Glacier White	CR001
Pearl Grey	CR002
Corian Clay	CR003
Silver Grey	CR004
Corian Grey	CR001

#### Assembly


Included • Door

#### Hardware

28

## **Sliding Doors**

Panels




						For 81" Wide Only
	Insert Type	w	н	Door Open	Door Handle	Anchor Panel Width
EDR Equity Door	CR Corian	36	61	L Left	B Bar	42
	PG Plexiglass			R Right		48
	LM Laminate			_		60
		1				
		1		:		
		:				
EDR	LM	36	61		В	42

## **Post Assemblies**

		:	•••••••••••	
Stra	ight		PAINT	
H	MODEL#	P1	P2	P3
29"	EP(3/N)P29S	\$179	\$187	\$195
41"	EP(3/N)P41S	\$181	\$189	\$197
49"	EP(3/N)P49S	\$183	\$191	\$199
54"	EP(3/N)P54S	\$186	\$194	\$202
61"	EP(3/N)P61S	\$188	\$196	\$204
66"	EP(3/N)P66S	\$190	\$198	\$206
81"	EP(3/N)P81S	\$211	\$219	\$227

			<b>.</b> .	
2-wa	ay L		PAINT	
H	MODEL #	P1	P2	P3
29"	EP(3/N)P29L	\$179	\$187	\$195
41"	EP(3/N)P41L	\$181	\$189	\$197
49"	EP(3/N)P49L	\$184	\$192	\$200
54"	EP(3/N)P54L	\$189	\$197	\$205
61"	EP(3/N)P61L	\$198	\$206	\$214
66"	EP(3/N)P66L	\$207	\$215	\$223
81"	EP(3/N)P81L	\$223	\$231	\$239



### 2-way 120

	., .=.			
29"	EP3P29120	\$191	\$199	\$207
41"	EP3P41120	\$202	\$210	\$218
49"	EP3P49120	\$206	\$214	\$222
54"	EP3P54120	\$211	\$219	\$227
61"	EP3P61120	\$221	\$229	\$237
66"	EP3P66120	\$229	\$237	\$245
81"	EP3P81120	\$244	\$252	\$260

Specify	Application Notes	Assembly	Top Cap Styles	
1. Model # 2. Paint	Used to connect panels of the same height.	Included • Single height post	3 – Beveled	N — Flat
	Bottom glides on post allow for up to 1 $\frac{1}{2}$ " of vertical adjustment.	<ul> <li>Panel connector</li> <li>Appropriate metal shroud</li> </ul>		$\square$
	Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.			

Panels



3-way T PAINT				
H	MODEL#	P1	P2	P3
29"	EP(3/N)P29T	\$179	\$187	\$195
41"	EP(3/N)P41T	\$181	\$189	\$197
49"	EP(3/N)P49T	\$183	\$191	\$199
54"	EP(3/N)P54T	\$186	\$194	\$202
61"	EP(3/N)P61T	\$189	\$197	\$205
66"	EP(3/N)P66T	\$197	\$205	\$213
81"	EP(3/N)P81T	\$212	\$220	\$228

**S** 

4-way X			PAINT	
Н	MODEL #	P1	P2	P3
29"	EP(3/N)P29X	\$179	\$187	\$195
41"	EP(3/N)P41X	\$181	\$189	\$197
49"	EP(3/N)P49X	\$183	\$191	\$199
54"	EP(3/N)P54X	\$186	\$194	\$202
61"	EP(3/N)P61X	\$188	\$196	\$204
66"	EP(3/N)P66X	\$190	\$198	\$206
81"	EP(3/N)P81X	\$206	\$214	\$222



## 3-way 120

	Y			
29"	EP(3/N)P29Y	\$215	\$225	\$235
41"	EP(3/N)P41Y	\$218	\$228	\$238
49"	EP(3/N)P49Y	\$221	\$231	\$241
54"	EP(3/N)P54Y	\$223	\$233	\$243
61"	EP(3/N)P61Y	\$226	\$236	\$246
66"	EP(3/N)P66Y	\$232	\$242	\$252
81"	EP(3/N)P81Y	\$248	\$258	\$268



## **Carpet Gripper**

carper or	ippei	
DESCRIPTION	MODEL #	BLACK ONLY
12 Pack	EP1CG12	\$45

	Тор Сар		н	Connection Type	Options Shroud
EP Equity Panel	3 Beveled N Flat	P Post	29	120       2-way 120         E       End w/post         L       2-way L         T       3-way T         S       Straight         X       4-way         Y       3-way 120	NS No Shroud (Tequity Only)
EP	Ν	Р	29	S	

		**************	•••••••	
End	w/Post		PAINT	
H	MODEL #	P1	P2	P3
29"	EP(3/N)P29E	\$191	\$199	\$207
41"	EP(3/N)P41E	\$197	\$205	\$213
49"	EP(3/N)P49E	\$203	\$211	\$219
54"	EP(3/N)P54E	\$206	\$214	\$222
61"	EP(3/N)P61E	\$217	\$225	\$233
66"	EP(3/N)P66E	\$224	\$232	\$240
81"	EP(3/N)P81E	\$239	\$247	\$255

## End w/Post

#### Specify

## Model # Paint

#### Application Notes

Used to finish a panel end that is not being connected to another panel.

Add "NS" to the end to of the model number to specify without shroud for use with Tequity panels.

#### Assembly

#### Top Cap Styles

## Included Single height post

- Panel connector
- Appropriate metal shroud

## 3 – Beveled N – Flat



## Wall Starter/Wall Mounted Channel

Panel V	Nall St	arter				•••••	PAINT	•••••
W	D	н	H (Actual)	MODEL #	:	P1	P2	P
1 ½"	1⁄2"	29"	23"	EP3PWS29		\$53	\$54	\$53
1 ½"	1/2"	41"	35"	EP3PWS41		\$53	\$54	\$57
1 1⁄2″	1/2"	49"	43"	EP3PWS49		\$58	\$60	\$6
1 1⁄2"	1/2"	54"	49"	EP3PWS54		\$60	\$65	\$70
1 1⁄2"	1/2"	61"	55"	EP3PWS61		\$60	\$65	\$70
1 1⁄2"	1/2"	66"	60"	EP3PWS66		\$62	\$67	\$74
1 1⁄2"	1/2"	81"	75"	EP3PWS81		\$70	\$75	\$82

## **Wall Mounted Channel**

2 1/8"	3⁄4″	29"	23"	EP3WMC29	\$134	\$139	\$146
2 1/8"	3⁄4″	41"	35"	EP3WMC41	\$134	\$139	\$146
2 1/8"	3⁄4″	49"	43"	EP3WMC49	\$138	\$145	\$153
2 1/8"	3⁄4″	54"	49"	EP3WMC54	\$140	\$147	\$155
2 1/8"	3⁄4″	61"	55"	EP3WMC61	\$156	\$162	\$173
2 1/8"	3⁄4″	66"	60"	EP3WMC66	\$160	\$173	\$178
2 1/8"	3⁄4″	81"	75"	EP3WMC81	\$195	\$202	\$213
2 1/8"	3⁄4″	120"	120"	EP3WMC120	\$300	\$315	\$331

## **Panel Wall Starter**

Constitut	
Specify	

1. Model #

2. Paint

1	Application Notes
	Used to start a run of
	panels by fastening to an
	existing wall and attaching
	a connector assembly to
	it. Creates 1¼" space from
1	face of wall to centerline of
	post. Constructed of steel.
	NOTE: Neutral Posture assumes
	no responsibility for wall
	construction or performance
	of fasteners used.

## Wall Mounted Channel

	Specify	Application Notes
o an aching y to	1. Model # 2. Paint	Allows hanging of all components and accessories on reinforced building walls.
from line of steel. sumes		NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.
ince		

#### Assembly

- Assembly
- Included
- Panel top & bottom hook
- Panel connector


#### Not Included

Fasteners to attach to wall

#### Ordered Separately

- Post
- Shrouds





#### Assembly

- Included
- Extruded aluminum channel

		<b>.</b>		<b>.</b>
Single He	eight		PAINT	
H	MODEL #	P1	P2	P3
29"	EP3P29	\$111	\$114	\$117
41"	EP3P41	\$113	\$116	\$119
49"	EP3P49	\$116	\$119	\$122
54"	EP3P54	\$119	\$122	\$125
61"	EP3P61	\$126	\$129	\$132
66"	EP3P66	\$129	\$132	\$135
81"	EP3P81	\$141	\$144	\$147

## Dual Height

29"/41"	EP3DP2941	\$187	\$198	\$209
29"/49"	EP3DP2949	\$198	\$209	\$220
29"/54"	EP3DP2954	\$198	\$209	\$220
29"/61"	EP3DP2961	\$211	\$222	\$233
29"/66"	EP3DP2966	\$211	\$222	\$233
29"/81"	EP3DP2981	\$235	\$246	\$257
41"/49"	EP3DP4149	\$198	\$209	\$220
41"/54"	EP3DP4154	\$198	\$209	\$220
41"/61"	EP3DP4161	\$211	\$222	\$233
41"/66"	EP3DP4166	\$211	\$222	\$233
41"/81"	EP3DP4181	\$235	\$246	\$257
49"/54"	EP3DP4954	\$198	\$209	\$220
49"/61"	EP3DP4961	\$211	\$222	\$233
49"/66"	EP3DP4966	\$211	\$222	\$233
49"/81"	EP3DP4981	\$235	\$246	\$257
54"/61"	EP3DP5461	\$211	\$222	\$233
54"/66"	EP3DP5466	\$211	\$222	\$233
54"/81"	EP3DP5481	\$235	\$246	\$257
61"/66"	EP3DP6166	\$211	\$222	\$233
61"/81"	EP3DP6181	\$235	\$246	\$257
66"/81"	EP3DP6681	\$235	\$246	\$257

H         MODEL#         P1           29"/41"/49"         EP3TP294149         \$235         \$           29"/41"/54"         EP3TP294154         \$235         \$           29"/41"/61"         EP3TP294161         \$242         \$           29"/41"/66"         EP3TP294166         \$242         \$           29"/41"/61"         EP3TP294166         \$242         \$           29"/41"/61"         EP3TP294181         \$277         \$           29"/49"/54"         EP3TP294954         \$235         \$           29"/49"/66"         EP3TP294966         \$242         \$           29"/49"/61"         EP3TP294981         \$277         \$	\$246 \$253 \$253 \$288 \$288 \$246 \$253	<b>P3</b> \$257 \$264 \$264 \$299 \$257
29"/41"/49"         EP3TP294149         \$235         \$           29"/41"/54"         EP3TP294154         \$235         \$           29"/41"/61"         EP3TP294161         \$242         \$           29"/41"/66"         EP3TP294166         \$242         \$           29"/41"/66"         EP3TP294166         \$242         \$           29"/41"/81"         EP3TP294181         \$277         \$           29"/49"/54"         EP3TP294954         \$235         \$           29"/49"/61"         EP3TP294961         \$242         \$           29"/49"/61"         EP3TP294966         \$242         \$           29"/49"/61"         EP3TP294981         \$277         \$	\$246 \$246 \$253 \$253 \$288 \$288 \$246 \$253	\$257 \$257 \$264 \$264 \$264 \$299
29"/41"/54"         EP3TP294154         \$235         \$           29"/41"/61"         EP3TP294161         \$242         \$           29"/41"/66"         EP3TP294166         \$242         \$           29"/41"/66"         EP3TP294166         \$242         \$           29"/41"/81"         EP3TP294181         \$277         \$           29"/49"/54"         EP3TP294954         \$235         \$           29"/49"/61"         EP3TP294961         \$242         \$           29"/49"/66"         EP3TP294966         \$242         \$           29"/49"/81"         EP3TP294981         \$277         \$	\$246 \$253 \$253 \$288 \$288 \$246 \$253	\$257 \$264 \$264 \$299
29"/41"/61"         EP3TP294161         \$242         5           29"/41"/66"         EP3TP294166         \$242         5           29"/41"/81"         EP3TP294166         \$242         5           29"/41"/81"         EP3TP294161         \$277         5           29"/49"/54"         EP3TP294954         \$235         5           29"/49"/61"         EP3TP294961         \$242         5           29"/49"/66"         EP3TP294966         \$242         5           29"/49"/81"         EP3TP294981         \$277         5	\$253 \$253 \$288 \$246 \$253	\$264 \$264 \$299
29"/41"/66"         EP3TP294166         \$242         \$2           29"/41"/66"         EP3TP294181         \$277         \$2           29"/49"/54"         EP3TP294954         \$235         \$2           29"/49"/61"         EP3TP294961         \$242         \$2           29"/49"/66"         EP3TP294966         \$242         \$2           29"/49"/81"         EP3TP294981         \$277         \$2	\$253 \$288 \$246 \$253	\$264 \$299
29"/41"/81"         EP3TP294181         \$277         5           29"/49"/54"         EP3TP294954         \$235         5           29"/49"/61"         EP3TP294961         \$242         5           29"/49"/66"         EP3TP294966         \$242         5           29"/49"/81"         EP3TP294981         \$277         5	\$288 \$246 \$253	\$299
29"/49"/54"         EP3TP294954         \$235         \$2           29"/49"/61"         EP3TP294961         \$242         \$2           29"/49"/66"         EP3TP294966         \$242         \$2           29"/49"/81"         EP3TP294981         \$277         \$2	\$246 \$253	
29"/49"/61"         EP3TP294961         \$242         \$2           29"/49"/66"         EP3TP294966         \$242         \$2           29"/49"/81"         EP3TP294986         \$242         \$2	\$253	\$257
29"/49"/66" <b>EP3TP294966</b> \$242 \$29"/49"/81" <b>EP3TP294981</b> \$277 \$		
29"/49"/81" <b>EP3TP294981</b> \$277 \$	\$253	\$264
		\$264
29"/54"/61" <b>EP3TP295461</b> \$242 \$	\$288	\$299
	\$253	\$264
29"/54"/66" <b>EP3TP295466</b> \$242	\$253	\$264
29"/54"/81" <b>EP3TP295481</b> \$277 \$	\$288	\$299
29"/61"/66" <b>EP3TP296166</b> \$242 \$	\$253	\$264
29"/61"/81" <b>EP3TP296181</b> \$277 \$	\$288	\$299
41"/49"/54" <b>EP3TP414954</b> \$235	\$246	\$257
41"/49"/61" <b>EP3TP414961</b> \$242 \$	\$253	\$264
41"/49"/66" <b>EP3TP414966</b> \$242 \$	\$253	\$264
41"/49"/81" <b>EP3TP414981</b> \$277 \$	\$288	\$299
41"/54"/61" <b>EP3TP415461</b> \$242 \$	\$253	\$264
41"/54"/66" <b>EP3TP415466</b> \$242 \$	\$253	\$264
41"/54"/81" <b>EP3TP415481</b> \$277 \$	\$288	\$299
41"/61"/66" <b>EP3TP416166</b> \$242 \$	\$253	\$264
41"/61"/81" <b>EP3TP416181</b> \$277 \$	\$288	\$299
49"/54"/61" <b>EP3TP495461</b> \$242 \$	\$253	\$264
49"/54"/66" <b>EP3TP495466</b> \$242 \$	\$253	\$264
49"/54"/81" <b>EP3TP495481</b> \$277 \$	\$288	\$299
49"/61"/66" <b>EP3TP496166</b> \$242 \$	\$253	\$264
49"/61"/81" <b>EP3TP496181</b> \$277 \$	\$288	\$299
54"/61"/66" <b>EP3TP546166</b> \$242	\$253	\$264
54"/61"/81" <b>EP3TP546181</b> \$277 \$		

Specify	Application Notes		Assembly	
1. Model # 2. Paint	Bottom glides on post allow for up to 1 ½" of vertical adjustment.	<b>Dual Height Posts</b> Used where 2 monolithic panels of 2 different heights intersect. <b>Triple Height Posts</b> Used where 3 monolithic panels of 3 different heights intersect.	Included • Muti-height post	
	Specify one multi-height panel connector ( <b>EP3PCMF</b> ) for each low panel when using either a dual or triple height post in a multi-height connection.		Ordered Separately <ul> <li>Panel connectors</li> <li>Metal shrouds</li> </ul>	

## **Connectors/Shrouds**

		·····	••••• <b>•</b> ••	•••••
Connectors			PAINT	
DESCRIPTION	MODEL #	P1	P2	P3
Straight	EP(3/N)PCS	\$44	\$47	\$50
2-way L	EP(3/N)PCL	\$44	\$47	\$50
2-way 120	EP(3/N)PC120	\$44	\$47	\$50
2-way adjustable angle	EPNPCA	\$57	\$60	\$63
3-way T	EP(3/N)PCT	\$57	\$60	\$63
3-way Y 120	EP(3/N)PCY	\$57	\$60	\$63
4-way X	EP(3/N)PCX	\$57	\$60	\$63
End	EP(3/N)PCEP	\$44	\$47	\$50
Multi-height filler	EP(3/N)PCMF	\$44	\$47	\$50
Trim filler	EPNPCT	\$44	\$47	\$50



2-way





3-way Y 120

2-way L





120 inside

End

Multi-height filler

Trim filler


			· · · · · · · · · · · · · · · · · · ·	•••••••••••••••••••••••••••••••••••••••	••••••
Metal Shrou	ds			PAINT	
DESCRIPTION		MODEL #	P1	P2	P3
Straight		EP3SS	\$33	\$36	\$40
L outside		EP3SL	\$44	\$47	\$51
120 outside		EP3SO120	\$44	\$47	\$51
120 inside		EP3SI120	\$44	\$47	\$51
End		EP3SEP	\$57	\$60	\$64
	$\bigcirc$		]		
Straight	L outside	120 ou	tside		
	$\widehat{\mathbf{P}}$				



1. Model #

2. Paint





#### COMPONENTS

Equity stack-on panels provide the flexibility to increase the overall height of any standard Equity panel.

The stack-on panel is available in all standard Equity widths and a variety of heights in both slotted and slotless versions.

#### **STACK-ON PANELS W/ SLOTS**

Stack-on panels with slots provide the capability to hang standard Equity components such as shelves and overheads as long as the weight load does not exceed 3lbs. per linear inch.

#### **STACK-ON PANELS W/O SLOTS**

Stack-on panels without slots do not allow for hanging components, but do provide a cleaner aesthetic when specifying window applications.

Up to two (2) load bearing stackon panels may be stacked on top of a standard Equity panel as long as the total height above the base panels is no taller than 40" and neither individual stackon panel is taller than 20".

Stack-on panel width must match the width of the panel it is stacking on.

Stack-on panel connectors must be used between adjacent stack-on panels.


#### **STACK-ON PANEL CONNECTORS**

#### **STANDARD STACK-ON POST**

Standard stack-on post bottom uses a conical shaped bolt that connects it to the full height post directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.

#### **EXTENDED STACK-ON POST**


Extended stack-on post bottom uses a double-threaded round connector to attach to the full-height post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of this connector to provide a smooth transition for full-height post covers. Standard panel connectors are used along the top of the stack-on panels.




#### SPECIFYING STACK-ON CONFIGURATIONS

All connectors between the base panel and stack-on panel MUST have flat (N) profile.

## Stack-On Panels




Stack-On Configurations Using Standard Stack-on Posts




Level 1

Level 1




EPNCMF


## Stack-On Configurations Using Standard Stack-on Posts



**Fabric with Slots** 




12"	H		FABRIC									
W	MODEL #	A	В	c	D	E	F	G	н	P2	P3	
12"	EP1SF1212	\$483	\$503	\$533	\$573	\$613	\$658	\$708	\$763	+ \$25	+ \$49	
18"	EP1SF1812	\$507	\$527	\$557	\$597	\$637	\$682	\$732	\$787	+ \$25	+ \$49	
24"	EP1SF2412	\$531	\$551	\$581	\$621	\$661	\$706	\$756	\$811	+ \$25	+ \$49	
30"	EP1SF3012	\$555	\$575	\$605	\$645	\$685	\$730	\$780	\$835	+ \$25	+ \$49	
36"	EP1SF3612	\$580	\$610	\$650	\$700	\$770	\$850	\$940	\$1,050	+ \$25	+ \$49	
42"	EP1SF4212	\$604	\$634	\$674	\$724	\$794	\$874	\$964	\$1,074	+ \$25	+ \$49	
48"	EP1SF4812	\$628	\$658	\$698	\$748	\$818	\$898	\$988	\$1,098	+ \$25	+ \$49	
60"	EP1SF6012	\$652	\$682	\$722	\$772	\$842	\$922	\$1,012	\$1,122	+ \$25	+ \$49	
13"	н											
12"	EP1SF1213	\$507	\$527	\$557	\$597	\$637	\$682	\$732	\$787	+ \$25	+ \$49	
18"	EP1SF1813	\$531	\$551	\$581	\$621	\$661	\$706	\$756	\$811	+ \$25	+ \$49	
24"	EP1SF2413	\$555	\$575	\$605	\$645	\$685	\$730	\$780	\$835	+ \$25	+ \$49	
30"	EP1SF3013	\$580	\$620	\$670	\$730	\$800	\$890	\$990	\$1,110	+ \$25	+ \$49	
36"	EP1SF3613	\$604	\$644	\$694	\$754	\$824	\$914	\$1,014	\$1,134	+ \$25	+ \$49	
42"	EP1SF4213	\$628	\$668	\$718	\$778	\$848	\$938	\$1,038	\$1,158	+ \$25	+ \$49	
48"	EP1SF4813	\$652	\$692	\$742	\$802	\$872	\$962	\$1,062	\$1,182	+ \$25	+ \$49	
60"	EP1SF6013	\$676	\$716	\$766	\$826	\$896	\$986	\$1,086	\$1,206	+ \$25	+ \$49	
15"	н											
12"	EP1SF1215	\$531	\$551	\$581	\$621	\$666	\$716	\$771	\$831	+ \$25	+ \$49	
18"	EP1SF1815	\$555	\$575	\$605	\$645	\$690	\$740	\$795	\$855	+ \$25	+ \$49	
24"	EP1SF2415	\$580	\$600	\$630	\$670	\$715	\$765	\$820	\$880	+ \$25	+ \$49	
30"	EP1SF3015	\$604	\$644	\$694	\$754	\$824	\$924	\$1,034	\$1,154	+ \$25	+ \$49	
36"	EP1SF3615	\$628	\$668	\$718	\$778	\$848	\$948	\$1,058	\$1,178	+ \$25	+ \$49	
42"	EP1SF4215	\$652	\$692	\$742	\$802	\$872	\$972	\$1,082	\$1,202	+ \$25	+ \$49	
48"	EP1SF4815	\$676	\$716	\$766	\$826	\$896	\$996	\$1,106	\$1,226	+ \$25	+ \$49	
60"	EP1SF6015	\$700	\$740	\$790	\$850	\$920	\$1,020	\$1,130	\$1,250	+ \$25	+ \$49	



Panels

#### Pricing is for P1 paint colors. Add the appropriate upcharge if using P2 or P3 trim.

# Stack-on Panels Fabric with Slots




<b>7</b> "	H				FABR	C				PAINT	
W	MODEL #	A	В	c	D	E	F	G	н	P2	P3
12"	EP1SF1217	\$555	\$585	\$625	\$670	\$720	\$775	\$835	\$900	+ \$25	+ \$49
18"	EP1SF1817	\$580	\$610	\$650	\$695	\$745	\$800	\$860	\$925	+ \$25	+ \$49
24"	EP1SF2417	\$604	\$634	\$674	\$719	\$769	\$824	\$884	\$949	+ \$25	+ \$49
30"	EP1SF3017	\$628	\$678	\$738	\$808	\$898	\$1,008	\$1,128	\$1,258	+ \$25	+ \$49
36"	EP1SF3617	\$652	\$702	\$762	\$832	\$922	\$1,032	\$1,152	\$1,282	+ \$25	+ \$49
42"	EP1SF4217	\$676	\$726	\$786	\$856	\$946	\$1,056	\$1,176	\$1,306	+ \$25	+ \$49
48"	EP1SF4817	\$700	\$750	\$810	\$880	\$970	\$1,080	\$1,200	\$1,330	+ \$25	+ \$49
60"	EP1SF6017	\$725	\$775	\$835	\$905	\$995	\$1,105	\$1,225	\$1,355	+ \$25	+ \$49

## 20" H

	••										
12"	EP1SF1220	\$580	\$610	\$650	\$695	\$745	\$800	\$860	\$930	+ \$25	+ \$49
18"	EP1SF1820	\$604	\$634	\$674	\$719	\$769	\$824	\$884	\$954	+ \$25	+ \$49
24"	EP1SF2420	\$628	\$658	\$698	\$743	\$793	\$848	\$908	\$978	+ \$25	+ \$49
30"	EP1SF3020	\$652	\$702	\$762	\$832	\$932	\$1,062	\$1,202	\$1,352	+ \$25	+ \$49
36"	EP1SF3620	\$676	\$726	\$786	\$856	\$956	\$1,086	\$1,226	\$1,376	+ \$25	+ \$49
42"	EP1SF4220	\$700	\$750	\$810	\$880	\$980	\$1,110	\$1,250	\$1,400	+ \$25	+ \$49
48"	EP1SF4820	\$736	\$786	\$846	\$916	\$1,016	\$1,146	\$1,286	\$1,436	+ \$25	+ \$49
60"	EP1SF6020	\$760	\$810	\$870	\$940	\$1,040	\$1,170	\$1,310	\$1,460	+ \$25	+ \$49

	Insert Type	w	н
EP1S Stack-on Panel	F Fabric	36	20
EP1S		36	20

**Fabric without Slots** 



12"	н		••••••	••••••	FABR	IC	•••••••••••••••••••••••••••••••••••••••	••••••••••		PAINT	
W	MODEL #	A	В	c	D	E	F	G	H	P2	P3
12"	EP1SF1212N	\$483	\$503	\$533	\$573	\$613	\$658	\$708	\$763	+ \$25	+ \$49
18"	EP1SF1812N	\$507	\$527	\$557	\$597	\$637	\$682	\$732	\$787	+ \$25	+ \$49
24"	EP1SF2412N	\$531	\$551	\$581	\$621	\$661	\$706	\$756	\$811	+ \$25	+ \$49
30"	EP1SF3012N	\$555	\$575	\$605	\$645	\$685	\$730	\$780	\$835	+ \$25	+ \$49
36"	EP1SF3612N	\$580	\$610	\$650	\$700	\$770	\$850	\$940	\$1,050	+ \$25	+ \$49
42"	EP1SF4212N	\$604	\$634	\$674	\$724	\$794	\$874	\$964	\$1,074	+ \$25	+ \$49
48"	EP1SF4812N	\$628	\$658	\$698	\$748	\$818	\$898	\$988	\$1,098	+ \$25	+ \$49
60"	EP1SF6012N	\$652	\$682	\$722	\$772	\$842	\$922	\$1,012	\$1,122	+ \$25	+ \$49
13"	н										
12"	EP1SF1213N	\$507	\$527	\$557	\$597	\$637	\$682	\$732	\$787	+ \$25	+ \$49
18"	EP1SF1813N	\$531	\$551	\$581	\$621	\$661	\$706	\$756	\$811	+ \$25	+ \$49
24"	EP1SF2413N	\$555	\$575	\$605	\$645	\$685	\$730	\$780	\$835	+ \$25	+ \$49
30"	EP1SF3013N	\$580	\$620	\$670	\$730	\$800	\$890	\$990	\$1,110	+ \$25	+ \$49
36"	EP1SF3613N	\$604	\$644	\$694	\$754	\$824	\$914	\$1,014	\$1,134	+ \$25	+ \$49
42"	EP1SF4213N	\$628	\$668	\$718	\$778	\$848	\$938	\$1,038	\$1,158	+ \$25	+ \$49
48"	EP1SF4813N	\$652	\$692	\$742	\$802	\$872	\$962	\$1,062	\$1,182	+ \$25	+ \$49
15"											
12"	EP1SF1215N	\$531	\$551	\$581	\$621	\$666	\$716	\$771	\$831	+ \$25	+ \$49
18"	EP1SF1815N	\$555	\$575	\$605	\$645	\$690	\$740	\$795	\$855	+ \$25	+ \$49
24"	EP1SF2415N	\$580	\$600	\$630	\$670	\$715	\$765	\$820	\$880	+ \$25	+ \$49
30"	EP1SF3015N	\$604	\$644	\$694	\$754	\$824	\$924	\$1,034	\$1,154	+ \$25	+ \$49
36"	EP1SF3615N	\$628	\$668	\$718	\$778	\$848	\$948	\$1,058	\$1,178	+ \$25	+ \$49
42" 48"	EP1SF4215N EP1SF4815N	\$652 \$676	\$692 \$716	\$742	\$802 \$826	\$872 \$896	\$972 \$996	\$1,082	\$1,202 \$1,226	+ \$25	+ \$49 + \$49
48 60"	EP15F4815N EP1SF6015N	\$676 \$700	\$710	\$766 \$790	\$820	\$990	\$996	\$1,106 \$1,130	\$1,220	+ \$25 + \$25	+ \$49
<b>17</b> "		\$700	\$740	\$790	000	\$920	ş1,020	\$1,150	: 0,23,1¢	τ 323	T 349
12"	EP1SF1217N	\$555	\$585	\$625	\$670	\$720	\$775	\$835	\$900	+ \$25	+ \$49
18"	EP1SF1817N	\$580	\$610	\$650	\$695	\$745	\$800	\$860	\$925	+ \$25	+ \$49
24"	EP1SF2417N	\$604	\$634	\$674	\$719	\$769	\$824	\$884	\$949	+ \$25	+ \$49
30"	EP1SF3017N	\$628	\$678	\$738	\$808	\$898	\$1,008	\$1,128	\$1,258	+ \$25	+ \$49
36"	EP1SF3617N	\$652	\$702	\$762	\$832	\$922	\$1,032	\$1,152	\$1,282	+ \$25	+ \$49
42"	EP1SF4217N	\$676	\$726	\$786	\$856	\$946	\$1,056	\$1,176	\$1,306	+ \$25	+ \$49
48"	EP1SF4817N	\$700	\$750	\$810	\$880	\$970	\$1,080	\$1,200	\$1,330	+ \$25	+ \$49
60"	EP1SF6017N	\$725	\$775	\$835	\$905	\$995	\$1,105	\$1,225	\$1,355	+ \$25	+ \$49

Ordered Separately

Stack-on posts

Panel connectors

#### Specify

1. Model #

- 2. Fabric 3. Paint
  - -

## Included

Assembly

Stack-on panel
Flat (N) top cap attached to the bottom of stack-on panel

#### Not Included


- Top cap
- (use top cap from base panel)

#### Top Cap Styles





## Stack-on Panels Fabric without Slots



20"	H		FABRIC									
W	MODEL #	A	В	C	D	E	F	G	н	P2	P3	
12"	EP1SF1220N	\$580	\$610	\$650	\$695	\$745	\$800	\$860	\$930	+ \$25	+ \$49	
18"	EP1SF1820N	\$604	\$634	\$674	\$719	\$769	\$824	\$884	\$954	+ \$25	+ \$49	
24"	EP1SF2420N	\$628	\$658	\$698	\$743	\$793	\$848	\$908	\$978	+ \$25	+ \$49	
30"	EP1SF3020N	\$652	\$702	\$762	\$832	\$932	\$1,062	\$1,202	\$1,352	+ \$25	+ \$49	
36"	EP1SF3620N	\$676	\$726	\$786	\$856	\$956	\$1,086	\$1,226	\$1,376	+ \$25	+ \$49	
42"	EP1SF4220N	\$700	\$750	\$810	\$880	\$980	\$1,110	\$1,250	\$1,400	+ \$25	+ \$49	
48"	EP1SF4820N	\$736	\$786	\$846	\$916	\$1,016	\$1,146	\$1,286	\$1,436	+ \$25	+ \$49	
60"	EP1SF6020N	\$760	\$810	\$870	\$940	\$1,040	\$1,170	\$1,310	\$1,460	+ \$25	+ \$49	

### 25" H

12"	EP1SF1225N	\$604	\$634	\$674	\$719	\$779	\$849	\$929	\$1,019	+ \$25	+ \$49
18"	EP1SF1825N	\$628	\$658	\$698	\$743	\$803	\$873	\$953	\$1,043	+ \$25	+ \$49
24"	EP1SF2425N	\$652	\$682	\$722	\$767	\$827	\$897	\$977	\$1,067	+ \$25	+ \$49
30"	EP1SF3025N	\$676	\$726	\$786	\$866	\$996	\$1,146	\$1,306	\$1,476	+ \$25	+ \$49
36"	EP1SF3625N	\$700	\$750	\$810	\$890	\$1,020	\$1,170	\$1,330	\$1,500	+ \$25	+ \$49
42"	EP1SF4225N	\$725	\$775	\$835	\$915	\$1,045	\$1,195	\$1,355	\$1,525	+ \$25	+ \$49
48"	EP1SF4825N	\$760	\$810	\$870	\$950	\$1,080	\$1,230	\$1,390	\$1,560	+ \$25	+ \$49
60"	EP1SF6025N	\$809	\$859	\$919	\$999	\$1,129	\$1,279	\$1,439	\$1,609	+ \$25	+ \$49

## 32" H


12"	EP1SF1232N	\$628	\$658	\$698	\$743	\$803	\$893	\$993	\$1,103	+ \$25	+ \$49
18"	EP1SF1832N	\$652	\$682	\$722	\$767	\$827	\$917	\$1,017	\$1,127	+ \$25	+ \$49
24"	EP1SF2432N	\$676	\$706	\$746	\$791	\$851	\$941	\$1,041	\$1,151	+ \$25	+ \$49
30"	EP1SF3032N	\$700	\$750	\$810	\$900	\$1,050	\$1,220	\$1,410	\$1,630	+ \$25	+ \$49
36"	EP1SF3632N	\$725	\$775	\$835	\$925	\$1,075	\$1,245	\$1,435	\$1,655	+ \$25	+ \$49
42"	EP1SF4232N	\$749	\$799	\$859	\$949	\$1,099	\$1,269	\$1,459	\$1,679	+ \$25	+ \$49
48"	EP1SF4832N	\$784	\$834	\$894	\$984	\$1,134	\$1,304	\$1,494	\$1,714	+ \$25	+ \$49
60"	EP1SF6032N	\$821	\$871	\$931	\$1,021	\$1,171	\$1,341	\$1,531	\$1,751	+ \$25	+ \$49

## 37" H

	· ·										
12"	EP1SF1237N	\$652	\$692	\$742	\$802	\$882	\$972	\$1,072	\$1,182	+ \$25	+ \$49
18"	EP1SF1837N	\$676	\$716	\$766	\$826	\$906	\$996	\$1,096	\$1,206	+ \$25	+ \$49
24"	EP1SF2437N	\$700	\$740	\$790	\$850	\$930	\$1,020	\$1,120	\$1,230	+ \$25	+ \$49
30"	EP1SF3037N	\$725	\$795	\$875	\$965	\$1,125	\$1,295	\$1,495	\$1,745	+ \$25	+ \$49
36"	EP1SF3637N	\$749	\$819	\$899	\$989	\$1,149	\$1,319	\$1,519	\$1,769	+ \$25	+ \$49
42"	EP1SF4237N	\$773	\$843	\$923	\$1,013	\$1,173	\$1,343	\$1,543	\$1,793	+ \$25	+ \$49
48"	EP1SF4837N	\$809	\$879	\$959	\$1,049	\$1,209	\$1,379	\$1,579	\$1,829	+ \$25	+ \$49
60"	EP1SF6037N	\$845	\$915	\$995	\$1,085	\$1,245	\$1,415	\$1,615	\$1,865	+ \$25	+ \$49

	Insert Type	W	н	Slots
EP1S Stack-on panel	F Fabric	36	37	N Without slots
EP1S		36		Ν

**Insert with Slots** 



12" H			GLASS INSERT		LA	MINATE INSE	RT	PAINT		
W	MODEL #	PG	GL	DG	L1	L2	L3	P2	P3	
12"	EP2S()1212	\$781	\$854	\$1,119	\$817	\$899	\$980	+ \$25	+ \$49	
18"	EP2S()1812	\$805	\$889	\$1,155	\$841	\$925	\$1,009	+ \$25	+ \$49	
24"	EP2S()2412	\$841	\$944	\$1,210	\$883	\$971	\$1,060	+ \$25	+ \$49	
30"	EP2S()3012	\$865	\$980	\$1,269	\$907	\$998	\$1,088	+ \$25	+ \$49	
36"	EP2S( )3612	\$889	\$1,023	\$1,337	\$938	\$1,032	\$1,126	+ \$25	+ \$49	
42"	EP2S()4212	\$914	\$1,058	\$1,397	\$962	\$1,058	\$1,154	+ \$25	+ \$49	
48"	EP2S()4812	\$938	\$1,107	\$1,445	\$999	\$1,099	\$1,199	+ \$25	+ \$49	
60"	EP2S()6012	\$962	\$1,179	\$1,602	\$1,058	\$1,164	\$1,270	+ \$25	+ \$49	
13" H										
12"	EP2S()1213	\$830	\$902	\$1,168	\$865	\$952	\$1,038	+ \$25	+ \$49	
18"	EP2S()1813	\$854	\$938	\$1,203	\$889	\$978	\$1,067	+ \$25	+ \$49	
24"	EP2S()2413	\$878	\$980	\$1,269	\$920	\$1,012	\$1,104	+ \$25	+ \$49	
30"	EP2S()3013	\$902	\$1,016	\$1,330	\$944	\$1,038	\$1,133	+ \$25	+ \$49	
36"	EP2S()3613	\$926	\$1,058	\$1,397	\$974	\$1,071	\$1,169	+ \$25	+ \$49	
42"	EP2S( )4213	\$950	\$1,095	\$1,457	\$999	\$1,099	\$1,199	+ \$25	+ \$49	
48"	EP2S( )4813	\$974	\$1,143	\$1,554	\$1,034	\$1,137	\$1,241	+ \$25	+ \$49	
60"	EP2S( )6013	\$986	\$1,203	\$1,686	\$1,083	\$1,191	\$1,300	+ \$25	+ \$49	
15"										
12"	EP2S()1215	\$854	\$926	\$1,192		\$978	\$1,067		+ \$49	
18"	EP2S( )1815	\$878	\$962	\$1,227	\$914	\$1,005	\$1,097	+ \$25	+ \$49	
24"	EP2S()2415	\$902	\$1,004	\$1,294	\$944	\$1,038	\$1,133	+ \$25	+ \$49	
30"	EP2S()3015	\$926	\$1,041	\$1,355	\$968	\$1,065	\$1,162	+ \$25	+ \$49	
36"	EP2S()3615	\$950	\$1,083	\$1,421	\$999	\$1,099	\$1,199	+ \$25	+ \$49	
42"	EP2S()4215	\$974	\$1,119	\$1,482	\$1,023	\$1,125	\$1,228	+ \$25	+ \$49	
48"	EP2S()4815	\$986	\$1,155	\$1,566	\$1,047	\$1,152	\$1,256	+ \$25	+ \$49	
60"	EP2S()6015	\$1,010	\$1,227	\$1,710	\$1,107	\$1,218	\$1,328	+ \$25	+ \$49	

	Plexiglass Finishes	Assembly	
	CL Clear	Included	Ordered Separately
pe	<b>IC</b> Ice	Stack-on panel	Stack-on posts
lor	SM Smoked	<ul> <li>Flat (N) top cap</li> </ul>	<ul> <li>Panel connectors</li> </ul>
	TR Translucent	attached to the bottom of stack-on panel	
	Glass Finishes	Not Included	
		• Top cap	
	CL Clear	(use top cap from	
	<b>GR</b> Grey	base panel)	

#### Specify

1. Model #


- 2. Insert type 3. Insert cold
- 4. Paint

SM...Smoked TR ... Translucent

## **Stack-on Panels**

**Insert with Slots** 


Panels




17" H			GLASS INSERT			LAMINATE INSERT			NT
W	MODEL #	P	i GL	DG	L1	L2	L3	P2	P3
12"	EP2S()1217	\$878	\$950	\$1,216	\$902	\$992	\$1,082	+ \$25	+ \$49
18"	EP2S()1817	\$902	\$986	\$1,276	\$938	\$1,032	\$1,126	+ \$25	+ \$49
24"	EP2S( )2417	\$926	\$1,028	\$1,342	\$968	\$1,065	\$1,162	+ \$25	+ \$49
30"	EP2S()3017	\$950	\$1,065	\$1,403	\$992	\$1,091	\$1,189	+ \$25	+ \$49
36"	EP2S()3617	\$974	\$1,107	\$1,469	\$1,023	\$1,125	\$1,228	+ \$25	+ \$49
42"	EP2S()4217	\$986	\$1,131	\$1,541	\$1,034	\$1,137	\$1,241	+ \$25	+ \$49
48"	EP2S()4817	\$1,010	\$1,179	\$1,638	\$1,071	\$1,178	\$1,285	+ \$25	+ \$49
60"	EP2S()6017	\$1,034	\$1,252	\$1,783	\$1,131	\$1,244	\$1,357	+ \$25	+ \$49
20" H									

#### Н

12"	EP2S()1220	\$902	\$974	\$1,288	\$938	\$1,032	\$1,126	+ \$25	+ \$49
18"	EP2S()1820	\$926	\$1,010	\$1,324	\$962	\$1,058	\$1,154	+ \$25	+ \$49
24"	EP2S()2420	\$950	\$1,052	\$1,390	\$992	\$1,091	\$1,190	+ \$25	+ \$49
30"	EP2S()3020	\$974	\$1,089	\$1,427	\$1,016	\$1,118	\$1,219	+ \$25	+ \$49
36"	EP2S()3620	\$986	\$1,119	\$1,530	\$1,034	\$1,137	\$1,241	+ \$25	+ \$49
42"	EP2S()4220	\$1,010	\$1,155	\$1,614	\$1,058	\$1,164	\$1,270	+ \$25	+ \$49
48"	EP2S()4820	\$1,034	\$1,203	\$1,710	\$1,095	\$1,205	\$1,314	+ \$25	+ \$49
60"	EP2S()6020	\$1,058	\$1,276	\$1,855	\$1,155	\$1,271	\$1,386	+ \$25	+ \$49



**Insert without Slots** 



12" H	12" H		CLACC INCEDT				DT	PAINT	
			GLASS INSER			MINATE INSE			
W	MODEL #	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP2S()1212N	\$781	\$854	\$1,119	\$817	\$899	\$980	+ \$25	+ \$49
18"	EP2S()1812N	\$805	\$889	\$1,155	\$841	\$925	\$1,009	+ \$25	+ \$49
24"	EP2S()2412N	\$841	\$944	\$1,210	\$883	\$971	\$1,060	+ \$25	+ \$49
30"	EP2S()3012N	\$865	\$980	\$1,269	\$907	\$998	\$1,088	+ \$25	+ \$49
36"	EP2S()3612N	\$889	\$1,023	\$1,337	\$938	\$1,032	\$1,126	+ \$25	+ \$49
42"	EP2S()4212N	\$914	\$1,058	\$1,397	\$962	\$1,058	\$1,154	+ \$25	+ \$49
48"	EP2S()4812N	\$938	\$1,107	\$1,445	\$999	\$1,099	\$1,199	+ \$25	+ \$49
60"	EP2S( )6012N	\$962	\$1,179	\$1,602	\$1,058	\$1,164	\$1,270	+ \$25	+ \$49
13" H									
12"	EP2S()1213N	\$830	\$902	\$1,168	\$865	\$952	\$1,038	+ \$25	+ \$49
18"	EP2S()1813N	\$854	\$938	\$1,203	\$889	\$978	\$1,067	+ \$25	+ \$49
24"	EP2S()2413N	\$878	\$980	\$1,269	\$920	\$1,012	\$1,104	+ \$25	+ \$49
30"	EP2S()3013N	\$902	\$1,016	\$1,330	\$944	\$1,038	\$1,133	+ \$25	+ \$49
36"	EP2S()3613N	\$926	\$1,058	\$1,397	\$974	\$1,071	\$1,169	+ \$25	+ \$49
42"	EP2S()4213N	\$950	\$1,095	\$1,457	\$999	\$1,099	\$1,199	+ \$25	+ \$49
48"	EP2S()4813N	\$974	\$1,143	\$1,554	\$1,034	\$1,137	\$1,241	+ \$25	+ \$49
60"	EP2S()6013N	\$986	\$1,203	\$1,686	\$1,083	\$1,191	\$1,300	+ \$25	+ \$49
15" H									
12"	EP2S()1215N	\$854	\$926	\$1,192	\$889	\$978	\$1,067	+ \$25	+ \$49
18"	EP2S()1815N	\$878	\$962	\$1,227	\$914	\$1,005	\$1,097	+ \$25	+ \$49
24"	EP2S( )2415N	\$902	\$1,004	\$1,294	\$944	\$1,038	\$1,133	+ \$25	+ \$49
30"	EP2S( )3015N	\$926	\$1,041	\$1,355	\$968	\$1,065	\$1,162	+ \$25	+ \$49
36"	EP2S()3615N	\$950	\$1,083	\$1,421	\$999	\$1,099	\$1,199	+ \$25	+ \$49

F

......

EP2S( )3615N	\$950	\$1,083	\$1,421	\$999	\$1,099	\$1,199	+ \$25
EP2S( )4215N	\$974	\$1,119	\$1,482	\$1,023	\$1,125	\$1,228	+ \$25
EP2S( )4815N	\$986	\$1,155	\$1,566	\$1,047	\$1,152	\$1,256	+ \$25
EP2S( )6015N	\$1,010	\$1,227	\$1,710	\$1,107	\$1,218	\$1,328	+ \$25
	-						

#### 17" H

42"

48"

60"

.,									
12"	EP2S()1217N	\$878	\$950	\$1,216	\$902	\$992	\$1,082	+ \$25	+ \$49
18"	EP2S()1817N	\$902	\$986	\$1,276	\$938	\$1,032	\$1,126	+ \$25	+ \$49
24"	EP2S( )2417N	\$926	\$1,028	\$1,342	\$968	\$1,065	\$1,162	+ \$25	+ \$49
30"	EP2S()3017N	\$950	\$1,065	\$1,403	\$992	\$1,091	\$1,190	+ \$25	+ \$49
36"	EP2S( )3617N	\$974	\$1,107	\$1,469	\$1,023	\$1,125	\$1,228	+ \$25	+ \$49
42"	EP2S( )4217N	\$986	\$1,131	\$1,541	\$1,034	\$1,137	\$1,241	+ \$25	+ \$49
48"	EP2S( )4817N	\$1,010	\$1,179	\$1,638	\$1,071	\$1,178	\$1,285	+ \$25	+ \$49
60"	EP2S()6017N	\$1,034	\$1,252	\$1,783	\$1,131	\$1,244	\$1,357	+ \$25	+ \$49

#### Specify

- 1. Model #
- 2. Insert Type
- 3. Insert color
- 4. Paint

#### **Plexiglass Finishes**

- CL . . Clear IC . . . Ice
- SM. . Smoked
- TR ... Translucent

#### **Glass Finishes**

- CL . . Clear
- GR . . Grey
- **SM**. . Smoked
- TR ... Translucent

#### Assembly Included

#### Stack-on panel • Flat (N) top cap attached to the bottom of stack-on panel

#### Not Included

• Top cap (use top cap from base panel)

#### **Ordered Separately**

+ \$49

+ \$49


+ \$49

- Stack-on posts
- Panel connectors

## **Stack-on Panels**

Insert without Slots

Panels




20" H		(	GLASS INSERT			LAMINATE INSERT			PAINT	
W	MODEL #	PG	GL	DG	L1	L2	L3	P2	P	
12"	EP2S()1220N	\$902	\$974	\$1,288	\$938	\$1,032	\$1,126	+ \$25	+ \$49	
18"	EP2S()1820N	\$926	\$1,010	\$1,324	\$962	\$1,058	\$1,154	+ \$25	+ \$49	
24"	EP2S( )2420N	\$950	\$1,052	\$1,390	\$992	\$1,091	\$1,190	+ \$25	+ \$49	
30"	EP2S()3020N	\$974	\$1,089	\$1,427	\$1,016	\$1,118	\$1,219	+ \$25	+ \$4	
36"	EP2S( )3620N	\$986	\$1,119	\$1,530	\$1,034	\$1,137	\$1,241	+ \$25	+ \$4	
42"	EP2S()4220N	\$1,010	\$1,155	\$1,614	\$1,058	\$1,164	\$1,270	+ \$25	+ \$4	
48"	EP2S()4820N	\$1,034	\$1,203	\$1,710	\$1,095	\$1,205	\$1,314	+ \$25	+ \$4	
60"	EP2S( )6020N	\$1,058	\$1,276	\$1,855	\$1,155	\$1,271	\$1,386	+ \$25	+ \$4	
25" H										
12"	EP2S()1225N	\$938	\$1,010	\$1,324	\$974	\$1,071	\$1,169	+ \$25	+ \$4	
18"	EP2S()1825N	\$962	\$1,047	\$1,361	\$999	\$1,099	\$1,199	+ \$25	+ \$4	
24"	EP2S( )2425N	\$986	\$1,089	\$1,427	\$1,028	\$1,131	\$1,234	+ \$25	+ \$4	
30"	EP2S()3025N	\$1,010	\$1,125	\$1,487	\$1,052	\$1,157	\$1,262	+ \$25	+ \$4	
36"	EP2S()3625N	\$1,034	\$1,168	\$1,578	\$1,083	\$1,191	\$1,300	+ \$25	+ \$4	
42"	EP2S( )4225N	\$1,058	\$1,203	\$1,662	\$1,107	\$1,218	\$1,328	+ \$25	+ \$4	
48"	EP2S( )4825N	\$1,095	\$1,252	\$1,759	\$1,143	\$1,257	\$1,372	+ \$25	+ \$4	
60"	EP2S( )6025N	\$1,131	\$1,324	\$1,952	\$1,203	\$1,323	\$1,444	+ \$25	+ \$4	
82" H										
12"	EP2S()1232N	\$962	\$1,034	\$1,348	\$999	\$1,099	\$1,199	+ \$25	+ \$4	
18"	EP2S()1832N	\$986	\$1,071	\$1,409	\$1,023	\$1,125	\$1,228	+ \$25	+ \$4	
24"	EP2S( )2432N	\$1,010	\$1,113	\$1,475	\$1,052	\$1,157	\$1,262	+ \$25	+ \$4	
30"	EP2S()3032N	\$1,034	\$1,149	\$1,583	\$1,076	\$1,184	\$1,291	+ \$25	+ \$4	
36"	EP2S()3632N	\$1,058	\$1,192	\$1,699	\$1,107	\$1,218	\$1,328	+ \$25	+ \$4	
42"	EP2S()4232N	\$1,083	\$1,227	\$1,807	\$1,131	\$1,244	\$1,357	+ \$25	+ \$4	
48"	EP2S()4832N	\$1,119	\$1,288	\$1,916	\$1,179	\$1,297	\$1,415	+ \$25	+ \$4	
60"	EP2S( )6032N	\$1,179	\$1,397	\$2,121	\$1,276	\$1,404	\$1,531	+ \$25	+ \$4	
87" H										
12"	EP2S( )1237N	\$986	\$1,058	\$1,397	\$1,023	\$1,125	\$1,228	+ \$25	+ \$4	
18"	EP2S()1837N	\$1,010	\$1,107	\$1,469	\$1,058	\$1,164	\$1,270	+ \$25	+ \$4	
24"	EP2S( )2437N	\$1,034	\$1,155	\$1,590	\$1,095	\$1,205	\$1,314	+ \$25	+ \$4	
30"	EP2S()3037N	\$1,058	\$1,203	\$1,710	\$1,131	\$1,244	\$1,357	+ \$25	+ \$4	
36"	EP2S( )3637N	\$1,083	\$1,252	\$1,831	\$1,168	\$1,285	\$1,402	+ \$25	+ \$4	
42"	EP2S()4237N	\$1,107	\$1,300	\$1,928	\$1,203	\$1,323	\$1,444	+ \$25	+ \$4	
48"	EP2S()4837N	\$1,143	\$1,361	\$2,037	\$1,252	\$1,377	\$1,502	+ \$25	+ \$4	
60"	EP2S( )6037N	\$1,203	\$1,445	\$2,290	\$1,324	\$1,456	\$1,589	+ \$25	+ \$4	
		li li	nsert Type		W	н		Slots		
								51013	ots	

<b>.</b>	EP2S Stack-on panel	DG Designer glass insert GL Glass insert PG Plexiglass insert LM Laminate insert	36	15	N Without Slots
•	EP2S	PG	36	15	Ν

Pricing is for P1 paint colors. Add the appropriate upcharge if using P2 or P3 trim.

## Stack-on Panels Perforated Aluminum Insert with Slots



12" H			I	NSERT PAINT		PAII	
W	MODEL #	PA	P1	P2	P3	P2	P3
12"	EP2SPA1212	\$781	\$831	\$851	\$871	+ \$25	+ \$49
18"	EP2SPA1812	\$805	\$855	\$875	\$895	+ \$25	+ \$49
24"	EP2SPA2412	\$841	\$891	\$911	\$931	+ \$25	+ \$49
30"	EP2SPA3012	\$865	\$925	\$945	\$965	+ \$25	+ \$49
36"	EP2SPA3612	\$889	\$949	\$969	\$989	+ \$25	+ \$49
42"	EP2SPA4212	\$914	\$974	\$994	\$1,014	+ \$25	+ \$49
48"	EP2SPA4812	\$938	\$998	\$1,018	\$1,038	+ \$25	+ \$49
60"	EP2SPA6012	\$962	\$1,042	\$1,072	\$1,102	+ \$25	+ \$49
13" H							

12"	EP2SPA1213	\$830	\$880	\$900	\$920	+ \$25	+ \$49
18"	EP2SPA1813	\$854	\$904	\$924	\$944	+ \$25	+ \$49
24"	EP2SPA2413	\$878	\$938	\$958	\$978	+ \$25	+ \$49
30"	EP2SPA3013	\$902	\$962	\$982	\$1,002	+ \$25	+ \$49
36"	EP2SPA3613	\$926	\$986	\$1,006	\$1,026	+ \$25	+ \$49
42"	EP2SPA4213	\$950	\$1,010	\$1,030	\$1,050	+ \$25	+ \$49
48"	EP2SPA4813	\$974	\$1,034	\$1,054	\$1,084	+ \$25	+ \$49
60"	EP2SPA6013	\$986	\$1,076	\$1,106	\$1,146	+ \$25	+ \$49

## 15"

12"	EP2SPA1215	\$854	\$904	\$924	\$944	+ \$25	+ \$49
18"	EP2SPA1815	\$878	\$928	\$948	\$968	+ \$25	+ \$49
24"	EP2SPA2415	\$902	\$952	\$982	\$1,002	+ \$25	+ \$49
30"	EP2SPA3015	\$926	\$976	\$1,016	\$1,036	+ \$25	+ \$49
36"	EP2SPA3615	\$950	\$1,010	\$1,050	\$1,070	+ \$25	+ \$49
42"	EP2SPA4215	\$974	\$1,034	\$1,084	\$1,104	+ \$25	+ \$49
48"	EP2SPA4815	\$986	\$1,056	\$1,116	\$1,136	+ \$25	+ \$49
60"	EP2SPA6015	\$1,010	\$1,110	\$1,170	\$1,200	+ \$25	+ \$49


Model # Included Ordered Separately
Insert color       • Stack-on panel       • Stack-on posts         Paint       • Flat (N) top cap       • Panel connectors         attached to the bottom       of stack-on panel

## **Spe** 1. 1 2. 1 3. 1

- Top cap (use top cap from base panel)

## **Stack-on Panels**

Perforated Aluminum Insert with Slots



17" H			I	NSERT PAIN	r	PAII	NT
W	MODEL #	PA	P1	P2	P3	P2	P3
12"	EP2SPA1217	\$878	\$928	\$948	\$968	+ \$25	+ \$49
18"	EP2SPA1817	\$902	\$952	\$972	\$992	+ \$25	+ \$49
24"	EP2SPA2417	\$926	\$986	\$1,006	\$1,026	+ \$25	+ \$49
30"	EP2SPA3017	\$950	\$1,010	\$1,040	\$1,060	+ \$25	+ \$49
36"	EP2SPA3617	\$974	\$1,044	\$1,074	\$1,094	+ \$25	+ \$49
42"	EP2SPA4217	\$986	\$1,066	\$1,106	\$1,126	+ \$25	+ \$49
48"	EP2SPA4817	\$1,010	\$1,100	\$1,150	\$1,170	+ \$25	+ \$49
60"	EP2SPA6017	\$1,034	\$1,154	\$1,204	\$1,234	+ \$25	+ \$49


## 20" H

12"	EP2SPA1220	\$902	\$952	\$972	\$992	+ \$25	+ \$49
18"	EP2SPA1820	\$926	\$976	\$996	\$1,016	+ \$25	+ \$49
24"	EP2SPA2420	\$950	\$1,000	\$1,030	\$1,050	+ \$25	+ \$49
30"	EP2SPA3020	\$974	\$1,034	\$1,064	\$1,084	+ \$25	+ \$49
36"	EP2SPA3620	\$986	\$1,066	\$1,106	\$1,126	+ \$25	+ \$49
42"	EP2SPA4220	\$1,010	\$1,090	\$1,150	\$1,170	+ \$25	+ \$49
48"	EP2SPA4820	\$1,034	\$1,124	\$1,194	\$1,224	+ \$25	+ \$49
60"	EP2SPA6020	\$1,058	\$1,198	\$1,248	\$1,298	+ \$25	+ \$49

		Insert Type	W	Н
EP2S	Stack-on panel	PA Perforated Aluminum	36	15
EP2S		PA	36	15

## **Stack-on Panels**

Perforated Aluminum Insert without Slots



12" H			I	NSERT PAINT		PAII	١T
W	MODEL #	PA	P1	P2	P3	P2	P3
12"	EP2SPA1212N	\$781	\$831	\$851	\$871	+ \$25	+ \$49
18"	EP2SPA1812N	\$805	\$855	\$875	\$895	+ \$25	+ \$49
24"	EP2SPA2412N	\$841	\$891	\$911	\$931	+ \$25	+ \$49
30"	EP2SPA3012N	\$865	\$925	\$945	\$965	+ \$25	+ \$49
36"	EP2SPA3612N	\$889	\$949	\$969	\$989	+ \$25	+ \$49
42"	EP2SPA4212N	\$914	\$974	\$994	\$1,014	+ \$25	+ \$49
48"	EP2SPA4812N	\$938	\$998	\$1,018	\$1,038	+ \$25	+ \$49
60"	EP2SPA6012N	\$962	\$1,042	\$1,072	\$1,102	+ \$25	+ \$49
13" H							

12"	EP2SPA1213N	\$830	\$880	\$900	\$920	+ \$25	+ \$49
18"	EP2SPA1813N	\$854	\$904	\$924	\$944	+ \$25	+ \$49
24"	EP2SPA2413N	\$878	\$938	\$958	\$978	+ \$25	+ \$49
30"	EP2SPA3013N	\$902	\$962	\$982	\$1,002	+ \$25	+ \$49
36"	EP2SPA3613N	\$926	\$986	\$1,006	\$1,026	+ \$25	+ \$49
42"	EP2SPA4213N	\$950	\$1,010	\$1,030	\$1,050	+ \$25	+ \$49
48"	EP2SPA4813N	\$974	\$1,034	\$1,054	\$1,084	+ \$25	+ \$49
60"	EP2SPA6013N	\$986	\$1,076	\$1,106	\$1,146	+ \$25	+ \$49

## 15" H

12"	EP2SPA1215N	\$8	54	\$904	\$924	\$944	+ \$25	+ \$49
18"	EP2SPA1815N	\$8	78	\$928	\$948	\$968	+ \$25	+ \$49
24"	EP2SPA2415N	\$9	02	\$952	\$982	\$1,002	+ \$25	+ \$49
30"	EP2SPA3015N	\$9	26	\$976	\$1,016	\$1,036	+ \$25	+ \$49
36"	EP2SPA3615N	\$9	50	\$1,010	\$1,050	\$1,070	+ \$25	+ \$49
42"	EP2SPA4215N	\$9	74	\$1,034	\$1,084	\$1,104	+ \$25	+ \$49
48"	EP2SPA4815N	\$9	86	\$1,056	\$1,116	\$1,136	+ \$25	+ \$49
60"	EP2SPA6015N	\$1,0	10	\$1,110	\$1,170	\$1,200	+ \$25	+ \$49

#### 17" H

.,							
12"	EP2SPA1217N	\$878	\$928	\$948	\$968	+ \$25	+ \$49
18"	EP2SPA1817N	\$902	\$952	\$972	\$992	+ \$25	+ \$49
24"	EP2SPA2417N	\$926	\$986	\$1,006	\$1,026	+ \$25	+ \$49
30"	EP2SPA3017N	\$950	\$1,010	\$1,040	\$1,060	+ \$25	+ \$49
36"	EP2SPA3617N	\$974	\$1,044	\$1,074	\$1,094	+ \$25	+ \$49
42"	EP2SPA4217N	\$986	\$1,066	\$1,106	\$1,126	+ \$25	+ \$49
48"	EP2SPA4817N	\$1,010	\$1,100	\$1,150	\$1,170	+ \$25	+ \$49
60"	EP2SPA6017N	\$1,034	\$1,154	\$1,204	\$1,234	+ \$25	+ \$49

#### Specify

#### Assembly

#### Included Stack-on panel

1. Model # 2. Insert color

3. Paint


Ordered Separately Stack-on posts Panel connectors

• Flat (N) top cap attached to the bottom of stack-on panel

#### Not Included

- Top cap
- (use top cap from base panel)

## Stack-on Panels Perforated Aluminum Insert without Slots



0" H		INSERT PAINT			PAINT		
W	MODEL #	PA	P1	P2	P3	P2	Р
12"	EP2SPA1220N	\$902	\$952	\$972	\$992	+ \$25	+ \$4
18"	EP2SPA1820N	\$926	\$976	\$996	\$1,016	+ \$25	+ \$4
24"	EP2SPA2420N	\$950	\$1,000	\$1,030	\$1,050	+ \$25	+ \$4
30"	EP2SPA3020N	\$974	\$1,034	\$1,064	\$1,084	+ \$25	+ \$4
36"	EP2SPA3620N	\$986	\$1,066	\$1,106	\$1,126	+ \$25	+ \$4
42"	EP2SPA4220N	\$1,010	\$1,090	\$1,150	\$1,170	+ \$25	+ \$4
48"	EP2SPA4820N	\$1,034	\$1,124	\$1,194	\$1,224	+ \$25	+ \$4
60"	EP2SPA6020N	\$1,058	\$1,198	\$1,248	\$1,298	+ \$25	+ \$4
5" H							
12"	EP2SPA1225N	\$938	\$988	\$1,008	\$1,028	+ \$25	+ \$4
18"	EP2SPA1825N	\$962	\$1,012	\$1,042	\$1,062	+ \$25	+ \$4
24"	EP2SPA2425N	\$986	\$1,046	\$1,076	\$1,096	+ \$25	+ \$4
30"	EP2SPA3025N	\$1,010	\$1,070	\$1,120	\$1,140	+ \$25	+ \$4
36"	EP2SPA3625N	\$1,034	\$1,104	\$1,164	\$1,184	+ \$25	+ \$4
42"	EP2SPA4225N	\$1,058	\$1,138	\$1,208	\$1,228	+ \$25	+ \$4
48"	EP2SPA4825N	\$1,095	\$1,185	\$1,255	\$1,285	+ \$25	+ \$4
60"	EP2SPA6025N	\$1,131	\$1,271	\$1,311	\$1,351	+ \$25	+ \$4
2" H							
12"	EP2SPA1232N	\$962	\$1,012	\$1,032	\$1,052	+ \$25	+ \$4
18"	EP2SPA1832N	\$986	\$1,036	\$1,066	\$1,086	+ \$25	+ \$4
24"	EP2SPA2432N	\$1,010	\$1,070	\$1,100	\$1,120	+ \$25	+ \$4
30"	EP2SPA3032N	\$1,034	\$1,124	\$1,154	\$1,174	+ \$25	+ \$4
36"	EP2SPA3632N	\$1,058	\$1,168	\$1,208	\$1,228	+ \$25	+ \$4
42"	EP2SPA4232N	\$1,083	\$1,203	\$1,263	\$1,283	+ \$25	+ \$4
48" 60"	EP2SPA4832N EP2SPA6032N	\$1,119	\$1,239	\$1,319	\$1,339	+ \$25	+ \$+ + \$+
00	EPZSPAOUSZN	\$1,179	\$1,339	\$1,419	\$1,449	+ \$25	+ >4
7" H							
12"	EP2SPA1237N	\$986	\$1,036	\$1,056	\$1,076	+ \$25	+ \$4
18"	EP2SPA1837N	\$1,010	\$1,060	\$1,090	\$1,110	+ \$25	+ \$4
24"	EP2SPA2437N	\$1,034	\$1,094	\$1,124	\$1,154	+ \$25	+ \$4
30"	EP2SPA3037N	\$1,058	\$1,158	\$1,188	\$1,218	+ \$25	+ \$4
36"	EP2SPA3637N	\$1,083	\$1,213	\$1,243	\$1,283	+ \$25	+ \$4
42"	EP2SPA4237N	\$1,107	\$1,247	\$1,297	\$1,347	+ \$25	+ \$4
	EP2SPA4837N	\$1,143	\$1,293	\$1,353	\$1,413	+ \$25	+ \$4
48"							

erforated Aluminum	36	15	N Without Slots
			9 9 9 9
	36	15	Ν
		36	36 15

## **Stack-on Posts**



Standard	I			PAINT	
H	MODEL #		P1	P2	P3
12"	EP1SPC12		\$150	\$155	\$160
13"	EP1SPC13		\$163	\$168	\$173
15"	EP1SPC15		\$174	\$179	\$184
17"	EP1SPC17		\$187	\$192	\$197
20"	EP1SPC20		\$211	\$221	\$231
25"	EP1SPC25		\$229	\$239	\$249
32"	EP1SPC32		\$242	\$252	\$262
37"	EP1SPC37		\$253	\$263	\$273
Panel conne	ctors must be ordered	separately.			

#### **Extended**

EACCIENC					
12"	EP1SPC12E		\$150	\$155	\$160
13"	EP1SPC13E		\$163	\$168	\$173
15"	EP1SPC15E		\$174	\$179	\$184
17"	EP1SPC17E		\$187	\$192	\$197
20"	EP1SPC20E		\$211	\$221	\$231
25"	EP1SPC25E		\$229	\$239	\$249
32"	EP1SPC32E		\$242	\$252	\$262
37"	EP1SPC37E		\$253	\$263	\$273
Panel conn	ectors must be ordered	senarately			

Specify

1. Model #

2. Paint

#### Application Notes

Stack-on post must be used between adjacent stack-on panels.

#### Standard Stack-on

Standard stack-on post bottom uses a conical shaped bolt that connects it to the connector directly beneath it. Panel connectors for the top of the stack-on post must be ordered separately to match the geometry of the stack-on panels.

#### Extended Stack-on

Extended stack-on post bottom uses a double-threaded round connector to attach to the fullheight post directly beneath it. Multi-height panel connectors (EPNPCMF) must be used on either side of the bottom of this connector to provide a smooth transition. Standard panel connectors are used along the top of the stack-on panels.

\$170

Panels



## **Coat Hook Straight**

DESCRIPTION	W	D	H	MODEL #	BLACK OR MATTE ALUM
5 Pack	1⁄8"	1 3⁄8"	2 ¾"	EP3MMCH (B/P)	\$170



### **Coat Hook Postless End**

5 Pack 1 3/8" 3/8" 2 3/8" EP3MMCHPE (R/L)(B/P)	
--	--

-		-


Model #
 Paint

#### Coat Hook


Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel.

**Available in two colors** Black (B) Matte Aluminum (P)


## **Frameless Glass**



W H MODEL#	<b>LIST</b> \$169
	\$169
12" 8" <b>EPFLGL1208</b>	2109
18" 8" EPFLGL1808	\$229
24" 8" <b>EPFLGL2408</b>	\$290
30" 8" EPFLGL3008	\$350
36" 8" EPFLGL3608	\$411
42" 8" <b>EPFLGL4208</b>	\$470
48" 8" <b>EPFLGL4808</b>	\$531
60" 8" EPFLGL6008	\$591
66" 8" <b>EPFLGL6608</b>	\$652
72" 8" <b>EPFLGL7208</b>	\$712







14 11			
W	Н	MODEL #	LIST
12"	14"	EPFLGL1214	\$266
18"	14"	EPFLGL1814	\$362
24"	14"	EPFLGL2414	\$459
30"	14"	EPFLGL3014	\$555
36"	14"	EPFLGL3614	\$652
42"	14"	EPFLGL4214	\$749
48"	14"	EPFLGL4814	\$845
60"	14"	EPFLGL6014	\$942
66"	14"	EPFLGL6614	\$1,038
72"	14"	EPFLGL7214	\$1,135

-			
- 5	nc	sci.	hv
-	μe		1 Y

1. Model # 2. Glass finish

**Glass Finishes** 

CL ... Clear  $\textbf{GR} \dots \textbf{Grey}$ 

SM. . Smoked

TR . . Translucent

Not Included Attachment connectors

Assembly

Application Notes		Тор Сар	Туре	W	н
Glass is a single-pane, %" tempered safety glass. Frameless glass can span multiple panels with one piece of glass.	EP Equity Pan	el FL Frameless	GL Glass	48	12
. 5	EP	FL	GL	48	12

## **Frameless Glass**

Frameless Connectors	PAINT				
DESCRIPTION	MODEL #		P1	P2	P3
Straight	EPFLCS		\$72	\$78	\$85
2-way L	EPFLCL		\$78	\$85	\$92
3-way T	EPFLCT		\$78	\$85	\$92
3-way Y 120	EPFLCY		\$78	\$85	\$92
4-way X	EPFLCX		\$78	\$85	\$92
End	EPFLCE		\$72	\$78	\$85



EPFLCS

Attachment hardware



EPFLCL



EPFLCT



EPFLCY



EPFLCX



EPFLCE

Specify **Application Notes** Тор Сар Туре w EP Equity Panel FL Frameless С Straight 1. Model # Frameless glass mounts to Connector S L T 2-way L 2. Paint panels on either end thru 3-way T connectors that screw into Υ 3-way Y the top of the panel's posts. Х 4-way X E End Assembly с S EP FL Included



Add-oi	n Screens			PAINT	
W	н	MODEL #	P1	P2	P3
12"	15"	EP3AOPG1215	\$727	\$752	\$769
18"	15"	EP3AOPG1815	\$824	\$849	\$866
24"	15"	EP3AOPG2415	\$856	\$881	\$898
30"	15"	EP3AOPG3015	\$904	\$929	\$946
36"	15"	EP3AOPG3615	\$963	\$988	\$1,005
42"	15"	EP3AOPG4215	\$1,068	\$1,093	\$1,110
48"	15"	EP3AOPG4815	\$1,166	\$1,191	\$1,208
60"	15"	EP3AOPG6015	\$1,193	\$1,218	\$1,235

#### Specify

- 1. Model #
- 2. Plexiglass finish
- 3. Paint

### Plexiglass Finishes

- CL . . Clear IC . . . Ice
- SM. . Smoked
- TR . . Translucent
- LF...Frost

#### Application Notes


Add-on screens mount on the slotted standard with two (2) die cast stanchion brackets that are included.

Two add-on screens may not be mounted next to each other on the inside corner of a 90° connection. Add-on screens are compatible with flat (N) and beveled (3) top caps.

#### Assembly


## Included Attachment hardware

Panels



<b>ail</b> — panel m	ounted			PAINT	
H	MODEL #	MATTE ALUM	P1	P2	P
б"	SR612	\$145	\$175	\$193	\$210
6"	SR618	\$156	\$186	\$205	\$22
6"	SR624	\$181	\$211	\$232	\$25
6"	SR630	\$193	\$223	\$245	\$26
6"	SR636	\$205	\$235	\$259	\$28
6"	SR642	\$217	\$257	\$283	\$30
6"	SR648	\$242	\$282	\$310	\$33
б"	SR660	\$253	\$303	\$333	\$36
	H 6" 6" 6" 6" 6" 6"	6"         SR612           6"         SR618           6"         SR624           6"         SR630           6"         SR636           6"         SR642           6"         SR642	H         MODEL #         MATTE ALUM           6"         SR612         \$145           6"         SR618         \$156           6"         SR624         \$181           6"         SR630         \$193           6"         SR636         \$205           6"         SR642         \$217           6"         SR648         \$242	H         MODEL#         MATTE ALUM         P1           6"         SR612         \$145         \$175           6"         SR618         \$166         \$186           6"         SR624         \$181         \$211           6"         SR630         \$193         \$223           6"         SR636         \$205         \$235           6"         SR642         \$217         \$257           6"         SR648         \$242         \$282	H         MODEL#         MATTE ALUM         P1         P2           6"         SR612         \$145         \$175         \$193           6"         SR618         \$156         \$186         \$205           6"         SR624         \$181         \$211         \$232           6"         SR630         \$193         \$223         \$245           6"         SR636         \$205         \$235         \$259           6"         SR642         \$217         \$257         \$283           6"         SR648         \$242         \$310         \$310

Slat R	ail Ac	cessories		PAINT				
W	H	D	MODEL #	DESCRIPTION	MATTE ALUM	P1	P2	P3
12 ¼"	4"	2 ¾"	SRAFLH	File hanger	\$84	\$118	\$130	\$142
13 ¼"	7⁄8"	9 5⁄8"	SRAPAT	Paper tray	\$97	\$131	\$144	\$157
3 ¼"	3 1⁄2"	1 1⁄2"	SRAUPT	Upright tray	\$72	\$106	\$117	\$127
2 ¾"	7⁄8"	3 3⁄8"	SRASMT	Small tray	\$60	\$94	\$103	\$113
7 ¾"	7⁄8"	3 3⁄8"	SRAPNH	Pencil holder	\$60	\$94	\$103	\$113



File Hanger **SRAFLH** 

, н<sub>б</sub>

Paper Tray **SRAPAT** 



Pencil Holder **SRAPNH** 




H

Upright Tray **SRAUPT** 

Specify
1. Model #
2. Paint

consist of a 4-circuit and a 6-circuit system. Each circuit in the systems provides a maximum of 20 amps. The four circuit system has eight wires; the six-circuit system has ten wires. Both 8- and 10-wire systems contain two 10-gauge "super" neutrals and two ground wires so that sensitive electronic equipment may be easily protected from unwanted electrical interference. "E" Series electrical can be connected to either single phase or threephase building power supplies.

"E" Series electrical systems




### SPECIFICATION CHECKLIST

The following is a general checklist to ensure your order has been specified properly and to expedite entry of your order. It should be reviewed by a licensed electrician to ensure compliance with any local code requirements.

- Base or ceiling infeed modules. One for each point of connection to the building power supply. Select model desired. Electrical connection to the building power supply must be made by a licensed electrician to ensure proper installation.
- Select panels. Conduit jumpers are used to pass power to electrified panels. These panels do not have factory-installed power wiring, but modular power components are field-installed.
- Shrouds must be used for each panel to panel point to complete the raceway connection.
   Shrouds are included when post assemblies are ordered.
   Shrouds can also be ordered separately when building a multiple height connection.
- 4. Duplex receptacles. Specify the circuit which receptacles are to access: #1, #2, #3 and #4D for 2+2 info eight-wire applications and additionally #5D and #6D for ten wire applications. If connecting to single-phase supply, do not order #2 and #5D receptacles.
- 5. Select and order appropriate conduit jumpers to pass power between panels.
- 6. Conduit Jumpers are for regular panel to panel connections or used to pass power through panels from terminal block to terminal block, which can be located up to 12 feet apart.

#### **Calculate Correct Jumper Length**

- 1) Add widths of both panels containing terminal blocks.
- 2) Divide by 2.
- Add width of any nonelectrified panels inbetween. The result is the correct jumper length.



 Modular wiring components. Internal panel wiring is fully modular and is field-installed into the raceway of panels. When wiring is field-installed the following components must be specified:

#### A. Terminal blocks

To branch circuits, splice jumpers or locate receptacles. Blocks snap-lock into place and are always located in the center of a panel. Panels have one block location only. Base infeed and ceiling infeed modules are each designed to plug into a terminal block, which must be ordered separately from the infeed.

- B. Duplex Receptacles Always specified separately according to circuit access.
- C. Side Mount Receptacles Available for panels 24" and wider. All standard receptacles fit into side mount position on right side of terminal block connector end. Therefore, no circuit number restriction.


#### **SPECIAL CONSIDERATIONS**

In addition to the checklist the following points should be remembered when planning a layout utilizing this electrical distribution system.

- "E" Series electrical consists of four or six 20-amp circuits, any of which can be accessed as desired by plugging in a specially numbered receptacle at terminal block locations in panels.
- Electrified panels can be interspersed between nonelectrified panels with the use of extra-length jumpers which pass circuitry to the next electrified panel.
- 3. For isolation, the 2nd ground must be properly and separately grounded to the building by the installing licensed electrician.
- 4. Certain cities or localities carry special codes limiting the use of certain items within this system. Equity products are available which comply with these code requirements. Neutral Posture recommends contacting your local sales representative for clarification and possible restrictions.

Because of our continuous product improvements, these specifications are subject to change without notice. Please consult your sales representative for the latest information prior to ordering.

## **ELECTRICAL**



#### **BASE INFEED MODULE**

Modular base-mounted infeed conduits in eight-wire and tenwire versions are provided for connection to building power supplies housed in underfloor outlet boxes, floor mounted (monuments) or wall outlet boxes. Available "unhanded" for ease in introducing power from left or right of infeed location. The cover plates provided by others, for floor monuments, recessed floor boxes or wall boxes are to be punched to receive a half-inch (trade size) knockout hole for installation of the box fitting, which is included on the infeed circuit. The wiring connection is to be made within the box inside the monument or behind the floor or wall flush plate. The 4' 6" conduit can be shortened to meet field conditions by cutting the infeed (loose) end. Base Infeed Module plugs into terminal block at the receptacle location. For New York and San Francisco base infeed, see page 63.

Connecting to the building power source must be performed by a licensed electrician.

#### **CEILING INFEED MODULE**

The straight tubular infeed may be shortened (on its bottom end) if it will not fit field conditions. ceiling infeed module is filled with 8- or 10- wire conduit and plugs into terminal block in adjacent panel. Harness length is 19'. Upper tube of module is 6' 7" in length.

#### RACEWAY PANELS WITH FIELD-INSTALLED COMPONENTRY:

- An independent cableway with capacity for up to ten 3/8" dia. communications cables.
- A terminal block at the center of the panel allows for jumpers to connect panel to panel electrical connections and placement of duplex receptacles.
- Terminal block allows for receptacles in two locations, one on each side of the center of the panel (back to back), into which duplex 15-amp receptacles can be placed. The raceway covers are provided with removable knockouts.
- 4. For increased electric demands a second duplex receptacle per panel side can be added to panels 24" and wider. This receptacle plugs directly into the right side terminal block connector ends. Any standard "E" Series receptacle may be used.
- 5. The faceplates on both sides of the panel are removable without removing receptacles.

The system and all standard components are UL-listed. Because of our continuous product improvements, these specifications are subject to change without notice. Please consult a Neutral Posture sales representative for the latest information prior to ordering.

#### **CABLE CAPACITY**

FILL	100%	40%
Cat 5	35	14
Cat 6	28	11

#### **8-WIRE SYSTEM**

#### 2 + 2

The 2+2 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. The system components have a 20 amp capacity. The (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 - 5 duplex outlets.

#### 3 + 1

The 3+1 electrical system consists of four 20 amp, 120 volt, 60-Hertz circuits. These circuits will power a 120 volt single phase, a 120/240 volt split and a 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8-10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets. If each work station has two convenience duplex outlets and one protected duplex, the 8-wire (4-circuit) system can supply a cluster of 6 - 10 workstations from each infeed.

4D

HOT

Ν

ISOLATED


G

ISOLATED

Pink

White/Red

Green/Yellow



3+1 T 1 Black HOT 2 Red HOT 3 Blue HOT Ν White/Black

SHARED

G


SHARED

Green

#### **10-WIRE SYSTEM**

#### 3 + 3

The 3+3 electrical system consists of six 20 amp, 120 volt, 60-Hertz circuits. The circuits will accommodate 120 volt single phase, 120/240 volt split phase and 120/208 volt three phase power. Each system components have the capacity to power 20 amp. The National Electric Code (NEC) only allows steady loads to 80% of capacity which is equivalent to 16 amps. Each circuit can generally power 8 - 10 duplex convenience outlets that are performing a normal load. However, in heavy load situations, such as computer systems each circuit will power 3 – 5 duplex outlets. If each workstation has two convenience duplex outlets and one protected duplex, the 10-wire (6-circuit) system can supply a cluster of 9 - 15 workstations from each infeed.



#### **COMPATIBILITY**

Equity power systems use similar components in all electrical systems. However, all parts are

not functionally interchangeable and should be used based on instructions given.

Ceili	ng In	feed	S		PAINT	
W	D	H	MODEL #	P1	P2	P3
4"	1 ½"	120"	EE3CM41M	\$718	\$754	\$792
4"	1 1⁄2"	120"	EE3CM49M	\$718	\$754	\$792
4"	1 1⁄2"	120"	EE3CM54M	\$718	\$754	\$792
4"	1 1⁄2"	120"	EE3CM61M	\$718	\$754	\$792
4"	1 1⁄2"	120"	EE3CM66M	\$718	\$754	\$792
4"	1 1⁄2"	120"	EE3CM81M	\$718	\$754	\$792

## **Ceiling Infeed Harness**

DESCRIPTION	MODEL #	LIST
E-Series 10-wire	EE1CH-10	\$658
E-Series 8-wire	EE1CH-8	\$540

S	pe	cif
_	r -	

1. Model #

2. Paint

Fabric cover modules are not available.

#### Configurations

**8-wire** 2 + 2

3 + 1

**10-wire** 3 + 3

#### Application Notes

To connect a metal ceiling infeed to a corner or straight connection use an adjustable angle connector or an adjustable angle connector with multiheight connector for a three-way connection. Ceiling Infeeds

Electrical harnesses not included with modules. Modules are hollow to accommodate power and/ or data cables from source into systems furniture.

With electrical harness installed, infeed holds 28 Cat 6 cables.

No "hang on" capabilities. Module cannot be used for panel support. Powder coated module is 120" long metal extrusion with attachment hooks at proper height to attach to appropriate height post.


Cables/conduit are laid into module by removal of twopiece front  $1\frac{1}{2}$ " wide vertical access cover which runs the length of the extrusion. Includes escutcheon plate which is white to integrate with ceiling. Tube is trim colored to match system trim.

## **Electrical Base Infeeds**




## **Base Infeeds**

DESCRIPTION	W	MODEL #	LIST
8-wire (right handed)	54"	EE1BI-8	\$280
8-wire (right handed)	72"	EE1BI72-8	\$346
10-wire (right handed)	54"	EE1BI-10	\$339
10-wire (right handed)	72"	EE1BI72-10	\$411
8-wire (left handed)	54"	EE1BI-8-L	\$280
8-wire (left handed)	72"	EE1BI72-8-L	\$346
10-wire (left handed)	54"	EE1BI-10-L	\$339
10-wire (left handed)	72"	EE1BI72-10-L	\$411







Base Infeeds – New York	
-------------------------	--

10-wire	EE1BI-10N	\$426
8-wire	EE1BI-8N	\$349

## Base Infeeds – San Francisco

8-wire (non-handed)	54"	EE1BI-8SF	\$280
8-wire (non-handed)	72"	EE1BI72-8SF	\$346
10-wire (non-handed)	54"	EE1BI-10SF	\$339
10-wire (non-handed)	72"	EE1BI72-10SF	\$411

## **Jumper End Base Infeeds**

10-wire (w/ground)	72"	EE1BIJ-10G	\$472
8-wire (w/ground)	72"	EE1BIJ-8G	\$391
8-wire	72"	EE1BIJ-8	\$359
10-wire	72"	EE1BIJ-10	\$443

Configurations	Base Infeeds	Jumper End Base Infeeds
8-wire	An infeed conduit connects	Connects by hardwirin
2 + 2	to the wall or floor outlet	to a building's electrica
3 + 1	box of a building's power	supply in floor or wall I
<b>10-wire</b> 3 + 3	supply and plugs into a terminal block in panel raceway. Power entry can be from either left or right	by a licensed electricia Plugs into one set of terminal connections a end of terminal block.
	side of panel. Metal cover	Terminal block must be

conceals the baseboard

connection and is reversible

for either left or right entry.

Can be field-cut to proper

lengths. Color is black.

A terminal block must

be ordered separately.

#### wiring

ectrical wall box trician. of ions at lock. ust be located in panel adjacent to source. Terminal block is ordered separately.

Base infeed can be field cut by a licensed electrician to necessary length. Conduit is encased in black plastic sealer.



Terminal Block		8-V	/IRE	10-WIRE
DESCRIPTION	MODEL #	(3+1)	(2+2)	(3+3)
8-wire	EE1TB8	•	•	
10-wire	EE1TB10			•
Duplex Receptacle		8-V	/IRE	10-WIRE
DESCRIPTION	MODEL #	(3+1)	(2+2)	(3+3)

Circuit #1	EE1R1	•		•	\$57
Circuit #2	EE1R2	•	•	•	\$57
Circuit #3 dedicated for 2+2	EE1R3D		•		\$57
Circuit #3 for 3+1	EE1R3	•		•	\$57
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D	•	•	•	\$57
Circuit #5 dedicated circuit for 3+3	EE1R5D			•	\$57
Circuit #6 dedicated circuit for 3+3	EE1R6D			•	\$57

LIST \$64 \$82

LIST



Duplex Receptacle (10 Pack)		1	/IRE	10-WIRE	
DESCRIPTION	MODEL #	(3+1)	(2+2)	(3+3)	LIST
Circuit #1	EE1R1 P10	•	•	•	\$472
Circuit #2	EE1R2 P10	•	•	•	\$472
Circuit #3 dedicated for 2+2	EE1R3D P10		•		\$472
Circuit #3 for 3+1	EE1R3 P10	•		•	\$472
Circuit #4 dedicated circuit for 3+1, 2+2 or 3+3	EE1R4D P10	•	•	•	\$472
Circuit #5 dedicated circuit for 3+3	EE1R5D P10			•	\$472
Circuit #6 dedicated circuit for 3+3	EE1R6D P10			·	\$472



 $\bigcirc$ 

Receptacle – Side Mount			/IRE	10-WIRE	
DESCRIPTION	MODEL #	(3+1)	(2+2)	(3+3)	LIST
10 Pack	EE1SMRB10	•	•	•	\$287


Data Shield			VIRE	10-WIRE	
DESCRIPTION	MODEL #	(3+1)	(2+2)	(3+3)	LIST
Terminal block shield	EE15BR	•	•	•	\$88

## Knock-out Replacement Cover

DESCRIPTION	MODEL #	LIST
10 Pack	EE1KC10	\$78

Application Notes	Terminal Block	Side Mount Receptacles
Receptacles are black only.	A modular eight or ten wire block that snaps into the base location in center of the panel. Used to branch circuits, splice jumpers or locate duplex receptacles back to back.	Plugs directly into the right side of terminal block to provide a second duplex receptacle where required. Any "E" Series receptacle can be used in panels 24" wide and wider. Side mount receptacle bracket (EE1SMRB10) is needed when using a side mount receptacle.

## Electrical Jumper



mper			8-WIRE	10-WIRE
ENGTH (NOMINAL)	LENGTH (ACTUAL)	MODEL #		
18"	11 ½"	EE1C18-(8/10)	\$125	\$14
21"	14 1⁄2"	EE1C21-(8/10)	\$129	\$15
24"	17 ½"	EE1C24-(8/10)	\$133	\$15
27"	20 1⁄2"	EE1C27-(8/10)	\$134	\$16
30"	23 1⁄2"	EE1C30-(8/10)	\$138	\$16
33"	26 ½"	EE1C33-(8/10)	\$141	\$17
36"	29 1⁄2"	EE1C36-(8/10)	\$142	\$17
39"	32 1⁄2"	EE1C39-(8/10)	\$149	\$18
42"	35 1⁄2"	EE1C42-(8/10)	\$152	\$19
45"	38 1⁄2"	EE1C45-(8/10)	\$156	\$19
48"	41 1⁄2"	EE1C48-(8/10)	\$162	\$19
51"	44 1⁄2"	EE1C51-(8/10)	\$167	\$20
54"	47 1⁄2"	EE1C54-(8/10)	\$167	\$20
57"	50 1⁄2"	EE1C57-(8/10)	\$177	\$21
60"	53 1⁄2"	EE1C60-(8/10)	\$180	\$2
63"	56 1⁄2"	EE1C63-(8/10)	\$186	\$22
66"	59 1⁄2"	EE1C66-(8/10)	\$189	\$23
69"	62 1⁄2"	EE1C69-(8/10)	\$189	\$23
72"	65 1⁄2"	EE1C72-(8/10)	\$195	\$23
75"	68 1⁄2"	EE1C75-(8/10)	\$197	\$24
78"	71 ½"	EE1C78-(8/10)	\$200	\$24
81"	74 1⁄2"	EE1C81-(8/10)	\$203	\$24
84"	77 1⁄2"	EE1C84-(8/10)	\$204	\$25
87"	80 1⁄2"	EE1C87-(8/10)	\$213	\$26
90"	83 ½"	EE1C90-(8/10)	\$218	\$26
93"	86 1⁄2"	EE1C93-(8/10)	\$220	\$27
96"	89 1⁄2"	EE1C96-(8/10)	\$228	\$27
99"	92 ½"	EE1C99-(8/10)	\$232	\$28
102"	95 1⁄2"	EE1C102-(8/10)	\$235	\$28
105"	98 1⁄2"	EE1C105-(8/10)	\$238	\$29
108"	101 ½"	EE1C108-(8/10)	\$239	\$29
111"	104 ½"	EE1C111-(8/10)	\$248	\$29
114"	107 ½"	EE1C114-(8/10)	\$253	\$30
120"	113 ½"	EE1C120-(8/10)	\$264	\$3
126"	119 ½"	EE1C126-(8/10)	\$269	\$32
132"	125 ½"	EE1C132-(8/10)	\$273	\$33
144"	137 ½"	EE1C144-(8/10)	\$290	\$35

Configurations	Application Notes	Calculate the Correct Length	
8-wire 2 + 2 3 + 1 10-wire 3 + 3	Jumpers transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.	<ol> <li>Add widths of both panels containing terminal blocks.</li> <li>Divide by two.</li> <li>Add width of any non-electrified panels in-between.</li> <li>The result is the correct jumper length.</li> </ol>	$ \begin{array}{c}             EEC78-8/10 \\             \hline             36 & 48 & 24 \\             \hline             36 & 48 & 24 \\             \hline             1 & + 24 \\             2 & + 24 \\             \hline             2 & + 24 \\             \hline             30 & + 48 \\             \hline             48 & 48 \\             \hline         $

78 Order EEC78-8/10

## **Terminal Block**


MODEL#	LIST
EE1TB-(N3/N4)	\$82

### **Duplex Receptacles**

EE1RIIIN	\$66
EE1RIIN	\$66
EE1RIN	\$66
EE1RIVN	\$66

## Duplex Receptacles (10 pack)

EE1RIIIN P10	\$502
EE1RIIN P10	\$502
EE1RIN P10	\$502
EE1RIVN P10	\$502



## **Base Infeeds**

NOMINAL LENGTH	MODEL #	LIST
54"	EE1BI-(N3/N4)	\$358
72"	EE1BI72-(N3/N4)	\$379

## Base Infeeds – San Francisco

54"	EE1BI-(N3/N4)SF	\$358
72"	EE1BI72-(N3/N4)SF	\$379

## **Ceiling Infeed Harness**

DESCRIPTION	MODEL #	LIST
E-Series 8-wire	EE1CH-N3	\$785
E-Series 10-wire	EE1CH-N4	\$939

Specification Information	Application Notes	Calculate the Correct Length	
8-wire N3 8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground) <b>10-wire N4</b> 10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground,	Jumpers Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.	<ol> <li>Add widths of both panels containing terminal blocks.</li> <li>Divide by two.</li> <li>Add width of any non-electrified panels in-between.</li> <li>The result is the correct jumper length.</li> </ol>	EE1C78-N3 36 48 24 36 + 24 9 + 24 9 + 2 30

Order EE1C**78**-N3


78

2 hots and 2 neutrals sharing another ground)

## 66

## Electrical Dedicated Neutral System Conduit Jumper

#### Jumper



NOMINAL LENGTH	MODEL #	LIST
18"	EE1C18-(N3/N4)	\$152
21"	EE1C21-(N3/N4)	\$152
24"	EE1C24-(N3/N4)	\$166
27"	EE1C27-(N3/N4)	\$100
30"	EE1C27-(NS/N4)	\$174
33"	EE1C30-(N3/N4)	\$180
36"		
30 39"	EE1C36-(N3/N4)	\$186
	EE1C39-(N3/N4)	\$192
42"	EE1C42-(N3/N4)	\$200
45"	EE1C45-(N3/N4)	\$204
48"	EE1C48-(N3/N4)	\$205
51"	EE1C51-(N3/N4)	\$215
54"	EE1C54-(N3/N4)	\$215
57"	EE1C57-(N3/N4)	\$221
60"	EE1C60-(N3/N4)	\$232
63"	EE1C63-(N3/N4)	\$236
66"	EE1C66-(N3/N4)	\$239
69"	EE1C69-(N3/N4)	\$239
72"	EE1C72-(N3/N4)	\$251
75"	EE1C75-(N3/N4)	\$256
78"	EE1C78-(N3/N4)	\$261
81"	EE1C81-(N3/N4)	\$264
84"	EE1C84-(N3/N4)	\$266
87"	EE1C87-(N3/N4)	\$277
90"	EE1C90-(N3/N4)	\$280
93"	EE1C93-(N3/N4)	\$284
96"	EE1C96-(N3/N4)	\$290
99"	EE1C99-(N3/N4)	\$293
102"	EE1C102-(N3/N4)	\$297
105"	EE1C105-(N3/N4)	\$305
108"	EE1C108-(N3/N4)	\$307
111"	EE1C111-(N3/N4)	\$318
114"	EE1C114-(N3/N4)	\$322
120"	EE1C120-(N3/N4)	\$336
126"	EE1C126-(N3/N4)	\$342
132"	EE1C132-(N3/N4)	\$350
144"	EE1C144-(N3/N4)	\$370

#### Specification Information

#### 8-wire N3

8-wire N3 = 2+1 system (2 hots and 2 neutrals sharing one ground, 1 isolated hot and 1 isolated neutral on an isolated ground)

#### 10-wire N4

10-wire N4 = 2+2 system (2 hots and 2 neutrals sharing one ground, 2 hots and 2 neutrals sharing another ground)


#### Application Notes

Jumpers Transmit power circuits from one panel mounted terminal block to another. Can carry power through panels where no terminal blocks are installed. The length of the jumper corresponds to the distance between the terminal blocks.

#### Calculate the Correct Length

- 1. Add widths of both panels containing terminal blocks.
- 2. Divide by two.
- Add width of any non-electrified panels in-between.

The result is the correct jumper length.



### **Charge Spot**

DESCRIPTION	MODEL #	LIST
Wireless device charger	AWDC1	\$516
Wireless device charger (4 Pack) w/multi unit power supply	AWDC4	\$1,747



## **Charge Spot Dongles**

Apple Lightning dongle	AWDCSA	\$92
mUSB dongle	AWDCSU	\$92

## **Charge Spot Replacement Power**

Single unit power supply	AWDCRPS1	\$68
Multi unit power supply	AWDCRPS4	\$310



#### **Ashlev Duo**

DESCRIPTION	W	D	H	MODEL #	LIST
72" Cord length	5 ½"	3 1⁄8"	2"	EE4WSAD72	\$437
120" Cord length	5 1⁄2"	3 1⁄8"	2"	EE4WSAD120	\$448



### **Ashlev Duo Air**

Ashley 202

72" cord length

120" cord length

In-surface pop-up power	7"	5"	EPUPM72	\$571
In-surface pop-up power	7"	5"	EPUPM120	\$583



Clamp



Under Worksurface					
72" cord length	5 1⁄2"	3 1⁄8"	2"	EE4WSA202UW72	\$353
120" cord length	5 1⁄2"	3 1⁄8"	2"	EE4WSA202UW120	\$364
In Surface					
72" cord length	5 ½"	3 1⁄8"	2"	EE4WSA202IS72	\$410
120" cord length	5 1⁄2"	3 1⁄8"	2"	EE4WSA202IS120	\$422

Specify

#### Specify Ashley Duo

- 2. Model #
- 3. Metal trim finish
- 4. Plastic finish
- 5. For Hardwired add HW to end of model number and add \$85 to list price

2"

2"

5 1⁄2"

5 1⁄2"

3 1⁄8"

3 1⁄8"

#### Ashley Duo

Specifications

EE4WSA202CM72

EE4WSA202CM120

\$410

\$422

Data Wiring

Data wiring and keystones

provided by customer's

cabling contractor.

- 2 15A, 120V AC
- Power Outlets • 2 - 2.1A/10.5W USB
- **Charging Ports**
- 6' or 10' Cord and
- Hardwire Options
- Meets USB.org Battery
- Charging 1.2 Specifications
- Accommodates surfaces
- 1" to 1 ¾" thick.

Electrical

## Ashley Trio



Clamp					
72" cord length	8"	3 1/8"	2"	EE4WSATRIOCM72	\$873
120" cord length	8"	3 1/8"	2"	EE4WSATRIOM120	\$903
Under Worksurface					
72" cord length	8"	3 1/8"	2"	EE4WSATRIOUW72	\$783
120" cord length	8"	3 1/8"	2"	EE4WSATRIOUW120	\$813
In Surface					
72" cord length	8 1/8"	3 1/8"	2"	EE4WSATRIOIS72	\$837
120" cord length	8 1/8"	3 1/8"	2"	EE4WSATRIOIS120	\$867

## **Ashley Quad**

Ashley 202

Specifications

• 2 - 15A, 120V AC

**Power Outlets** 

• 6' or 10' Cord or

Hardwire Option

1" to 1 ¾" thick.

• 2 Data Inserts for

HDMI, RJ45, RJ11,

VGA or Blank Insert

Accommodates surfaces



Dece B

Under Worksurface					
4 AC outlets, 2 USB, 2 Data	10 %"	3 1/8"	1 3⁄4"	EE4UWSAQ2D72	\$755
4 AC outlets, 2 USB, 2 Data	10 7⁄8"	3 1/8"	1 3⁄4"	EE4UWSAQ2D120	\$778
In Surface					
4 AC outlets, 2 USB, 2 Data	10 %"	3 1/8"	1 3⁄4"	EE4ISAQ2D72	\$859
4 AC outlets, 2 USB, 2 Data	10 7⁄8"	3 1/8"	1 3⁄4"	EE4ISAQ2D120	\$882
Panel Supported					
4 AC outlets, 2 USB, 2 Data	10 7⁄8"	3 1/8"	1 3⁄4"	EE4PSAQ2D72	\$836
4 AC outlets, 2 USB, 2 Data	10 1/8"	3 1/8"	1 3⁄4"	EE4PSAQ2D120	\$859



#### Specify Ashley

- 1. Model #
- 2. Metal trim finish
- 3. Plastic finish
- For Hardwired add HW to end of model number and add \$85 to list price.

Ashley Trio

#### Specifications

- 3- 15A, 120V AC
  - Power Outlets
  - 2- 2.1A/10.5W USB
  - Charging Ports • 6' or 10' Cord or
  - Hardwire Option
  - 1 Data Insert for HDMI,
  - RJ45 or VGA ports
  - 1 Data Port Adapter Kit Comes Standard

#### Ashley Quad

#### Specifications

• 4 - 15A, 120V AC Power Outlets

- 2- 2.1A/10.5W USB
- Charging Ports

  2 Data Inserts for
- HDMI, RJ45, RJ11, VGA or Blank Insert
- 6' or 10' Cord or Hardwire Option

#### **Metal Trim Finishes**

MBLK Black MWHT White MSIL Silver

#### **Plastic Finishes**

PBLK.....Black PWHT....White PSIL ....Silver

## **Worksurfaces**

General Info

Step 1 – Model # Options									Step 2 – Surface Finish		<b>Step 3</b> – Edge Finish	
Worksurface Type W D		Wiring			Extended Ends			Laminate		Edge Band		
EW1 Rectangle	48	24	G	Grommets	\$25	E	One End	\$21	PW-STK	Studio Teak	EB-STK	Studio Teal
			G2	Scallop	\$50	EE	Both Ends	\$42				
	40	24	6			F			PW-STK	:	EB-STK	:
EW1	48	: 24 :	G						PW-JIK		ED-JIK	

#### **FEATURES WIRING & CABLING** DEPTHS GROMMET 20" 24" 30" 36" WIDTHS 24" When a standard grommet is specified 30" it is in a rear, centered location and is 36" available in black only. Corner worksurfaces 42" provide two edge grommets. 48" 54" SCALLOP 60" 66"



114" 120"

#### THICKNESS

1 1⁄8"

#### **CABLE DROP**

3/8" Cable management gap

11

G

**G2** 

Scalloped grommets feature additional half

grommet also allows for cord management

by itself when it is wrapped by panels and

not adjacent to other worksurfaces.

grommets on either end to provide a full grommet when two tops meet. The half

#### **EDGE DETAIL**

**STANDARD** 3mm ABS

WOODGRAIN 2mm PVC

#### **SURFACE MATERIALS**

STANDARD WORKSURFACE High pressure laminate

#### **CASCADE WORKSURFACE**

Thermafoil (available on Cascade edge only)


#### EDGEBAND

Available matching or contrasting. Upcharge may be applicable.

#### **SUPPORTS**

Under worksurface — black powdercoat Countercap supports — paint

## WORKSURFACES



Top surface available in standard laminates. For a complete list of color offering consult the Finishes page (page 14) at the beginning of the price list.

Underside of all 24" deep and deeper rectangular worksurfaces are predrilled for mounting of support bracketry.

The front edge of 30" deep cantilevered surfaces should not be loaded in excess of 180 pounds.

Worksurfaces are designed to provide a <sup>3</sup>/<sub>8</sub>" cable management gap between the back edge of the worksurface and wall panel.

#### D & P TOPS

Equity "D" and "P" tops are actual depth plus 1½" to cover two posts and may not be panel wrapped. This allows an adjustable bar support to support the flat end without being visually obtrusive. Adjacent worksurfaces should be specified so as not to cover a post where a "D" or "P" top may be used.

#### WORKSURFACE DIMENSIONS

Equity is measured from the center of the posts on each end of the panel. A standard worksurface is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1  $\frac{1}{2}$ " narrower than the nominal panel dimension. If you would like the worksurface to extend to cover one post you will need to add an "E" to the worksurface item number. This will add 1  $\frac{1}{2}$ " to the width of the surface. If you would like the worksurface to extend to cover both posts then you will need to add "E", extending the surface by 3" from the standard. Adjustable height work surface to meet anti-pinch point requirements around their perimeter.

#### E....Covers 1 post EE ...Covers 2 posts


#### 24" DEEP STRAIGHTS & 15" TOWERS




When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

#### (T) – Available on

			1) /11Valla
	W (actual)	Η	W
EW14824T	43 ¼"	24"	48"
EW15424T	49 ¼"	24"	54"
EW16024T	55 ¼"	24"	60"
EW16624T	61 ¼"	24"	66"
EW17224T	67 ¼"	24"	72"
EW17824T	73 ¼"	24"	78"
EW18424T	79 ¼"	24"	84"






Worksurf	face Sizes	Cantile	ver-C	Adjustable Ba	r Support-S	Supporting Pedestal	Supporting Pedestal
W	D	EB1C20	(L/R)	EB1SR(	S/L)	24" Deep	30" Deep
24"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
24"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
30"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
30"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
30"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
36"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
36"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
36"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
42"	20"	200 lbs	2C	200 lbs	25	N/A	N/A
42"	24"	200 lbs	2C	200 lbs	25	+1 Support	N/A
42"	30"	200 lbs	2C	200 lbs	25	_	+1 Support
48"	20"	216 lbs	2C	216 lbs	25	N/A	N/A
48"	24"	216 lbs	2C	216 lbs	25	+1 Support	N/A
48"	30"	216 lbs	2C	216 lbs	25	_	+1 Support
54"	20"	243 lbs	3C	243 lbs	2S/1C	N/A	N/A
54"	24"	243 lbs	3C	243 lbs	2S/1C	+2 Support	N/A
54"	30"	243 lbs	3C	243 lbs	2S/1C	_	+2 Support
60"	20"	270 lbs	3C	270 lbs	2S/1C	N/A	N/A
60"	24"	270 lbs	3C	270 lbs	25/1C	+2 Support	N/A
60"	30"	270 lbs	3C	270 lbs	2S/1C	_	+2 Support
66"	20"	297 lbs	3C	297 lbs	2S/1C	N/A	N/A
66"	24"	297 lbs	3C	297 lbs	2S/1C	+2 Support	N/A
66"	30"	297 lbs	3C	297 lbs	2S/1C	_	+2 Support
72"	20"	324 lbs	3C	324 lbs	2S/1C	N/A	N/A
72"	24"	324 lbs	3C	324 lbs	2S/1C	+2 Support	N/A
72"	30"	324 lbs	3C	324 lbs	2S/1C	_	+2 Support
78"	20"	351 lbs	3C	351 lbs	25/1C	N/A	N/A
78"	24"	351 lbs	3C	351 lbs	2S/1C	+2 Support	N/A
84"	20"	378 lbs	3C	378 lbs	25/1C	N/A	N/A
84"	24"	378 lbs	3C	378 lbs	2S/1C	+2 Support	N/A
84"	30"	_		378 lbs	2S/1C	_	+2 Support
90"	20"	405 lbs	3C	405 lbs	2S/1C	N/A	N/A
90"	24"	405 lbs	3C	405 lbs	2S/1C	+2 Support	N/A
96"	20"	432 lbs	3C	432 lbs	2S/1C	N/A	N/A
96"	24"	432 lbs	3C	432 lbs	2S/1C	+2 Support	N/A
96"	30"	_		432 lbs	2S/2C	_	+2 Support
108"	20"	486 lbs	4C	486 lbs	2S/2C	N/A	N/A
108"	24"	486 lbs	4C	486 lbs	2S/2C	+3 Support	N/A
108"	30"	_		486 lbs	2S/2C	_	+3 Support
120"	20"	540 lbs	4C	540 lbs	2S/2C	N/A	N/A
120"	24"	540 lbs	4C	540 lbs	2S/2C	+3 Support	N/A
120"	30"	—		540 lbs	2S/2C	_	+3 Support


- Support must be installed for every four feet of width. As indicated, 5' worksurfaces require three supports; two panels are required to install the center support.
- The applications shown in the table emphasize the fundamentals of worksurface loading and support. As long as these criteria are met, supports can be interchanged.
- Supporting drawer pedestals can replace only one support.
- Depth of stretchered worksurfaces must be equal to or less than side panel widths.
- Stretchered worksurfaces should be used where heavy loading is anticipated.
- Cantilevers cannot be used as primary support for 36" deep surfaces or 30" deep surfaces wider than 72".
- The front edge of 30" deep surfaces should not be loaded in excess of 180 pounds.

73


Weights listed are the Business Institutional Furniture Manufacturers Association (BIFMA) functional load requirements for panel hung worksurface loading. If loads larger than these listed are anticipated, approval from Neutral Posture is required.


INSTALLATIONS WHICH VIOLATE THESE REQUIREMENTS WILL NOT BE COVERED BY THE NEUTRAL POSTURE WARRANTY.





Straights






## 24" DEEP STRAIGHTS & 15" TOWERS




When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be necessary on 24" deep worksurfaces with a width from 48" – 84".

				Options					
		w	D		Wiring			Extended Er	ıds
EW1	Rectangle	48	24	G	Grommet	\$30	E	One End	\$26
•				G2	Scallop	\$62	EE	Both Ends	\$52
EW1		48	24	G			Е		

#### Worksurfaces **Straights**



30" [	)eep			LAMINATE	
W	D	MODEL #	L1	L2	L3
24"	30"	EW12430	\$492	\$541	\$590
30"	30"	EW13030	\$530	\$583	\$636
36"	30"	EW13630	\$561	\$617	\$673
42"	30"	EW14230	\$600	\$660	\$720
48"	30"	EW14830	\$618	\$679	\$741
54"	30"	EW15430	\$719	\$790	\$862
60"	30"	EW16030	\$776	\$853	\$931
66"	30"	EW16630	\$827	\$909	\$992
72"	30"	EW17230	\$871	\$958	\$1,045
78"	30"	EW17830	\$896	\$985	\$1,075
84"	30"	EW18430	\$947	\$1,041	\$1,136
90"	30"	EW19030	\$997	\$1,096	\$1,196
96"	30"	EW19630	\$1,029	\$1,131	\$1,234
102"	30"	EW110230	\$1,137	\$1,250	\$1,364
108"	30"	EW110830	\$1,193	\$1,312	\$1,431
114"	30"	EW111430	\$1,238	\$1,361	\$1,485
120"	30"	EW112030	\$1,289	\$1,417	\$1,546



	50 .	-ccp	
$\geq$	48"	36"	
	54"	36"	
	60"	36"	
	<i>cc</i> "	26"	

36" [	)eep				
48"	36"	EW14836	\$859	\$944	\$1,030
54"	36"	EW15436	\$890	\$979	\$1,068
60"	36"	EW16036	\$928	\$1,020	\$1,113
66"	36"	EW16636	\$979	\$1,076	\$1,174
72"	36"	EW17236	\$1,048	\$1,152	\$1,257
78"	36"	EW17836	\$1,105	\$1,215	\$1,326
84"	36"	EW18436	\$1,137	\$1,250	\$1,364
90"	36"	EW19036	\$1,193	\$1,312	\$1,431
96"	36"	EW19636	\$1,263	\$1,389	\$1,515
102"	36"	EW110236	\$1,333	\$1,466	\$1,599
108"	36"	EW110836	\$1,408	\$1,548	\$1,689
114"	36"	EW111436	\$1,484	\$1,632	\$1,780
120"	36"	EW112036	\$1,547	\$1,701	\$1,856

#### Specify


- 1. Model #
- 2. Options
   3. Laminate
- 4. Edge band



€



3



#### Support Information


......

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

A center support must be used with a 54" wide or wider worksurface.


Corners



	Strai	ght	Front		LAMINATE			
	A	L	R	MODEL #	L1	L2	L3	
$\leq$	36"	20"	20"	EW1C3620	\$713	\$784	\$855	
	36"	24"	24"	EW1C3624	\$713	\$784	\$855	
	36"	30"	30"	EW1C3630	\$802	\$882	\$962	
	42"	20"	20"	EW1C4220	\$903	\$993	\$1,083	
	42"	24"	24"	EW1C4224	\$903	\$993	\$1,083	
	42"	30"	30"	EW1C4230	\$979	\$1,076	\$1,174	
	48"	20"	20"	EW1C4820	\$1,080	\$1,188	\$1,296	
	48"	24"	24"	EW1C4824	\$1,080	\$1,188	\$1,296	
	48"	30"	30"	EW1C4830	\$1,099	\$1,208	\$1,318	

......








## **Curved Front**

Cuiv	cuii	υπι				
36"	24"	24"	EW1CC3624	\$783	\$861	\$939
42"	24"	24"	EW1CC4224	\$997	\$1,096	\$1,196
48"	24"	24"	EW1CC4824	\$1,188	\$1,306	\$1,425
60"	24"	24"	EW1CC6024	\$1,326	\$1,458	\$1,591



### **Corner with Cutout**

48"	24"	24"	EW1C4824K	\$1,073	\$1,180	\$1,287	



## **Different Returns**


36"	24"	30"	EW1C362430	\$960	\$1,056	\$1,152	
36"	30"	24"	EW1C363024	\$960	\$1,056	\$1,152	
42"	24"	30"	EW1C422430	\$1,080	\$1,188	\$1,296	
42"	30"	24"	EW1C423024	\$1,080	\$1,188	\$1,296	
48"	24"	30"	EW1C482430	\$1,193	\$1,312	\$1,431	
48"	30"	24"	EW1C483024	\$1,193	\$1,312	\$1,431	

Split	Split Corner — all hardware included		LAMINATE			PAINT (CANTILEVERS ONLY)		
Α	L	R	MODEL #	L1	L2	L3	P2	P3
36"	24"	24"	EW1SC3624	\$2,381	\$2,619	\$2,857	+ \$18	+ \$37
42"	24"	24"	EW1SC4224	\$2,445	\$2,689	\$2,934	+ \$18	+ \$37
42"	30"	30"	EW1SC4230	\$2,482	\$2,730	\$2,978	+ \$18	+ \$37
48"	24"	24"	EW1SC4824	\$2,583	\$2,841	\$3,099	+ \$18	+ \$37
48"	30"	30"	EW1SC4830	\$2,755	\$3,030	\$3,306	+ \$18	+ \$37

Paint option is for cantilevers only. All other hardware is only available in black.


#### Specify

- 1. Model #
- 2. Options
- 3. Laminate
- 4. Edge band
- 5. Grain direction



Insert the desired direction after the laminate finish code.

NOTE: Add \$30 to list price for diagonal grain (D).



#### **Application Notes**

A return panel may not be used next to corner worksurfaces, as they cover both posts for a smooth transition with adjacent rectangular worksurfaces.


#### Support Information

All supports must be ordered separately. See page 84 – 85.


#### Worksurface Loading & Support See page 73.

A center support must be used with a 54" wide or wider worksurface.

**Blended Corners** 




						•••••••••••••••••••••••••••••••••••••••	
Righ	t Ha	nd				LAMINATE	
L	A	В	R	MODEL #	L1	L2	L3
24"	36"	60"	24"	EW1BS3660S(X/L/R/B)	\$1,067	\$1,173	\$1,280
24"	48"	60"	24"	EW1BS4860S(X/L/R/B)	\$1,092	\$1,201	\$1,310
24"	48"	66"	24"	EW1BS4866S(X/L/R/B)	\$1,124	\$1,236	\$1,348
24"	36"	72"	24"	EW1BS3672S(X/L/R/B)	\$1,124	\$1,236	\$1,348
24"	48"	72"	24"	EW1BS4872S(X/L/R/B)	\$1,174	\$1,291	\$1,408
24"	48"	60"	30"	EW1BS4860D(X/L/R/B)	\$1,124	\$1,236	\$1,348
24"	48"	66"	30"	EW1BS4866D(X/L/R/B)	\$1,149	\$1,263	\$1,378
24"	48"	72"	30"	EW1BS4872D(X/L/R/B)	\$1,218	\$1,339	\$1,461
30"	48"	60"	24"	EW1BD4860S(X/L/R/B)	\$1,124	\$1,236	\$1,348
30"	48"	66"	24"	EW1BD4866S(X/L/R/B)	\$1,130	\$1,243	\$1,356
30"	48"	72"	24"	EW1BD4872S(X/L/R/B)	\$1,188	\$1,306	\$1,425



Left	Hand	d					
24"	60"	36"	24"	EW1BS6036S(X/L/R/B)	\$1,067	\$1,173	\$1,280
24"	60"	48"	24"	EW1BS6048S(X/L/R/B)	\$1,099	\$1,208	\$1,318
24"	66"	48"	24"	EW1BS6648S(X/L/R/B)	\$1,124	\$1,236	\$1,348
24"	72"	36"	24"	EW1BS7236S(X/L/R/B)	\$1,130	\$1,243	\$1,356
24"	72"	48"	24"	EW1BS7248S(X/L/R/B)	\$1,174	\$1,291	\$1,408
24"	60"	48"	30"	EW1BS6048D(X/L/R/B)	\$1,099	\$1,208	\$1,318
24"	66"	48"	30"	EW1BS6648D(X/L/R/B)	\$1,124	\$1,236	\$1,348
24"	72"	48"	30"	EW1BS7248D(X/L/R/B)	\$1,188	\$1,306	\$1,425
30"	60"	48"	24"	EW1BD6048S(X/L/R/B)	\$1,099	\$1,208	\$1,318
30"	66"	48"	24"	EW1BD6648S(X/L/R/B)	\$1,149	\$1,263	\$1,378
30"	72"	48"	24"	EW1BD7248S(X/L/R/B)	\$1,218	\$1,339	\$1,461


						Options
	L	Α	В	R	Posts Covered	Wiring
EW1B Blended Worksurface	<b>S 24</b> D 30	36	72	<b>S 24</b> D 30	X         No posts covered           L         Left side post covered           R         Right side post covered	G Grommet \$30 G2 Scallop \$62
EW1B	S	36	72	S	B Both side posts covered	G




A center support must be used with a 54" wide or wider worksurface.

smooth transition to the

next attached worksurface.




<b>ligh</b>	t Hai	nd			LAMINATE	
A	В	c	MODEL #	LI	L2	L3
60"	48"	24"	EW1BP6048SR	\$1,231	\$1,354	\$1,477
72"	48"	24"	EW1BP7248SR	\$1,257	\$1,382	\$1,508
72"	48"	30"	EW1BP7248DR	\$1,289	\$1,417	\$1,546
78"	48"	24"	EW1BP7848SR	\$1,314	\$1,445	\$1,576
78"	48"	30"	EW1BP7848DR	\$1,314	\$1,445	\$1,576
84"	48"	24"	EW1BP8448SR	\$1,547	\$1,701	\$1,856
84"	48"	30"	EW1BP <mark>8448</mark> DR	\$1,579	\$1,736	\$1,894



20'

Left Hand	
-----------	--

	IIMII					
60"	48"	24"	EW1BP6048SL	\$1,231	\$1,354	\$1,477
72"	48"	24"	EW1BP7248SL	\$1,257	\$1,382	\$1,508
72"	48"	30"	EW1BP7248DL	\$1,289	\$1,417	\$1,546
78"	48"	24"	EW1BP7848SL	\$1,314	\$1,445	\$1,576
78"	48"	30"	EW1BP7848DL	\$1,314	\$1,445	\$1,576
84"	48"	24"	EW1BP8448SL	\$1,547	\$1,701	\$1,856
84"	48"	30"	EW1BP8448DL	\$1,579	\$1,736	\$1,894





- 1. Model #
- 2. Options
   3. Laminate
- 4. Edge band

"

**Grain Direction** 

#### Grommet

Blended peninsulas do not come with a grommet. Due to this, if the worksurface adjacent to the "C" side is ordered with scallops there will be a one-half scallop where the return meets the peninsula.

 $\mathcal{T}$ 


#### Support Information

All supports must be ordered separately. See page 84 – 85.


#### Worksurface Loading & Support See page 73.

Center support must be used for all surfaces which exceed 48" in length.

**Peninsulas** 




D Pe	ninsı	ıla	LAMINATE			
W	D	MODEL #	L1	L2	L3	
60"	30"	EW1D6030	\$694	\$763	\$832	
72"	30"	EW1D7230	\$1,206	\$1,326	\$1,447	
72"	36"	EW1D7236	\$1,408	\$1,548	\$1,689	
84"	30"	EW1D8430	\$1,579	\$1,736	\$1,894	
84"	36"	EW1D8436	\$1,756	\$1,931	\$2,107	



(	9 & P	Peninsula				
	72"	30"	EW1(9/P)7230	\$1,206	\$1,326	\$1,447
	72"	36"	EW1(9/P)7236	\$1,408	\$1,548	\$1,689
	84"	30"	EW1(9/P)8430	\$1,579	\$1,736	\$1,894
	84"	36"	EW1(9/P)8436	\$1,756	\$1,931	\$2,107

		w	D
EW1D	D Peninsula	72	30
EW19	9 Peninsula		
EW1P	P Peninsula		•
EW1BP	•	72	30





Half Round without Notch				LAMINATE	
W	D	MODEL#	L1	L2	L3
48"	30"	EW1HR4830	\$940	\$1,034	\$1,128
60"	36"	EW1HR6036	\$1,180	\$1,298	\$1,416



### Half Round with Notch

W	D	MODEL #	L1	L2	L3
48"	30"	EW1HR4830N	\$940	\$1,034	\$1,128
60"	36"	EW1HR6036N	\$1,180	\$1,298	\$1,416



### **Quarter Round**

D	MODEL #		L1	L2	L3
24"	EW1CR24	\$4	23	\$465	\$507
30"	EW1CR30	\$4	60	\$506	\$552

			Options
	w	D	Notch
EW1HR Half Round	36	72	N Round Notch
EW1HR	36	72	Ν

	•••••••	•••••••••••••••••••	
Direction	Half Round Without Notches	Half Round With Notches	Support Information
$\longleftrightarrow$	Half rounds without notches	Included	All supports must b

#### Specify

- 1. Model #
- 2. Options
   3. Laminate
- 4. Edge band

#### Grain D

Half

attach to panels by means of an adjustable bar support and are supported by column bases, available in standard trim colors. Column is fixed height.


Included Splice plates

#### Not Included nor Required Bar support


All supports must be ordered separately. See page 84 – 85.


Worksurface Loading & Support See page 73.

Blended Double Corner & 135° Curved Corner



Blended Double Corner			le Corner		LAMINATE	
A	В	C	MODEL #	L1	L2	L3
96"	48"	24"	EW1BC9648	\$1,579	\$1,736	\$1,894






## 135° Curved Cluster

A	В	MODEL#	L1	L2	L3
36"	24"	EW11353624	\$1,158	\$1,273	\$1,389
42"	24"	EW11354224	\$1,446	\$1,590	\$1,735
48"	24"	EW11354824	\$1,663	\$1,829	\$1,995

### 135° Cluster Core

A	MODEL #	LI	L2	L3
36"	EW1135C36	\$739	\$812	\$886
42"	EW1135C42	\$817	\$898	\$980
48"	EW1135C48	\$897	\$986	\$1,076



**Supports** 










 $\bigcirc$ 



			F	•••••••••••••••••••••••••••••••••••••••	••••••	•••••
Cantilever					PAINT	
DESCRIPTION	D	MODEL #	BLACK	P1	P2	P3
Left hand	20"	EB1C20L	\$108	\$181	\$199	\$217
Left hand (10 pack)	20"	EB1C20L10	\$845	\$1,208	\$1,329	\$1,450
Right hand	20"	EB1C20R	\$108	\$181	\$199	\$217
Right hand (10 pack)	20"	EB1C20R10	\$845	\$1,208	\$1,329	\$1,450
120 Cantilever						
Left hand 60°	18"	EB3C18L60	\$110	\$183	\$201	\$220
Left hand 90°	18"	EB3C18L90	\$110	\$183	\$201	\$220
Right hand 60°	18"	EB3C18R60	\$110	\$183	\$201	\$220
Right hand 90°	18"	EB3C18R90	\$110	\$183	\$201	\$220
Splice Plate						
20" Flat bracket (20" & 24" tops)		EB1F24	\$54	N/A	N/A	N/A
26" Flat bracket (30" & 36" tops)		EB1F30	\$62	N/A	N/A	N/A
Alignment plate		EB1APW	\$17	N/A	N/A	N/A
Bracket						
Panel to worksurface bracket		EB1PWS(L/R)	\$18	\$60	\$66	\$72
Panel to worksurface bracket (Pair – L/R)		EB1PWSP	\$35	\$108	\$119	\$130
V Channel Support						
54"		VS54	\$150	N/A	N/A	N/A
100"		VS100	\$290	N/A	N/A	N/A
			•			

## Worksurface Support Rail

ACTUAL WIDTH	MAX WORKSURFACE WIDTH					
46"	60"	WSR <mark>46</mark>	\$97	N/A	N/A	N/A
57"	72"	WSR57	\$114	N/A	N/A	N/A

Cantilevers	
-------------	--

Worksurface cantilevers lock into panel slotted standards at 1" increments. Cantilevers are handed.

#### Panel to Worksurface Bracket

Can be specified in lieu of cantilever when worksurface is same depth as adjacent panel.

A single bracket can be specified behind a pedestal to secure adjacent panel to worksurface.



Adjustable Bar Support			••••••	PAINT	
DESCRIPTION	MODEL #	BLACK	P1	P2	P3
24", 30" and 36"	EB1SRS	\$242	\$301	\$331	\$361
24", 30" and 36" (10 pack)	EB1SRS10	\$2,294	\$2,898	\$3,188	\$3,478
42", 48" and 60"	EB1SRL	\$271	\$332	\$365	\$398
42", 48" and 60" (10 pack)	EB1SRL10	\$2,415	\$3,140	\$3,454	\$3,768

Desk Er	nd Panels			LAMINATE	
Н	W	MODEL #	L1	L2	L
29"	20"	EB1DEP20	\$739	\$813	\$88
29"	24"	EB1DEP24	\$754	\$829	\$90
29"	30"	EB1DEP30	\$798	\$878	\$95

Specify	Adjustable Bar Support
1. Model # 2. Paint	Adjustable bar supports position in the slotted standards at 1" increments. Two sizes of adjustable bar supports are available. Small adjustable bar support fits 24" through 36" wide panels; the larger
	adjustable bar support fits 42" through 60" wide
	panels. All have keyhole slots to mount worksurfaces and are non-handed.

Column Bases				PAINT		
DESCRIPTION	Н	MODEL #	P1	P2	P3	
Fixed height support column	27 ¾"	EB1FCOL	\$386	\$420	\$436	

Tapered Legs					
Single leg	27 ¾"	TBTL	\$422	\$462	\$502
Single leg w/caster	27 ¾"	TBTLC	\$453	\$493	\$533
Set of 2	27 ¾"	TBTL2	\$725	\$794	\$863
Set of 2 w/casters	27 ¾"	TBTL2C	\$784	\$853	\$922
Set of 4	27 ¾"	TBTL4	\$1,388	\$1,520	\$1,652
Set of 4 w/casters	27 ¾"	TBTL4C	\$1,509	\$1,641	\$1,773
Bar height single leg	40 1⁄2"	TBTLBH	\$953	\$1,068	\$1,183
Bar height set of 2	40 1⁄2"	TBTLBH2	\$1,811	\$2,156	\$2,242
Bar height set of 4	40 ½"	TBTLBH4	\$3,260	\$3,605	\$4,065



Round Legs — (Bar Hei	ght)				
Single leg	40 ¾"	TBRL	\$422	\$462	\$502
Single leg w/caster	40 ¾"	TBRLC	\$453	\$493	\$533
Set of 2	40 ¾"	TBRL2	\$725	\$794	\$863
Set of 2 w/casters	40 ¾"	TBRL2C	\$784	\$853	\$922
Set of 4	40 ¾"	TBRL4	\$1,388	\$1,520	\$1,652
Set of 4 w/casters	40 3/4"	TBRL4C	\$1,509	\$1,641	\$1,773

Specify 1. Model # 2. Paint

## Worksurfaces Supports



0 Legs		PAINT			
DESCRIPTION	Н	MODEL #	P1	P2	P3
24" Deep	27 ¾"	TBOLL24	\$720	\$792	\$864
30" Deep	27 3⁄4"	TBOLL30	\$733	\$806	\$880
24" Deep (set of 2)	27 3⁄4"	TBOLL242	\$1,421	\$1,563	\$1,705
30" Deep (set of 2)	27 3⁄4"	TBOLL302	\$1,445	\$1,590	\$1,734




T Legs					
20" Deep	27 ¾"	TBTLL20	\$406	\$447	\$487
26" Deep	27 ¾"	TBTLL26	\$419	\$461	\$503
36" Deep	27 3⁄4"	TBTLL36	\$443	\$487	\$532
42" Deep	27 ¾"	TBTLL42	\$540	\$594	\$648
48" Deep	27 ¾"	TBTLL48	\$636	\$700	\$763
20" Deep (set of 2)	27 ¾"	TBTLL202	\$793	\$872	\$952
26" Deep (set of 2)	27 ¾"	TBTLL262	\$817	\$899	\$980
36" Deep (set of 2)	27 ¾"	TBTLL362	\$865	\$952	\$1,038
42" Deep (set of 2)	27 ¾"	TBTLL422	\$1,058	\$1,164	\$1,270
48" Deep (set of 2)	27 ¾"	TBTLL482	\$1,240	\$1,364	\$1,488



C Legs					
20" Deep	27 ¾"	TBCLL20	\$406	\$447	\$487
26" Deep	27 ¾"	TBCLL26	\$419	\$461	\$503
32" Deep	27 ¾"	TBCLL32	\$443	\$487	\$532
20" Deep (set of 2)	27 ¾"	TBCLL202	\$793	\$872	\$952
26" Deep (set of 2)	27 ¾"	TBCLL262	\$817	\$899	\$980
32" Deep (set of 2)	27 ¾"	TBCLL322	\$878	\$966	\$1,054


Specify	Levelers	
1. Model # 2. Paint	Adjustable height levelers are included at no additional cost on all models. Shank Length	Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters
	C & T-Legs — ¾-16 x ¾" O-Legs — ¾-16 x 2"	can be ordered in place of levelers for an upcharge on most standard height tables

# Height Adjustable Worksurfaces Worksurface for Height Adjustable Supports



	Norksurface Only 24" for Height Adjustable Supports			LAMINATE		١	WOOD VENEER	
W	D	MODEL #	L1	L2	L3	W1	W2	W3
42"	24"	EAW14224WS	\$505	\$555	\$606	\$1,011	\$1,112	\$1,213
48"	24"	EAW14824WS	\$530	\$583	\$636	\$1,061	\$1,167	\$1,273
54"	24"	EAW15424WS	\$581	\$639	\$697	\$1,162	\$1,278	\$1,394
60"	24"	EAW16024WS	\$637	\$700	\$764	\$1,275	\$1,402	\$1,530
72"	24"	EAW17224WS	\$713	\$784	\$855	\$1,427	\$1,569	\$1,712
Worksurfaces are	e sized to fit w	ith the Fauity system. For stand-alone heig	ht adjustable desks	see nage 126				

vith the Equity system. For stand-alone height adjustable desks see page 126



#### Worksurface Only 30" For Height Adjustable Supports

	ustable Supp	0103	<u>.</u>					
42"	30"	EAW14230WS	\$600	\$660	\$720	\$1,200	\$1,320	\$1,440
48"	30"	EAW14830WS	\$618	\$679	\$741	\$1,238	\$1,361	\$1,485
54"	30"	EAW15430WS	\$694	\$763	\$832	\$1,390	\$1,529	\$1,668
60"	30"	EAW16030WS	\$776	\$853	\$931	\$1,553	\$1,708	\$1,863
72"	30"	EAW17230WS	\$871	\$958	\$1,045	\$1,744	\$1,918	\$2,092


Worksurfaces are sized to fit with the Equity system. For stand-alone height adjustable desks see page 126.

#### Specify

- 1. Model #
- 2. Laminate
- 3. Edge band
- 4. Support color Black or Silver

#### **Application Notes**

Provides 18" of vertical movement.



## Wiring & Cabling G **G2**

Grommet \$29 Scallop \$58

#### **Specification Guidelines**

Order an adjustable height worksurface to match the panel(s) width the worksurface will be attached to. The worksurface cannot be configured to cover a partial panel.

There will be a 1" space around the perimeter of the adjustable height worksurface in order to prevent pinch points.

When used as a solitary worksurface perpendicular panels of 18" minimum width must be specified on both sides for stability.

When used in conjunction with a stationary worksurface there should be a perpendicular panel at the free end of the adjustable worksurface. The free end of the fixed worksurface should be supported with a cantilever or pedestal.

NOTE: Adjustable worksurface meets **BIFMA** loading requirements for safety. Mechanism is designed to have up to 100 lbs. of load and function smoothly.


# Height Adjustable Worksurfaces Electric Height Adjustable Base




#### **Electric Height Adjustable Base**

FOOT DEPTH	MODEL #	BLACK OR SILVER
23 3⁄5"	TBAHL224	\$2,410
23 3⁄5"	TBAHL324	\$3,376
	23 3⁄5"	23 %" TBAHL224







#### Specify

- 1. Model #
- 2. Trim color

#### Application Notes

**Electric Height Adjustable Base** Adjustable height bases can be used with 24" and 30" deep worksurfaces. Worksurfaces must be between 48" - 84" wide.

Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" - 50".

120° Planning

These worksurfaces are designed specifically for Equity 120° applications. The (L/R) suffix at the end of a model number indicates a defined pedestal location. If the worksurface has no defined pedestal location, the (L/R) represents the curved side of the top. All tops and tables are available with 2mm edge band or a cascading edge.


#### Worksurface: W3

This worksurface, combined with the T3 transition top, works best with the "apartment" layout. This application allows for stations on both sides of the spine, and is ideal for high density layouts. Available in extended versions for placement directly next to another worksurface.

#### Worksurface: W6 (L/R)

In the "big house," "full house" or "open house", this worksurface allows for a pedestal on one side (determined by the L/R).

Applications for this top include a call center with the "open house," technical applications with the "full house," and managerial layouts with the "big house."




#### Worksurface: W4

This top works well in the "open house," "full house," and "big house" layouts for call center, professional and managerial applications.




#### Worksurface: W7 (L/R)

Used in conjunction with a T4 transition top, the W7 worksurface provides a great teaming space when the "townhouse" layout is used. The "open house" layout incorporates the T2 transition top for professional or technical stations with shared space for conferencing. Available in extended versions for placement directly next to another worksurface.



#### Worksurface: W5 (L/R)

With transition top T5 and this worksurface, teaming is made easy using the "townhouse" or "open house" layout. The shared space allows for call center, professional or technical applications.




#### Worksurface: W11 / W1118 (L/R)

This top is a spacious option for a technical station in the "open house" layout. Adding a T2 transition top provides additional teaming space. The W11 surface also fits nicely in a private managerial office or a "full house" professional application.




#### Worksurface: W12 / W1218 (L/R)

This top, with the T5/T518 transition top provides a technical office with shared conferencing space in the "open house" layout. The 18 return allows ample space in the supervisory application of the "full house."



#### Worksurface: W13 / W1318 (L/R)

This surface provides a teaming space with the T2/T218 transition in the "open house" layout. The W13/W1318 creates generous worksurface space in the "full house" as well as the management layout of the "big house."





Transition tops require columns (not included — (page 85)) for support. Flat brackets (not included — (page 84)) are required to attach transition tops to adjacent worksurfaces.



Transition top



Transition top



Transition top



#### Transition top

#### Peninsula Tops

Peninsula tops provide additional workspace in a "big house" layout.

Peninsula tops are freestanding and supported by table legs, columns or a combination of both (not included — (page 85)).



Peninsula top




Peninsula top: P2 right hand



Peninsula top: P2 left hand

**120°** 




13					LAMINATE	
W	L	R	MODEL #	L1	L2	L3
48"	24"	24"	EW1W34824	\$1,289	\$1,417	\$1,546
oodgraiı	n Direction	1				
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		R	$\frown$			

\$1,301

i

\$1,431

\$1,561



**W4** 

48"


24"

**Woodgrain Direction** 

24"


W5						
48"	24"	24"	EW1W54824L	\$1,231	\$1,354	\$1,477
48"	24"	24"	EW1W54824R	\$1,231	\$1,354	\$1,477
Noodgrair	n Directio	n				

EW1W44824




#### W6

48"	24"	24"	EW1W64824L	\$1,377	\$1,514	\$1,652
48"	24"	24"	EW1W64824R	\$1,377	\$1,514	\$1,652
Woodgraiı	n Direction	1				



**120°** 




W

17					LAMINATE	
W	L	R	MODEL #	L1	L2	L3
48"	24"	24"	EW1W74824L	\$1,370	\$1,507	\$1,644
48"	24"	24"	EW1W74824R	\$1,370	\$1,507	\$1,644
oodgrair	n Direction	1				



#### W11

48"	24"	18"	EW1W11482418		\$1,617	\$1,778	\$1,940	
48"	18"	24"	EW1W11481824		\$1,617	\$1,778	\$1,940	
Woodgrain Direction								




#### W12

48"	24"	18"	EW1W12482418	\$1,718	\$1,889	\$2,061
48"	18"	24"	EW1W12481824	\$1,718	\$1,889	\$2,061
48"	24"	24"	EW1W124824L	\$1,718	\$1,889	\$2,061
48"	24"	24"	EW1W124824R	\$1,718	\$1,889	\$2,061

**Woodgrain Direction** 





#### W13

48"	24"	18"	EW1W13482418	\$1,655	\$1,820	\$1,986
48"	18"	24"	EW1W13481824	\$1,655	\$1,820	\$1,986
48"	24"	24"	EW1W134824L	\$1,655	\$1,820	\$1,986
48"	24"	24"	EW1W134824R	\$1,655	\$1,820	\$1,986

**Woodgrain Direction** 



#### Specify

- 1. Model #
- 2. Laminate
- 3. Edge band

#### Support Information

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.


#### Application Notes

Refer to the worksurface planning page 90 for worksurface drawings and applications.

W7

Straight ends are available extended by adding an "E" to the end of the model number and adding \$21 (list).


Transition Tops





#### **Peninsula Tops**

		-			
35"	52"	EW1P15235 (L/R)	\$915	\$1,006	\$1,098
36"	38"	EW1P23836(L/R)	\$884	\$972	\$1,060



#### **CASCADE EDGE**



Cascade edge worksurfaces are wrapped with a thermafoil sheet that is heated and pressed around a substrate. This substrate can be FSC certified upon request. Thermafoil is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat cascade edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non-PVC construction and are also free of any plasticizers, pthalates and lead content.

#### **AVAILABLE LAMINATES**

Solid


114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice

Woodgrain 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut

**Straights** 


	-			
24" I	Deep		LAMINATI	E
W	D	MODEL#	SOLID	WOODGRAIN
24"	24"	ECE1R2424N	\$280	\$322
30"	24"	ECE1R3024N	\$322	\$369
36"	24"	ECE1R3624N	\$354	\$408
42"	24"	ECE1R4224N	\$408	\$470
48"	24"	ECE1R4824N	\$459	\$528
54"	24"	ECE1R5424N	\$493	\$567
60"	24"	ECE1R6024N	\$535	\$616
66"	24"	ECE1R6624N	\$579	\$663
72"	24"	ECE1R7224N	\$604	\$695
78"	24"	ECE1R7824N	\$650	\$746
84"	24"	ECE1R8424N	\$686	\$789
90"	24"	ECE1R9024N	\$775	\$889
96"	24"	ECE1R9624N	\$846	\$972

......




	Deep			
24"	30"	ECE1R2430N	\$356	\$411
30"	30"	ECE1R3030N	\$400	\$459
36"	30"	ECE1R3630N	\$445	\$512
42"	30"	ECE1R4230N	\$483	\$553
48"	30"	ECE1R4830N	\$535	\$616
54"	30"	ECE1R5430N	\$606	\$696
60"	30"	ECE1R6030N	\$667	\$764
66"	30"	ECE1R6630N	\$744	\$855
72"	30"	ECE1R7230N	\$775	\$889
78"	30"	ECE1R7830N	\$826	\$949
84"	30"	ECE1R8430N	\$879	\$1,011
90"	30"	ECE1R9030N	\$945	\$1,086
96"	30"	ECE1R9630N	\$1,011	\$1,160
-	-			

Sample			
12" 12"	ECE1R1212G2	\$172	\$200



30" Deep

**Corners & Extended Corners** 



Corne	er – Cu	irved Front	LAMINA	TE	
A	В	c	MODEL #	SOLID	WOODGRAIN
36"	24"	24"	ECE1L3636SSN	\$700	\$806
42"	24"	24"	ECE1L4242SSN	\$846	\$972
42"	24"	30"	ECE1L4242SDN	\$1,005	\$1,152
42"	30"	24"	ECE1L4242DSN	\$1,005	\$1,152
48"	24"	24"	ECE1L4848SSN	\$949	\$1,092
48"	24"	30"	ECE1L4848SDN	\$1,138	\$1,308
48"	30"	24"	ECE1L4848DSN	\$1,138	\$1,308
48"	30"	30"	ECE1L4848DDN	\$1,020	\$1,174

# A B

Right	Right Hand										
42"	60"	24"	24"	ECE1L4260SS( )N	\$1,160	\$1,336					
42"	66"	24"	24"	ECE1L4266SS( )N	\$1,191	\$1,371					
42"	72"	24"	24"	ECE1L4272SS( )N	\$1,236	\$1,424					
42"	78"	24"	24"	ECE1L4278SS( )N	\$1,251	\$1,437					
48"	60"	24"	24"	ECE1L4860SS( )N	\$1,177	\$1,351					
48"	60"	24"	30"	ECE1L4860SD( )N	\$1,152	\$1,328					
48"	60"	30"	24"	ECE1L4860DS( )N	\$1,152	\$1,328					
48"	66"	24"	24"	ECE1L4866SS( )N	\$1,218	\$1,401					
48"	66"	24"	30"	ECE1L4866SD( )N	\$1,214	\$1,396					
48"	66"	30"	24"	ECE1L <mark>4866</mark> DS( )N	\$1,214	\$1,396					
48"	72"	24"	24"	ECE1L4872SS( )N	\$1,263	\$1,452					
48"	72"	24"	30"	ECE1L4872SD( )N	\$1,270	\$1,462					
48"	72"	30"	24"	ECE1L4872DS( )N	\$1,270	\$1,462					
48"	78"	24"	24"	ECE1L4878SS( )N	\$1,392	\$1,602					
48"	84"	24"	24"	ECE1L4884SS( )N	\$1,564	\$1,801					

# B D A

l oft	Hand	
Leit	пани	

60"	42"	24"	24"	ECE1L6042SS( )N	\$1,160	\$1,336
60"	48"	24"	24"	ECE1L6048SS( )N	\$1,177	\$1,351
60"	48"	24"	30"	ECE1L6048SD( )N	\$1,152	\$1,328
60"	48"	30"	24"	ECE1L6048DS( )N	\$1,152	\$1,328
66"	42"	24"	24"	ECE1L6642SS( )N	\$1,191	\$1,371
66"	48"	24"	24"	ECE1L6648SS( )N	\$1,218	\$1,401
66"	48"	24"	30"	ECE1L6648SD( )N	\$1,214	\$1,396
66"	48"	30"	24"	ECE1L6648DS( )N	\$1,214	\$1,396
72"	42"	24"	24"	ECE1L7242SS( )N	\$1,236	\$1,424
72"	48"	24"	24"	ECE1L7248SS( )N	\$1,263	\$1,452
72"	48"	24"	30"	ECE1L7248SD( )N	\$1,270	\$1,462
72"	48"	30"	24"	ECE1L7248DS( )N	\$1,270	\$1,462
78"	42"	24"	24"	ECE1L7842SS( )N	\$1,251	\$1,437
78"	48"	24"	24"	ECE1L7848SS( )N	\$1,392	\$1,602
84"	48"	24"	24"	ECE1L8448SS()N	\$1,564	\$1,801

#### Application Notes

Center-Located Edge Grommet

To specify, replace the "N" suffix from the model number with "G". Add **\$52**.

Equity "L" worksurfaces are handed and may or may not cover a post on either or both sides. Hand is determined from the seated position. Option suffixes for Equity blended corners are as follows:

 $\boldsymbol{X}_{\!\cdots}$  . No posts covered


- ${\bm L} \dots Left \text{ post covered}$
- R....Right post covered
- B....Both posts covered

**Corner Peninsulas** 



Right Hand				LAMINATE		
Α	C	D	MODEL #	SOLID	WOODGRAIN	
24"	66"	48"	ECE1BD6648SR	\$1,134	\$1,303	
30"	66"	48"	ECE1BD6648DR	\$1,191	\$1,371	
24"	72"	48"	ECE1BD7248SR	\$1,158	\$1,335	
30"	72"	48"	ECE1BD7248DR	\$1,235	\$1,421	
24"	78"	48"	ECE1BD7848SR	\$1,339	\$1,539	
30"	78"	48"	ECE1BD7848DR	\$1,384	\$1,590	
24"	84"	48"	ECE1BD8448SR	\$1,375	\$1,581	
30"	84"	48"	ECE1BD8448DR	\$1,462	\$1,680	

\*\*\*\*\*



Edge Profile


Left	Han	d			
24"	48"	66"	ECE1BD6648SL	\$1,134	\$1,303
30"	48"	66"	ECE1BD6648DL	\$1,191	\$1,371
24"	48"	72"	ECE1BD7248SL	\$1,158	\$1,335
30"	48"	72"	ECE1BD7248DL	\$1,235	\$1,421
24"	48"	78"	ECE1BD7848SL	\$1,339	\$1,539
30"	48"	78"	ECE1BD7848DL	\$1,384	\$1,590
24"	48"	84"	ECE1BD8448SL	\$1,375	\$1,581
30"	48"	84"	ECE1BD8448DL	\$1,462	\$1,680

119 Pumice

124 Medium Cherry 125 Natural Maple

126 Natural Cherry 127 Walnut

Woodgrain





Scallop \$62

**Worksurface Loading & Support** See page 73.

#### 98

Waves






Right	Hand		LAMINATE				
w	L	R	A	В	MODEL #	SOLID	WOODGRAIN
36"	24"	30"	3"	15"	ECE1W362430N	\$752	\$864
42"	24"	30"	9"	15"	ECE1W422430N	\$790	\$911
48"	24"	30"	15"	15"	ECE1W482430N	\$847	\$974
72"	24"	30"	30 ½"	23 ½"	ECE1W722430N	\$1,079	\$1,238


#### Left Hand

36" 3	30"	24"	15"	1 ½"	ECE1W363024N	\$752	\$864
42" 3	30"	24"	15"	7 1⁄2"	ECE1W423024N	\$790	\$911
48"	30"	24"	15"	15"	ECE1W483024N	\$847	\$974
72" 3	30"	24"	23 ½"	30 ½"	ECE1W723024N	\$1,079	\$1,238



#### 120° Worksurface

48" 48" 24" 24" <b>ECE1W34824G</b> \$1,236 \$1,	424



Rounds



MII	Round			MINATE
W	D	MODEL #	SOLI	W00DGRAI
18"	48"	ECE1H4818P	\$604	\$69
48"	18"	ECE1H4818PC	\$604	\$69
48"	18"	ECE1H4818PE	\$604	\$69
60"	24"	ECE1H6024P	\$83	\$96
60"	24"	ECE1H6024PC	\$83	\$96
60"	24"	ECE1H6024PE	\$83	\$96



Half Round

**PE** Notched for

postless end

PC Notched for post with cover

Notched for post

P

Corn	er Ro	ound w/Notch	
24"	24"	ECE1CR24N	

Specify	Grain Direction	<b>Available Laminates</b>
1. Model # 2. Options 3. Laminate		<b>Solid</b> 114 Folkstone Grey 117 Soft Grey
5. Laminate		118 Bright White 119 Pumice



Edge Profile

Woodgrain 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut

#### Support Information

\$322

\$369

All supports must be ordered separately. See page 84 – 85.

Worksurface Loading & Support See page 73.

#### Worksurfaces Accessories



90

#### Cable Sleeve w/Cover

Н	D	MODEL #	BLACK ONLY
1 3⁄8"	3 ¼"	EW1CS	\$34

## Edge Grommet

н	W	D	MODEL #	BLACK ONLY
13⁄8"	2 ¼"	13⁄8"	EW1WSG	\$34



#### **Personal Drawer**

DESCRIPTION	MODEL#	BLACK ONLY
Personal Drawer	SPD18	\$422



Wor	Worksurface Cable Basket					PAINT	
Н	W	D	MODEL #	BLACK	P1	P2	P3
2"	20"	4"	EW1CB20	\$66	\$121	\$133	\$145
2"	32"	4"	EW1CB32	\$91	\$150	\$165	\$180
2"	42"	4"	EW1CB42	\$99	\$181	\$199	\$217

#### Cable Sleeve with Cover

Used to pass cables through a worksurface. Fits 3" diameter hole, field cut, in worksurface. Smooth plastic prevents abrasion of cords and cables.

Cover snaps into sleeve. Cover has slots that allow passage of one or two cables, yet gives appearance of surface continuity.

#### Available in black only.


#### Edge Grommet

Designed to accommodate various styles and quantities of cords/plugs between rear of worksurface and panel for improved cord/plug management. Designed to work with Equity EW1 tops shipped after 2005.

Available in black only.

#### Worksurface Cable Basket


Attaches to the underside of worksurface for excess cable management. Slides forward from its position adjacent to the panel face to allow passage of plugs. Constructed of steel wire.



Straight					LAMINATE		PAINT	
W (NOMINAL)	W (ACTUAL)	D	MODEL #	11	L2	L3	P2	P3
12"	10 ½"	15 ¼"	EW(3/N)1215	\$404	\$444	\$484	+ \$30	+ \$60
24"	22 1⁄2"	15 ¼"	EW(3/N)2415	\$429	\$471	\$514	+ \$30	+ \$60
30"	28 1⁄2"	15 ¼"	EW(3/N)3015	\$435	\$478	\$522	+ \$30	+ \$60
36"	34 1⁄2"	15 ¼"	EW(3/N)3615	\$441	\$485	\$529	+ \$30	+ \$60
42"	40 1⁄2"	15 ¼"	EW(3/N)4215	\$460	\$506	\$552	+ \$30	+ \$60
48"	46 1⁄2"	15 ¼"	EW(3/N)4815	\$492	\$541	\$590	+ \$30	+ \$60
60"	58 1⁄2"	15 ¼"	EW(3/N)6015	\$536	\$589	\$643	+ \$30	+ \$60
72"	70 ½"	15 ¼"	EW(3/N)7215	\$606	\$666	\$727	+ \$30	+ \$60
84"	82 1⁄2"	15 ¼"	EW(3/N)8415	\$669	\$735	\$802	+ \$30	+ \$60
96"	94 1⁄2"	15 ¼"	EW(3/N)9615	\$719	\$790	\$862	+ \$30	+ \$60
108"	106 ½"	15 ¼"	EW(3/N)10815	\$783	\$861	\$939	+ \$30	+ \$60
120"	118 ½"	15 ¼"	EW(3/N)12015	\$852	\$937	\$1,022	+ \$30	+ \$60

# w

12"	12"	15 ¼"	EW(3/N)1215E	\$416	\$457	\$499	+ \$30	+ \$60
24"	24"	15 ¼"	EW(3/N)2415E	\$441	\$485	\$529	+ \$30	+ \$60
30"	30"	15 ¼"	EW(3/N)3015E	\$448	\$492	\$537	+ \$30	+ \$60
36"	36"	15 ¼"	EW(3/N)3615E	\$454	\$499	\$544	+ \$30	+ \$60
42"	42"	15 ¼"	EW(3/N)4215E	\$473	\$520	\$567	+ \$30	+ \$60
48"	48"	15 ¼"	EW(3/N)4815E	\$505	\$555	\$606	+ \$30	+ \$60
60"	60"	15 ¼"	EW(3/N)6015E	\$549	\$603	\$658	+ \$30	+ \$60
72"	72"	15 ¼"	EW(3/N)7215E	\$618	\$679	\$741	+ \$30	+ \$60
84"	84"	15 ¼"	EW(3/N)8415E	\$682	\$750	\$818	+ \$30	+ \$60
96"	96"	15 ¼"	EW(3/N)9615E	\$733	\$806	\$879	+ \$30	+ \$60
108"	108"	15 ¼"	EW(3/N)10815E	\$795	\$874	\$954	+ \$30	+ \$60



#### **Extended Both End**

**Extended Ends** 

E....Covers 1 post

EE . . Covers 2 posts

.Atenu		IIU						
12"	13 ½"	15 ¼"	EW(3/N)1215EE	\$429	\$471	\$514	+ \$30	+ \$60
24"	25 ½"	15 ¼"	EW(3/N)2415EE	\$454	\$499	\$544	+ \$30	+ \$60
30"	31 ½"	15 ¼"	EW(3/N)3015EE	\$460	\$506	\$552	+ \$30	+ \$60
36"	37 ½"	15 ¼"	EW(3/N)3615EE	\$467	\$513	\$560	+ \$30	+ \$60
42"	43 ½"	15 ¼"	EW(3/N)4215EE	\$485	\$533	\$582	+ \$30	+ \$60
48"	49 1⁄2"	15 ¼"	EW(3/N)4815EE	\$517	\$568	\$620	+ \$30	+ \$60
60"	61 ½"	15 ¼"	EW(3/N)6015EE	\$561	\$617	\$673	+ \$30	+ \$60
72"	73 ½"	15 ¼"	EW(3/N)7215EE	\$631	\$694	\$757	+ \$30	+ \$60
84"	85 1⁄2"	15 ¼"	EW(3/N)8415EE	\$694	\$763	\$832	+ \$30	+ \$60
96"	97 ½"	15 ¼"	EW(3/N)9615EE	\$745	\$819	\$894	+ \$30	+ \$60
108"	109 ½"	15 ¼"	EW(3/N)10815EE	\$808	\$888	\$969	+ \$30	+ \$60

#### Specify

- 1. Model #
- 2. Laminate
- 3. Edge band
- 4. Cantilever color




Counter caps are designed for mounting on top of panels.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

Support Information Steel cantilevers


are supplied.


Top Cap Compatibility



# Counter Caps Corners

......





36"

15 ¼"

D

Corner				LAMINATE		PAINT	ſ
W	D	MODEL #	L1	L2	L3	P2	P3
24"	15 ¼"	EW(3/N)CC2415	\$530	\$583	\$636	+ \$30	+ \$60
30"	15 ¼"	EW(3/N)CC3015	\$549	\$603	\$658	+ \$30	+ \$60
36"	15 ¼"	EW(3/N)CC3615	\$568	\$624	\$681	+ \$30	+ \$60
Extende	ed Left						
24"	15 ¼"	EW(3/N)CC2415LHE	\$542	\$596	\$650	+ \$30	+ \$60
30"	15 ¼"	EW(3/N)CC3015LHE	\$561	\$617	\$673	+ \$30	+ \$60
36"	15 ¼"	EW(3/N)CC3615LHE	\$581	\$639	\$697	+ \$30	+ \$60
Extende	d Right						
24"	15 ¼"	EW(3/N)CC2415RHE	\$542	\$596	\$650	+ \$30	+ \$60
30"	15 ¼"	EW(3/N)CC3015RHE	\$561	\$617	\$673	+ \$30	+ \$60
36"	15 ¼"	EW(3/N)CC3615RHE	\$581	\$639	\$697	+ \$30	+ \$60
Extende	d Both						
24"	15 ¼"	EW(3/N)CC2415EE	\$556	\$611	\$667	+ \$30	+ \$60
30"	15 ¼"	EW(3/N)CC3015EE	\$574	\$631	\$688	+ \$30	+ \$60

-

\$593

\$652

\$711

+ \$30

+ \$60


:-----:



#### Specify **Extended Ends** Application Notes Support Information Top Cap Compatibility 1. Model # E....Covers 1 post Counter caps are Steel cantilevers 3 – Beveled N – Flat 2. Laminate EE . . Covers 2 posts designed for mounting are supplied. 3. Edge band on top of panels. 4. Cantilever color Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.


EW(3/N)CC3615EE

## **Open Shelves**



Full He	ight			PAINT		
W	D	H	MODEL #	P1	P2	P3
24"	12 %"	10 ¼"	ES20524	\$279	\$294	\$304
30"	12 3⁄8"	10 ¼"	ES2OS30	\$307	\$322	\$332
36"	12 ¾"	10 ¼"	ES20S36	\$307	\$322	\$332
42"	12 ¾"	10 ¼"	ES20S42	\$320	\$335	\$345
48"	12 ¾"	10 ¼"	ES2OS48	\$335	\$350	\$360
60"	12 ¾"	10 ¼"	ES2OS60	\$359	\$374	\$384
72"	12 ¾"	10 1⁄4"	ES20572	\$389	\$404	\$414

······



Half Heig	ht

24"	12 3⁄8"	7 ¼"	ES3OS24	\$338	\$353	\$363
30"	12 ¾"	7 ¼"	ES3OS30	\$374	\$389	\$399
36"	12 3⁄8"	7 ¼"	ES30S36	\$374	\$389	\$399
42"	12 3⁄8"	7 ¼"	ES30542	\$389	\$404	\$414
48"	12 3⁄8"	7 ¼"	ES3OS48	\$408	\$423	\$433
60"	12 3⁄8"	7 ¼"	ES3OS60	\$439	\$454	\$464
72"	12 ¾"	7 ¼"	ES30572	\$473	\$488	\$498




24"	EC2SB24	\$230	\$240	\$250
30"	EC2SB30	\$253	\$263	\$273
36"	EC2SB36	\$253	\$263	\$273
42"	EC2SB42	\$266	\$276	\$286
48"	EC2SB48	\$277	\$287	\$297
60"	EC2SB60	\$312	\$322	\$332
72"	EC2SB72	\$356	\$366	\$376

$\sum$	Shelf Divider				BLACK ONLY		
V	2"	9"	6"	EC2SD	\$160	N/A	N/A

Specify	Application Notes	Shelf Type	W
1. Model # 2. Paint	Open shelf consists of two steel end panels and one steel shelf. NOTE: Cannot be converted to an enclosed cabinet.	ES2OS Open Shelf ES3OS Open Shelf – Half Height ES2OS	36 36
	Shelf Divider		


## **Open Shelves**




							••••••	••••••	
Full Laminate					LAMINATE		١	WOOD VENEER	
W	D	Н	MODEL #	P1	P2	P3	W1	W2	W3
24"	12 %"	10 ¼"	ES2OSL24	\$428	\$471	\$514	\$856	\$942	\$1,028
30"	12 3⁄8"	10 ¼"	ES2OSL30	\$437	\$481	\$524	\$874	\$962	\$1,048
36"	12 3⁄8"	10 ¼"	ES2OSL36	\$445	\$490	\$534	\$890	\$980	\$1,068
42"	12 ¾"	10 ¼"	ES2OSL42	\$459	\$505	\$551	\$918	\$1,010	\$1,102
48"	12 3⁄8"	10 ¼"	ES2OSL48	\$471	\$518	\$565	\$942	\$1,036	\$1,130
60"	12 3⁄8"	10 ¼"	ES2OSL60	\$667	\$734	\$800	\$1,334	\$1,468	\$1,600
72"	12 3⁄8"	10 ¼"	ES2OSL72	\$859	\$945	\$1,031	\$1,718	\$1,890	\$2,062


Specify	Application Notes		Shelf Type	w
1. Model # 2. Laminate/Veneer	Can not be converted into an enclosed cabinet.	ES2OSL	Open Shelf Full Laminate	36
		ES2OSL		36

## **Overheads**



Laminate Front — Side Hinge Door					LAMINATE			PAINT	
W	D	Н	# DOORS	MODEL #	L1	L2	L3	P2	P3
24"	12 ½"	14 ¼"	2	EC2OL24	\$817	\$899	\$980	+ \$30	+ \$60
30"	12 1⁄2"	14 ¼"	2	EC2OL30	\$878	\$966	\$1,054	+ \$30	+ \$60
36"	12 ½"	14 ¼"	2	EC2OL36	\$938	\$1,032	\$1,126	+ \$30	+ \$60
42"	12 ½"	14 ¼"	2	EC2OL42	\$999	\$1,099	\$1,199	+ \$30	+ \$60
48"	12 1⁄2"	14 ¼"	2	EC2OL48	\$1,058	\$1,164	\$1,270	+ \$30	+ \$60
60"	12 ½"	14 ¼"	4	EC2OL60	\$1,482	\$1,630	\$1,778	+ \$30	+ \$60
72"	12 ½"	14 ¼"	4	EC20L72	\$1,602	\$1,762	\$1,922	+ \$30	+ \$60





## Open

Overhead – Side Hinge

Includes matching

ABS edge band.

W

24"

30"

36"

42"

48"

60"

72"

72"

Painted Steel — Flipper Door

D

12 ½"

12 1⁄2"

12 ½"

12 ½"

12 ½"

12 ½"

12 ½"

12 ½"

Н

14 ¼"

14 ¼"

14 ¼"

14 ¼"

14 ¼"

14 ¼"

14 ¼"

14 ¼"

# DOORS

1

1

1

1

1

1

1

2

MODEL #

EC20P24

EC2OP30

EC2OP36

EC20P42

EC20P48

EC2OP60

EC20P72

EC20P272

24"	12 ½"	14 ¼"	EC20024	\$551	\$606	\$661
30"	12 ½"	14 ¼"	EC20030	\$672	\$739	\$806
36"	12 ½"	14 ¼"	EC20036	\$696	\$766	\$835
42"	12 ½"	14 ¼"	EC20042	\$733	\$806	\$880
48"	12 ½"	14 ¼"	EC20048	\$854	\$939	\$1,025
60"	12 ½"	14 ¼"	EC20060	\$974	\$1,071	\$1,169
72"	12 ½"	14 ¼"	EC20072	\$1,095	\$1,205	\$1,314



<b>Overhe</b> a	ad Back	K				
24"	5⁄8"	14"	EC2CB24	\$2	230 \$240	\$250
30"	5⁄8"	14"	EC2CB30	\$2	253 \$263	\$273
36"	5⁄8"	14"	EC2CB36	\$2	253 \$263	\$273
42"	5⁄8"	14"	EC2CB42	\$2	266 \$276	\$286
48"	5⁄8"	14"	EC2CB48	\$2	277 \$287	\$297
60"	5⁄8"	14"	EC2CB60	\$3	\$322 \$322	\$332
72"	5⁄8"	14"	EC2CB72	\$3	356 \$366	\$376

1. Model #

2. Paint

3. Optional Laminate

#### Overhead – Flipper Door

Door uses heavy-duty ball bearing hinges to allow door to flip forward and up and over top of cabinet. Can be opened at an angle. Door rolls on glides for smooth, friction-free operation.

	Overhead Type	W
EC2OL	Side Hinge	36
EC2OP	Flipper Door	
EC200	Open	
ES2OL		36

·····

PAINT

P2

\$752

\$847

\$847

\$941

\$992

\$1,126

\$1,237

\$1,496

P3

\$777

\$872

\$872

\$966

\$1,017

\$1,151

\$1,262

\$1,521

**P1** 

\$727

\$822

\$822

\$916


\$967


\$1,101

\$1,212

\$1,471

# **Overheads**






Full La	Full Laminate Open										
24"	12 ½"	14 ¼"	EC2OCL24	\$1,429	\$1,572	\$1,715	\$2,858	\$3,144	\$3,430		
30"	12 ½"	14 ¼"	EC2OCL30	\$1,458	\$1,604	\$1,750	\$2,916	\$3,208	\$3,500		
36"	12 ½"	14 ¼"	EC2OCL36	\$1,487	\$1,636	\$1,784	\$2,974	\$3,272	\$3,568		
42"	12 ½"	14 ¼"	EC2OCL42	\$1,531	\$1,684	\$1,837	\$3,062	\$3,368	\$3,674		
48"	12 ½"	14 ¼"	EC2OCL48	\$1,574	\$1,731	\$1,889	\$3,148	\$3,462	\$3,778		
60"	12 ½"	14 ¼"	EC2OCL60	\$2,226	\$2,449	\$2,671	\$4,452	\$4,898	\$5,342		
72"	12 ½"	14 ¼"	EC20CL72	\$2,863	\$3,149	\$3,436	\$5,726	\$6,298	\$6,872		

#### SHARED STORAGE DIMENSIONS

Equity is measured from the center of the posts on each end of the panel. A standard full laminate overhead is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-1/2" narrower than the nominal panel dimension. If you would like the full laminate overhead to extend to cover the center of one post you will need to add an "E" to the full laminate overhead item number. This will add 3/4" to the width of the shared storage. If you would like the full laminate overhead to extend to cover the center of both posts then you will need to add "EE", extending the full laminate overhead by 1 1/2" from the standard.


E....Covers center of 1 post

**EE** . . Covers center of 2 posts




						Options
Specify			w	D	Door	Extended Ends
1. Model #	ES20 Equity Overhead	d CL Full Laminate Overhea	d: 36	14	No Door	E One End \$25
2. Laminate/Veneer					D Door	EE Both Ends \$50
Overhead Includes matching ABS edge band.	ES2O	CL	36	14	D	E

# **Shared Storage**



2" H					LAMINATE	
W	D	Н	MODEL#	L1	L2	L3
24"	14"	12"	EC2OY2412	\$1,179	\$1,297	\$1,415
30"	14"	12"	EC2OY3012	\$1,203	\$1,323	\$1,444
36"	14"	12"	EC2OY3612	\$1,227	\$1,350	\$1,472
42"	14"	12"	EC2OY4212	\$1,264	\$1,390	\$1,517
48"	14"	12"	EC2OY4812	\$1,300	\$1,430	\$1,560
60"	14"	12"	EC2OY6012	\$1,807	\$1,988	\$2,168
72"	14"	12"	EC20Y7212	\$2,338	\$2,572	\$2,806
84"	14"	12"	EC2OY8412	\$2,846	\$3,131	\$3,415



14" H						
24"	14"	14 ¼"	EC20Y2414	\$1,192	\$1,311	\$1,430
30"	14"	14 ¼"	EC2OY3014	\$1,216	\$1,338	\$1,459
36"	14"	14 ¼"	EC2OY3614	\$1,240	\$1,364	\$1,488
42"	14"	14 ¼"	EC2OY4214	\$1,276	\$1,404	\$1,531
48"	14"	14 ¼"	EC2OY4814	\$1,313	\$1,444	\$1,576
60"	14"	14 ¼"	EC2OY6014	\$1,855	\$2,041	\$2,226
72"	14"	14 ¼"	EC20Y7214	\$2,387	\$2,626	\$2,864
84"	14"	14 ¼"	EC2OY8414	\$2,906	\$3,197	\$3,487

#### SHARED STORAGE DIMENSIONS

Equity is measured from the center of the posts on each end of the panel. A standard shared storage is dimensioned to fit in a fully panel wrapped configuration. It is therefore 1-½" narrower than the nominal panel dimension. If you would like the shared storage to extend to cover the center of one post you will need to add an "E" to the shared storage item number. This will add ¾" to the width of the shared storage. If you would like the shared storage to extend to cover the center of both posts then you will need to add "EE", extending the shared storage by 1 ½" from the standard.

- E....Covers center of 1 post
- **EE**...Covers center of 2 posts









				Options				
		w	D		Door		<b>Extended Ends</b>	
ES20 Equity Overhead	Y Shared Storage	36	14	<b>D</b> MD	No Door <b>Door</b> Markerboard Door	E EE	<b>One End</b> Both Ends	<b>\$25</b> \$51
ES20	Y	36	14	D		Е		

# Shared Storage



12" H	w/Door	<b>S</b> — Includes 2 lo	cks	LAMINATE				
W	D	H	MODEL #	L1	L2	L3		
24"	14"	12"	EC2OY2412(D/MD)	\$1,348	\$1,483	\$1,618		
30"	14"	12"	EC2OY3012(D/MD)	\$1,385	\$1,524	\$1,662		
36"	14"	12"	EC2OY3612(D/MD)	\$1,421	\$1,563	\$1,705		
42"	14"	12"	EC2OY4212(D/MD)	\$1,457	\$1,603	\$1,748		
48"	14"	12"	EC2OY4812(D/MD)	\$1,493	\$1,642	\$1,792		
60"	14"	12"	EC2OY6012(D/MD)	\$2,037	\$2,241	\$2,444		
72"	14"	12"	EC2OY7212(D/MD)	\$2,568	\$2,825	\$3,082		
84"	14"	12"	EC2OY8412(D/MD)	\$3,027	\$3,330	\$3,632		



# 14" H w/Doors — Includes 2 locks

_							
	24"	14"	14 ¼"	EC2OY2414(D/MD)	\$1,397	\$1,537	\$1,676
	30"	14"	14 ¼"	EC2OY3014(D/MD)	\$1,421	\$1,563	\$1,705
	36"	14"	14 ¼"	EC2OY3614(D/MD)	\$1,445	\$1,590	\$1,734
	42"	14"	14 ¼"	EC2OY4214(D/MD)	\$1,482	\$1,630	\$1,778
	48"	14"	14 1⁄4"	EC2OY4814(D/MD)	\$1,517	\$1,669	\$1,820
	60"	14"	14 1⁄4"	EC2OY6014(D/MD)	\$2,061	\$2,267	\$2,473
	72"	14"	14 ¼"	EC2OY7214(D/MD)	\$2,604	\$2,864	\$3,125
	84"	14"	14 1⁄4"	EC2OY8414(D/MD)	\$3,172	\$3,489	\$3,806


#### Specify

- 1. Model #
- 2. Options
   3. Laminate


#### Shared Storage

Includes matching ABS edge band.

# Tackboards



12" H			•••••	••••••	FAB	RIC		•••••	
W	MODEL #	A	В	c	D	E	F	G	Н
24"	EP1TB2412	\$242	\$267	\$292	\$342	\$442	\$542	\$642	\$742
30"	EP1TB3012	\$301	\$326	\$351	\$401	\$501	\$601	\$701	\$801
36"	EP1TB3612	\$362	\$387	\$412	\$462	\$562	\$662	\$762	\$862
42"	EP1TB4212	\$392	\$417	\$442	\$492	\$592	\$692	\$792	\$892
48"	EP1TB4812	\$422	\$447	\$472	\$522	\$622	\$722	\$822	\$922
60"	EP1TB6012	\$483	\$508	\$533	\$583	\$683	\$783	\$883	\$983
20" H									
24"	EP1TB2420	\$362	\$387	\$412	\$462	\$562	\$662	\$762	\$862
30"	EP1TB3020	\$392	\$417	\$442	\$492	\$592	\$692	\$792	\$892
36"	EP1TB3620	\$422	\$447	\$472	\$522	\$622	\$722	\$822	\$922
42"	EP1TB4220	\$453	\$478	\$503	\$553	\$653	\$753	\$853	\$953
48"	EP1TB4820	\$483	\$508	\$533	\$583	\$683	\$783	\$883	\$983
60"	EP1TB6020	\$543	\$568	\$593	\$643	\$743	\$843	\$943	\$1,043
25" H									
24"	EP1TB2425	\$422	\$447	\$472	\$522	\$622	\$722	\$822	\$922
30"	EP1TB3025	\$453	\$478	\$503	\$553	\$653	\$753	\$853	\$953
36"	EP1TB3625	\$483	\$508	\$533	\$583	\$683	\$783	\$883	\$983
42"	EP1TB4225	\$512	\$537	\$562	\$612	\$712	\$812	\$912	\$1,012
48"	EP1TB4825	\$543	\$568	\$593	\$643	\$743	\$843	\$943	\$1,043
60"	EP1TB6025	\$604	\$629	\$654	\$704	\$804	\$904	\$1,004	\$1,104
36" H									
24"	EP1TB2436	\$483	\$508	\$533	\$583	\$683	\$783	\$883	\$983
30"	EP1TB3036	\$543	\$568	\$593	\$643	\$743	\$843	\$943	\$1,043
36"	EP1TB3636	\$573	\$598	\$623	\$673	\$773	\$873	\$973	\$1,073
42"	EP1TB4236	\$604	\$629	\$654	\$704	\$804	\$904	\$1,004	\$1,104
48"	EP1TB4836	\$633	\$658	\$683	\$733	\$833	\$933	\$1,033	\$1,133



W	36" H
¥./	24"
	30"
	36"
	42"
	48"
	60"

					Options	
Specify	Application Notes		W	н	Extended Ends	
1. Model # 2. Fabric	Specify in areas where heavy tacking application is required. Solid core construction will easily accept T-pins, push pins and thumbtacks. Clips attach unit to	EW1 Tackboard	48 <b>36</b>	20 20	E One End EE Both Ends E	<b>\$24</b> \$48

\$694

\$719

\$744

\$794

\$894

\$994 \$1,094 \$1,194

EP1TB6036

# **Wall Mounted Channel**

all Mo	ounted	Channe				PAINT			
W	D	н	H (Actual)	MODEL #	P1	P2	P3		
2 1/8"	3⁄4"	29"	23"	EP3WMC29	\$134	\$139	\$146		
2 1⁄8"	3⁄4″	41"	35"	EP3WMC41	\$134	\$139	\$146		
2 1⁄8"	3⁄4″	49"	43"	EP3WMC49	\$138	\$145	\$153		
2 1/8"	3⁄4″	54"	49"	EP3WMC54	\$140	\$147	\$155		
2 %"	3⁄4″	61"	55"	EP3WMC61	\$156	\$162	\$173		
2 1⁄8"	3⁄4″	64"	58"	EP3WMC64	\$160	\$173	\$178		
2 1⁄8"	3⁄4″	66"	60"	EP3WMC66	\$160	\$173	\$178		
2 1⁄8"	3⁄4″	81"	75"	EP3WMC81	\$195	\$202	\$213		
2 1⁄8"	3⁄4″	120"	120"	EP3WMC120	\$300	\$315	\$331		

# Specify – Wall Mounted Channel Wall Mo 1. Model # Allows

2. Paint

#### Wall Mounted Channel Application Notes

Allows hanging of all components and accessories on reinforced building walls.

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws. NOTE: Neutral Posture, Inc. assumes no responsibility for wall construction or performance of fasteners used.


#### Assembly – Wall Mounted Channel


- Included
- Extruded aluminum channelInsert which snaps
- into place

#### LIGHTING

Just as the design of a work environment is important, a company's investment in workplace lighting is equally such. Light empowers a person's work, influences their mood and helps them focus. Workers need well-lit spaces to be productive and feel their best. Developing a work environment that supports worker well being and performance through the use of lighting will reduce employee stress, absenteeism and accidents while increasing work performance.

LIGHTING





#### **REED Premier** — Stand alone w/18-watt power supply

DESCRIPTION	H	W	D	WATTAGE	MODEL #	LIST
Suggested shelf size 24" - 36"	1⁄2"	16 ½″	2"	8.0	LRPSO-17-SA	\$479
Suggested shelf size 30" – 42"	1/2"	23 ¼″	2"	12.4	LRPSO-24-SA	\$624



### **REED Premier** — Stand alone or starter w/60-watt power supply

Suggested shelf size 24" – 36"	1⁄2"	16 ½″	2"	8.0	LRPSO-17-ST	\$575
Suggested shelf size 30" – 42"	1⁄2"	23 ¼″	2"	12.4	LRPSO-24-ST	\$720
Suggested shelf size 42" – 48"	1⁄2"	30"	2"	16.4	LRPSO-31-ST	\$757
Suggested shelf size 54" – 60"	1⁄2"	43 ¾"	2"	24.2	LRPSO-44-ST	\$938
Suggested shelf size >=72"	1⁄2"	57 ½"	2"	31.2	LRPSO-58-ST	\$1,155



#### **REED Premier** — Extension

Suggested shelf size 24" – 36"	1⁄2"	16 ½″	2"	8.0	LRPSO-17-EX	\$431
Suggested shelf size 30" - 42"	1/2"	23 ¼″	2"	12.4	LRPSO-24-EX	\$600
Suggested shelf size 42" – 48"	1⁄2"	30"	2"	16.4	LRPSO-31-EX	\$636
Suggested shelf size 54" – 60"	1/2"	43 ¾"	2"	24.2	LRPSO-44-EX	\$841



#### **REED Premier** — Accessories

Occupancy sensor kit	3⁄4"	2"	2"	LRP-OS	\$322

Specify

1. Model #

# **REED** Premier

Properly diffused light provides a softly blended light pattern that reduces eye strain.

A single-touch on/ off and touch and hold continuous dimming pad with last state memory.

The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use (±15 mins).

#### Specify Notes

60-watt power supply is required when interlinking.

Total interlinked system wattage cannot exceed 54 watts. See the interlinking combination chart for reference.

Extension fixtures come standard with 8" and 30" interlinking cords.

One occupancy sensor needed per string of interlinked fixtures.

#### Interlinking Combination Chart

_					_				_
17"	24"	31"	44"	58"	17"	24"	31"	44"	5
6	0	0	0	0	1	3	0	0	
5	1	0	0	0	1	2	1	0	
5	0	0	0	0	1	1	2	0	
4	1	0	0	0	1	0	2	0	
4	0	1	0	0	1	0	1	1	
4	0	0	0	0	1	0	0	1	
3	2	0	0	0	1	0	0	0	
3	1	1	0	0	0	4	0	0	
3	0	1	0	0	0	3	1	0	
3	0	0	1	0	0	2	1	0	
3	0	0	0	0	0	1	1	1	
2	3	0	0	0	0	1	0	0	
2	2	0	0	0	0	0	3	0	
2	0	2	0	0	0	0	2	0	
2	0	1	0	0	0	0	1	1	
2	0	0	1	0	0	0	1	0	
2	0	0	0	1	0	0	0	2	
2	0	0	0	0					



#### Tazetta — Black

DESCRIPTION	Н	W	D	MODEL #	LIST
Use with 24" wide overhead	1.3"	13"	4.38"	LTAZ13BLK	\$365
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24BLK	\$411
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36BLK	\$462
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48BLK	\$495
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ60BLK	\$621

# 



Tazetta — White					
DESCRIPTION	Н	W	D	MODEL #	LIST
Use with 24" wide overhead	1.3"	13"	4.38"	LTAZ13WHT	\$376
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24WHT	\$423
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ36WHT	\$476
Use with 54" - 60" wide overhead	1.3"	46.9"	4.38"	LTAZ48WHT	\$509
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ60WHT	\$639

#### Tazetta — Gray

DESCRIPTION	Н	W	D	MODEL #	LIST
Use with 24" wide overhead	1.3"	13"	4.38"	LTAZ13GRY	\$376
Use with 30" – 36" wide overhead	1.3"	23.3"	4.38"	LTAZ24GRY	\$423
Use with 42" – 48" wide overhead	1.3"	35.1"	4.38"	LTAZ <mark>36</mark> GRY	\$476
Use with 54" – 60" wide overhead	1.3"	46.9"	4.38"	LTAZ <mark>48</mark> GRY	\$509
Use with 70" or wider overhead	1.3"	58.7"	4.38"	LTAZ60GRY	\$639

Sne	cify
She	city

1. Model #

#### Application Notes

Lamp T5 fluorescent

**Color Temperature** 3500K

#### Certifications

ETL listed: compliant to UL 153 & CSA C22.2 No. 250.4; UL 1598; TAA

Power	Power Consumption					
13"	24"	36"	48"	60"		
8W	14W	21W	28W	35W		





#### Voyage — Single arm

DESCRIPTION	MODEL #	LIST
Freestanding	LVOY-S-FS-(B,W,S)	\$962
Freestanding w/occupancy sensor	LVOY-S-FS-(B,W,S)-OS	\$1,179
Freestanding USB	LVOY-S-FSUSB-(B,W,S)	\$1,034
Freestanding USB w/occupancy sensor	LVOY-S-FSUSB-(B,W,S)-OS	\$1,276
Surface mount	LVOY-S-SM-(B,W,S)	\$962
Surface mount w/occupancy sensor	LVOY-S-SM-(B,W,S)-OS	\$1,179
Clamp mount	LVOY-S-CM-(B,W,S)	\$962
Clamp mount w/occupancy sensor	LVOY-S-CM-(B,W,S)-OS	\$1,179



#### Voyage — Double arm

DESCRIPTION	MODEL #	LIST
Freestanding	LVOY-D-FS-(B,W,S)	\$1,058
Freestanding w/occupancy sensor	LVOY-D-FS-(B,W,S)-OS	\$1,276
Freestanding USB	LVOY-D-FSUSB-(B,W,S)	\$1,179
Freestanding USB w/occupancy sensor	LVOY-D-FSUSB-(B,W,S)-OS	\$1,361
Surface mount	LVOY-D-SM-(B,W,S)	\$1,058
Surface mount w/occupancy sensor	LVOY-D-SM-(B,W,S)-OS	\$1,276
Clamp mount	LVOY-D-CM-(B,W,S)	\$1,179
Clamp mount w/occupancy sensor	LVOY-D-CM-(B,W,S)-OS	\$1,276

#### Specify

#### 1. Model #

#### Voyage

Properly diffused light provides a softly blended light pattern that reduces eye strain.

A single-touch on/ off and touch and hold continuous dimming pad with last state memory. The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use.

The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.

#### Color Options B – Black

W – White

**S** – Silver

### Lighting Freestanding



### **Revo** — Single arm

DESCRIPTION	MODEL #	LIST
Freestanding	LREV-S-FS-(B,W,S)	\$962
Freestanding w/occupancy sensor	LREV-S-FS-(B,W,S)-OS	\$1,179
Freestanding USB	LREV-S-FSUSB-(B,W,S)	\$1,058
Freestanding USB w/occupancy sensor	LREV-S-FSUSB-(B,W,S)-OS	\$1,216
Surface mount	LREV-S-SM-(B,W,S)	\$962
Surface mount w/occupancy sensor	LREV-S-SM-(B,W,S)-OS	\$1,179
Clamp mount	LREV-S-CM-(B,W,S)	\$962
Clamp mount w/occupancy sensor	LREV-S-CM-(B,W,S)-OS	\$1,179



#### **Revo** — Double Arm


DESCRIPTION	MODEL #	LIST
Freestanding	LREV-D-FS-(B,W,S)	\$1,058
Freestanding w/occupancy sensor	LREV-D-FS-(B,W,S)-OS	\$1,276
Freestanding USB	LREV-D-FSUSB-(B,W,S)	\$1,179
Freestanding USB w/occupancy sensor	LREV-D-FSUSB-(B,W,S)-OS	\$1,361
Surface mount	LREV-D-SM-(B,W,S)	\$1,058
Surface mount w/occupancy sensor	LREV-D-SM-(B,W,S)-OS	\$1,179
Clamp mount	LREV-D-CM-(B,W,S)	\$1,058
Clamp mount w/occupancy sensor	LREV-D-CM-(B,W,S)-OS	\$1,179

Specify	Application Notes		
1. Model #	Properly diffused light source under the round head provides a softly blended light pattern that reduces eye strain. Single-touch on/off and touch and hold continuous dimming pad with last state memory.	The automatic turn off feature comes standard and will turn the fixture off after 10 hours of continuous use. The optional occupancy sensor will turn the fixture off after 30 minutes of inactivity and back on as the user re-enters the workspace. If occupant is present, the light will remain on.	Color Options B – Black W – White S – Silver

# Lighting

# Tables

**General Info** 



#### **FEATURES**

#### **BASE TYPES**

- X Base
- Y Base w/ or w/o adjustable bar support
- Tapered Leg

#### **BASE OPTIONS**

- Bar height
- Flip top
- Casters

NOTE: Not all options are available on all bases.

#### **WORKSURFACE TYPES**

- Round
- Square
- Rectangular
- Oval

#### LEVELERS

Adjustable height levelers are included at no additional cost on all models.

#### Shank Length

X & Y bases — ¾-16 x ¾" Tapered legs — ¾-16 x 1 ¾"

Leveler extensions can be ordered separately. Please contact Customer Service for information on ordering leveler extensions. Casters can be ordered in place of levelers for an upcharge on most standard height tables.

#### SAFETY

For safety and stability purposes, the caster and flip top options cannot be added to bar height tables or the following table models: TBR60, TBS48, TBS60, TBOT54120, TBOT60144.

#### **CUSTOM TABLES**

Custom size tables and custom height bases are available upon request, pending Engineering approval. Customization charges may apply. Contact Customer Service for additional information and pricing.

#### CONSTRUCTION

#### X BASE

X bases are made from cast aluminum with 2  $\frac{1}{4}$ " tubing OD x 13 gauge.

#### Y BASE

Y base is made from cast aluminum with 2 ¼" steel tube.

#### **X BASE MOUNTING PLATES**

X base mounting plates are made of steel 4 gauge x 12" x 12" or 8" x 8".

#### **Y BASE MOUNTING PLATES**

Y base mounting plates are made from 0.187" x 6" x 8" fabricated steel.

#### WORKSURFACES

All worksurfaces are made with a core, high pressure laminate and edge band. All nonwoodgrain edge bands are made of ABS material. All woodgrain edge bands are made of PVC material. The overall thickness is 1 <sup>1</sup>/<sub>8</sub>".

#### **WORKSURFACE HEIGHTS**

Standard	27 ¾"
Bar Height	40 ¾"

#### **SURFACE MATERIALS**

#### WORKSURFACE

- Laminate
- Edge band

#### **X BASES**

Paint

**Y BASE** Paint

TAPERED LEGS Paint

#### HEIGHT ADJUSTABLE BASE

Black or silver

**TABLES** 





Round – w/X	base				LAMINATE			PAINT	
DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3	P2	P3
X base	29"	23 ¾"	23 ¾"	TBR24X	\$1,357	\$1,493	\$1,628	+ \$126	+ \$253
X base	29"	29 ¾"	29 ¾"	TBR30X	\$1,421	\$1,563	\$1,705	+ \$126	+ \$253
X base	29"	35 ¾"	35 ¾"	TBR36X	\$1,453	\$1,598	\$1,744	+ \$126	+ \$253
X base	29"	41 ¾"	41 ¾"	TBR <mark>42</mark> X	\$1,547	\$1,702	\$1,856	+ \$126	+ \$253
X base	29"	47 ¾"	47 ¾"	TBR48X	\$1,908	\$2,099	\$2,290	+ \$126	+ \$253
X base	29"	53 ¾"	53 ¾"	TBR54X	\$3,096	\$3,406	\$3,715	+ \$126	+ \$253



#### Round — w/Tapered legs

1		-								
1	DESCRIPTION	H	W	D	MODEL #	L1	L2	L3	P2	P3
	4 Tapered legs	29"	29 ¾"	29 ¾"	TBR30T	\$2,022	\$2,224	\$2,426	+ \$126	+ \$253
ļ	4 Tapered legs	29"	35 ¾"	35 ¾"	TBR36T	\$2,053	\$2,258	\$2,464	+ \$126	+ \$253
	4 Tapered legs	29"	41 ¾"	41 ¾"	TBR42T	\$2,085	\$2,294	\$2,502	+ \$126	+ \$253
	4 Tapered legs	29"	47 ¾"	47 ¾"	TBR48T	\$2,117	\$2,329	\$2,540	+ \$126	+ \$253



#### Round — w/Disc base

		11/ 0150 80									
)	DESCRIPTION		Н	W	D	MODEL #	L1	L2	L3	P2	P3
	Disc base		29"	29 ¾"	29 ¾"	TBR30D	\$2,688	\$2,957	\$3,226	+ \$126	+ \$253
	Disc base		29"	35 ¾"	35 ¾"	TBR36D	\$2,815	\$3,097	\$3,378	+ \$126	+ \$253

#### Round — w/TT base


	DESCRIPTION	н	W	D	MODEL #	11	L2	L3	P2	P3
/	TT base	29"	59 ¾"	59 ¾"	TBR <mark>60</mark> TT	\$3,222	\$3,544	\$3,866	+ \$126	+ \$253
3	TT base	29"	65 ¾"	65 ¾"	TBR <mark>66</mark> TT	\$3,286	\$3,615	\$3,943	+ \$126	+ \$253
	TT base	29"	71 ¾"	71 ¾"	TBR72TT	\$3,349	\$3,684	\$4,019	+ \$126	+ \$253

#### **Options for Round Tables**

DESCRIPTION	OPTION CODE	X BASE	TAPERED LEGS	DISC BASE	TT BASE	UPCHARGE
Bar height	ВН	•		•		+ \$126
Casters (set of 4)	c	•	•		•	+ \$126
Flip top	FT	•		•		+ \$253



- 1. Model #
- 2. Options
   3. Laminate
- 4. Edge band
- 5. Base paint







Square — w/x	base					LAMINATE		PAINT		
DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3	P2	P3	
X base	29"	23 ¾"	23 ¾"	TBS <mark>24</mark> X	\$1,358	\$1,494	\$1,630	+ \$126	+ \$253	
X base	29"	29 ¾"	29 ¾"	TBS30X	\$1,421	\$1,563	\$1,705	+ \$126	+ \$253	
X base	29"	35 ¾"	35 ¾"	TBS <mark>36</mark> X	\$1,517	\$1,669	\$1,820	+ \$126	+ \$253	
X base	29"	41 ¾"	41 ¾"	TBS <mark>42</mark> X	\$1,579	\$1,737	\$1,895	+ \$126	+ \$253	
X base	29"	53 ¾"	53 ¾"	TBS <mark>54</mark> X	\$3,096	\$3,406	\$3,715	+ \$126	+ \$253	



### Square — w/Tapered legs

DESCRIPTION	Н	W	D	MODEL#	L1	L2	L3	P2	P3
4 Tapered Legs	29"	29 ¾"	29 ¾"	TBS <mark>30</mark> T	\$2,022	\$2,224	\$2,426	+ \$126	+ \$253
4 Tapered Legs	29"	35 ¾"	35 ¾"	TBS <mark>36</mark> T	\$2,053	\$2,258	\$2,464	+ \$126	+ \$253
4 Tapered Legs	29"	41 ¾"	41 ¾"	TBS <mark>42</mark> T	\$2,066	\$2,273	\$2,479	+ \$126	+ \$253
4 Tapered Legs	29"	47 ¾"	47 ¾"	TBS <mark>48</mark> T	\$2,085	\$2,294	\$2,502	+ \$126	+ \$253




# Square — w/TT base

DESCRIPTION	Н	W	D	MODEL #	11	L2	L3	P2	P3
TT base	29"	59 ¾"	59 ¾"	TBS <mark>60</mark> TT	\$3,222	\$3,544	\$3,866	+ \$126	+ \$253
TT base	29"	65 ¾"	65 ¾"	TBS <mark>66</mark> TT	\$3,286	\$3,615	\$3,943	+ \$126	+ \$253
TT base	29"	71 ¾"	71 ¾"	TBS72TT	\$3,349	\$3,684	\$4,019	+ \$126	+ \$253

#### **Options for Square Tables**

DESCRIPTION	OPTION CODE	X BASE	TAPERED LEGS	TT BASE	UPCHARGE
Bar height	ВН	•			+ \$126
Casters (set of 4)	c	•	•	•	+ \$126
Flip top	FT	•			+ \$253



Tables	
Conference – Oval	



<b>Oval</b> — w/Y base						LAMINATE		PAINT		
DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3	P2	P3	
w/stretcher	29"	71 ¾"	35 ¾"	TBOT3672Y	\$4,031	\$4,434	\$4,837	+ \$253	+ \$379	
w/stretcher	29"	95 ¾"	47"	TBOT <mark>4896</mark> Y	\$6,603	\$7,263	\$7,924	+ \$253	+ \$379	
w/stretcher	29"	119 ¾"	47"	TBOT48120Y	\$8,082	\$8,890	\$9,698	+ \$253	+ \$379	



DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3	P2	P3
6 Tapered legs	29"	71 ¾"	35 ¾"	TBOT3672T	\$4,044	\$4,448	\$4,853	+ \$315	+ \$442
6 Tapered legs	29"	95 ¾"	47"	TBOT <mark>4896</mark> T	\$4,423	\$4,865	\$5,308	+ \$315	+ \$442
6 Tapered legs*	29"	119 ¾"	47"	TBOT48120T	\$4,865	\$5,352	\$5,838	+ \$315	+ \$442
6 Tapered legs*	29"	119 ¾"	53 ¾"	TBOT54120T	\$8,721	\$9,593	\$10,465	+ \$315	+ \$442
6 Tapered legs*	29"	143 ¾"	59 ¾"	TBOT <mark>60144</mark> T	\$9,479	\$10,427	\$11,375	+ \$315	+ \$442

#### **Options for Oval Tables**

DESCRIPTION	OPTION CODE	Y BASE	TAPERED LEGS	UPCHARGE
Bar height	ВН	•		+ \$379
Casters (set of 4)	c	•	•	+ \$126
Flip top	FT	•		+ \$379

Specify	Grain Direction				Shape	D	W	Base	
<ol> <li>Model #</li> <li>Options</li> <li>Laminate</li> <li>Edge band</li> <li>Base paint</li> </ol>	$\leftarrow$	тв TB	Table	R S RCT OT OT	Round Square Rectangle <b>Oval</b>	34 34	69 69	ү ⊤ Ү	Y base Tapered legs



Rectangle -	— w/Y base					LAMINATE		PAIN	т
DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3	P2	P3
w/o stretcher	29"	47 ¾"	29 ¾"	TBRCT3048Y	\$1,788	\$1,967	\$2,146	+ \$253	+ \$379
w/stretcher	29"	53 ¾"	23 ¾"	TBRCT2454Y	\$1,738	\$1,912	\$2,086	+ \$253	+ \$379
w/stretcher	29"	59 ¾"	23 ¾"	TBRCT2460Y	\$2,117	\$2,329	\$2,540	+ \$253	+ \$379
w/stretcher	29"	58 ½"	35 ½"	TBRCT3660Y	\$2,572	\$2,829	\$3,086	+ \$253	+ \$379
w/stretcher	29"	59 ¾"	29 ¾"	TBRCT3060Y	\$2,179	\$2,397	\$2,615	+ \$253	+ \$379
w/stretcher	29"	65 ¾"	23 ¾"	TBRCT2466Y	\$2,401	\$2,641	\$2,881	+ \$253	+ \$379
w/stretcher*	29"	69 ¼"	34"	TBRCT3469Y	\$3,873	\$4,260	\$4,648	+ \$253	+ \$379
w/stretcher*	29"	71 ¾"	23 ¾"	TBRCT2472Y	\$2,464	\$2,710	\$2,957	+ \$253	+ \$379
w/stretcher*	29"	71 ¾"	29 ¾"	TBRCT3072Y	\$2,572	\$2,829	\$3,086	+ \$253	+ \$379
w/stretcher*	29"	71 ¾"	35 ¾"	TBRCT3672Y	\$3,052	\$3,357	\$3,662	+ \$253	+ \$379
w/stretcher*	29"	79 ¼"	34"	TBRCT3479Y	\$3,873	\$4,260	\$4,648	+ \$253	+ \$379
w/stretcher*	29"	83 ¾"	41 ¾"	TBRCT4284Y	\$4,139	\$4,553	\$4,967	+ \$253	+ \$379
w/stretcher*	29"	95 ¾"	47 ¾"	TBRCT4896Y	\$5,263	\$5,789	\$6,316	+ \$253	+ \$379



# Rectangle — w/Tapered legs

DESCRIPTION	H	W	D	MODEL #	L1	L2	L3	P2	P3		
4 Tapered legs	29"	47 ¾"	29 ¾"	TBRCT3048T	\$2,401	\$2,641	\$2,881	+ \$315	+ \$442		
4 Tapered legs	29"	58 ½"	35 ½"	TBRCT3660T	\$2,780	\$3,058	\$3,336	+ \$315	+ \$442		
4 Tapered legs	29"	59 ¾"	29 ¾"	TBRCT3060T	\$2,654	\$2,919	\$3,185	+ \$315	+ \$442		
6 Tapered legs	29"	69 ¼"	34"	TBRCT3469T	\$2,907	\$3,198	\$3,488	+ \$315	+ \$442		
6 Tapered legs	29"	71 ¾"	29 ¾"	TBRCT3072T	\$2,654	\$2,919	\$3,185	+ \$315	+ \$442		
6 Tapered legs	29"	71 ¾"	35 ¾"	TBRCT3672T	\$2,907	\$3,198	\$3,488	+ \$315	+ \$442		
6 Tapered legs*	29"	79 ¼"	34"	TBRCT3479T	\$3,160	\$3,476	\$3,792	+ \$315	+ \$442		
6 Tapered legs*	29"	83 ¾"	41 ¾"	TBRCT4284T	\$3,475	\$3,823	\$4,170	+ \$315	+ \$442		
6 Tapered legs*	29"	95 ¾"	47 ¾"	TBRCT4896T	\$3,601	\$3,961	\$4,321	+ \$315	+ \$442		
* Includes a support ra	* Includes a support rail										

#### **Options for Rectangle Tables**

DESCRIPTION	OPTION CODE	Y BASE	TAPERED LEGS	UPCHARGE
Bar height	BH	•		+ \$379
Casters (set of 4)	c	•	•	+ \$126
Flip top	FT	•		+ \$379

Specify	Grain Direction				Shape	D	w	Base	
1. Model #		ТВ	Table	R	Round	34	69	Y	Y base
2. Options	$\longleftrightarrow$			S	Square		:	Т	Tapered legs
3. Laminate				RCT	Rectangle	-	:	-	
4. Edge band	L			OT	Oval			1	
5. Base paint				-		÷ .		1	
·		ТВ		RCT		34	69	Y	



C-I	Legs	– 24" D					LAMINATE		PAINT		
	H	W	D	MODEL #	SUPPORT RAIL	L1	L2	L3	P2	P3	
	29"	42"	24"	TBRCT2442C		\$1,348	\$1,398	\$1,449	+ \$88	+ \$170	
	29"	48"	24"	TBRCT2448C		\$1,347	\$1,426	\$1,479	+ \$88	+ \$170	
	29"	54"	24"	TBRCT2454C	•	\$1,500	\$1,582	\$1,639	+ \$88	+ \$170	
	29"	60"	24"	TBRCT2460C	•	\$1,569	\$1,658	\$1,722	+ \$88	+ \$170	
	29"	66"	24"	TBRCT2466C	•	\$1,633	\$1,729	\$1,799	+ \$88	+ \$170	
	29"	72"	24"	TBRCT2472C	•	\$1,645	\$1,742	\$1,813	+ \$88	+ \$170	



(	-Legs	– 30" D					LAMINATE		PAINT		
1	Н	W	D	MODEL #	SUPPORT RAIL	L1	L2	L3	P2	P3	
	29"	42"	30"	TBRCT3042C		\$1,504	\$1,564	\$1,624	+ \$93	+ \$187	
	29"	48"	30"	TBRCT3048C		\$1,522	\$1,583	\$1,645	+ \$93	+ \$187	
	29"	54"	30"	TBRCT3054C	•	\$1,738	\$1,809	\$1,881	+ \$93	+ \$187	
	29"	60"	30"	TBRCT3060C	•	\$1,795	\$1,872	\$1,950	+ \$93	+ \$187	
	29"	66"	30"	TBRCT3066C	•	\$1,846	\$1,928	\$2,011	+ \$93	+ \$187	
	29"	72"	30"	TBRCT3072C	•	\$1,890	\$1,977	\$2,064	+ \$93	+ \$187	

C	)-Legs	– 24" D					LAMINATE		PAIN	
	Н	W	D	MODEL #	SUPPORT RAIL	L1	L2	L3	P2	P3
	29"	42"	24"	TBRCT24420		\$1,952	\$2,002	\$2,053	+ \$148	+ \$297
	29"	48"	24"	TBRCT2448O		\$1,977	\$2,030	\$2,083	+ \$148	+ \$297
	29"	54"	24"	TBRCT2454O	•	\$2,130	\$2,186	\$2,243	+ \$148	+ \$297
	29"	60"	24"	TBRCT2460O	•	\$2,199	\$2,262	\$2,326	+ \$148	+ \$297
	29"	66"	24"	TBRCT2466O	•	\$2,263	\$2,333	\$2,403	+ \$148	+ \$297
	29"	72"	24"	TBRCT2472O	•	\$2,275	\$2,346	\$2,417	+ \$148	+ \$297



0-Legs	– 30" D	1				LAMINATE		PAINT	
Н	W	D	MODEL #	SUPPORT RAIL	L1	L2	L3	P2	P3
29"	42"	30"	TBRCT30420		\$2,071	\$2,131	\$2,191	+ \$154	+ \$302
29"	48"	30"	TBRCT30480		\$2,063	\$2,150	\$2,212	+ \$154	+ \$302
29"	54"	30"	TBRCT30540	•	\$2,279	\$2,376	\$2,448	+ \$154	+ \$302
29"	60"	30"	TBRCT3060O	•	\$2,336	\$2,439	\$2,517	+ \$154	+ \$302
29"	66"	30"	TBRCT3066O	•	\$2,387	\$2,495	\$2,578	+ \$154	+ \$302
29"	72"	30"	TBRCT30720	•	\$2,431	\$2,544	\$2,631	+ \$154	+ \$302

Specify	Grain Direction		Shape	D	w	Base
1. Model #		TB Table	RCT Rectangle	24	60	C C-Leg
2. Options	<i>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</i>	:		:	-	O O-Leg
3. Laminate				1		
4. Edge band				-	1	
5. Base paint						
		ТВ	RCT	24	60	С

# Desks

T-Legs



T-Legs -	– 24" D					LAMINATE		PAIN	ІТ
Н	W	D	MODEL #	SUPPORT RAIL	L1	L2	L3	P2	P3
29"	42"	24"	TBRCT2442TL		\$1,348	\$1,398	\$1,449	+ \$88	+ \$170
29"	48"	24"	TBRCT2448TL		\$1,373	\$1,426	\$1,479	+ \$88	+ \$170
29"	54"	24"	TBRCT2454TL	•	\$1,526	\$1,582	\$1,639	+ \$88	+ \$170
29"	60"	24"	TBRCT2460TL	•	\$1,595	\$1,658	\$1,722	+ \$88	+ \$170
29"	66"	24"	TBRCT2466TL	•	\$1,659	\$1,729	\$1,799	+ \$88	+ \$170
29"	72"	24"	TBRCT2472TL	•	\$1,671	\$1,742	\$1,813	+ \$88	+ \$170



T-Legs	– 30" D					LAMINATE		PAINT		
H	W	D	MODEL #	SUPPORT RAIL	L1	L2	L3	P2	P3	
29"	42"	30"	TBRCT3042TL		\$1,491	\$1,551	\$1,611	+ \$93	+ \$181	
29"	48"	30"	TBRCT3048TL		\$1,509	\$1,570	\$1,632	+ \$93	+ \$181	
29"	54"	30"	TBRCT3054TL	•	\$1,725	\$1,796	\$1,868	+ \$93	+ \$181	
29"	60"	30"	TBRCT3060TL	•	\$1,782	\$1,859	\$1,937	+ \$93	+ \$181	
29"	66"	30"	TBRCT3066TL	•	\$1,833	\$1,915	\$1,998	+ \$93	+ \$181	
29"	72"	30"	TBRCT3072TL	•	\$1,877	\$1,964	\$2,051	+ \$93	+ \$181	

Grain Direction				Shape	D	w	Base
	ТВ	Table	RCT	Rectangle	24	60	TL T-Leg
<	<b>*</b>		-				:
			-				-
			:			-	-
			-			÷ .	÷ .
	ТВ		RCT		24	60	TL
	Grain Direction	TB	Contraction of the second seco	TB Table RCT	TB Table RCT Rectangle	TB Table RCT Rectangle 24	TB     Table     RCT     Rectangle     24     60

# Sit/Stand Desks

**Electric Height Adjustable** 



24" D					LAMINATE		V	VOOD VENEER	
Н	W	D	MODEL #	L1	L2	L3	W1	W2	W3
24" – 50"	48"	24"	TBRCT2448H	\$2,751	\$3,026	\$3,301	\$3,283	\$3,611	\$3,939
24" - 50"	54"	24"	TBRCT2454H	\$2,815	\$3,097	\$3,378	\$3,384	\$3,723	\$4,061
24" - 50"	60"	24"	TBRCT2460H	\$2,877	\$3,165	\$3,452	\$3,515	\$3,867	\$4,218
24" - 50"	66"	24"	TBRCT2466H	\$2,941	\$3,235	\$3,529	\$3,643	\$4,007	\$4,371
24" - 50"	72"	24"	TBRCT2472H	\$3,004	\$3,304	\$3,605	\$3,718	\$4,089	\$4,462
24" - 50"	78"	24"	TBRCT2478H	\$3,067	\$3,374	\$3,680	\$3,801	\$4,181	\$4,561
24" - 50"	84"	24"	TBRCT2484H	\$3,130	\$3,443	\$3,756	\$3,876	\$4,264	\$4,651



30" D					LAMINATE		١	WOOD VENEER	
Н	W	D	MODEL #	11	L2	L3	W1	W2	W3
24" – 50"	48"	30"	TBRCT3048H	\$2,815	\$3,097	\$3,378	\$3,435	\$3,779	\$4,122
24" - 50"	54"	30"	TBRCT3054H	\$2,877	\$3,165	\$3,452	\$3,598	\$3,958	\$4,317
24" - 50"	60"	30"	TBRCT3060H	\$2,941	\$3,235	\$3,529	\$3,719	\$4,091	\$4,463
24" - 50"	66"	30"	TBRCT3066H	\$3,004	\$3,304	\$3,605	\$3,833	\$4,216	\$4,600
24" – 50"	72"	30"	TBRCT3072H	\$3,067	\$3,374	\$3,680	\$3,940	\$4,334	\$4,728
24" - 50"	78"	30"	TBRCT3078H	\$3,130	\$3,443	\$3,756	\$4,028	\$4,431	\$4,834
24" – 50"	84"	30"	TBRCT3084H	\$3,194	\$3,513	\$3,833	\$4,143	\$4,557	\$4,972



#### 1. Model #

- 2. Laminate
- Edge band
   Support color

Black or Silver

Grain	Direction	
-------	-----------	--

Application Notes

Electric Height Adjustable Base Adjustable height bases can be used with 24" & 30" deep worksurfaces. Worksurfaces must be between 48" – 84" wide.

#### Adjustable height bases have a capacity of 264 lbs evenly distributed.

Comes with four position memory controller.

Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.

3-stage legs offer a large height adjustment range of 24" – 50".

# Sit/Stand Desks Stand-biased



24" D						LAMINATE		PAIN	п
Н	W	D	MODEL #	SUPPORT RAIL	L1	L2	L3	P2	P3
37"	42"	24"	TBRCT2428SB		\$1,919	\$1,969	\$2,020	+ \$148	+ \$297
37"	48"	24"	TBRCT2448SB		\$1,944	\$1,997	\$2,050	+ \$148	+ \$297
37"	54"	24"	TBRCT2454SB	•	\$2,097	\$2,153	\$2,210	+ \$148	+ \$297
37"	60"	24"	TBRCT2460SB	•	\$2,166	\$2,229	\$2,293	+ \$148	+ \$297
37"	66"	24"	TBRCT2466SB	•	\$2,230	\$2,300	\$2,370	+ \$148	+ \$297
37"	72"	24"	TBRCT2472BS	•	\$2,242	\$2,313	\$2,384	+ \$148	+ \$297



					•••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	••••••	•••••••	••••••
30" D						LAMINATE		PAIN	IT
H	W	D	MODEL #	SUPPORT RAIL	L1	L2	L3	P2	P3
37"	42"	30"	TBRCT3042SB		\$2,014	\$2,074	\$2,134	+ \$148	+ \$297
37"	48"	30"	TBRCT3048SB		\$2,032	\$2,093	\$2,155	+ \$148	+ \$297
37"	54"	30"	TBRCT3054SB	•	\$2,248	\$2,319	\$2,391	+ \$148	+ \$297
37"	60"	30"	TBRCT3060SB	•	\$2,305	\$2,382	\$2,460	+ \$148	+ \$297
37"	66"	30"	TBRCT3066SB	•	\$2,356	\$2,438	\$2,521	+ \$148	+ \$297
37"	72"	30"	TBRCT3072SB	•	\$2,400	\$2,487	\$2,574	+ \$148	+ \$297
- 37	12	30	IDAC130/230	•	\$2,400	\$2,407	32,374	± \$140	T 3291

Specify	Grain Direction				Shape	D	w	Base
1. Model #		ТВ	Table	RCT	Rectangle	24	60	SB Stand-biased
2. Options	<→			-			-	•
3. Laminate		1		-				•
4. Edge band				-			:	
5. Base paint				÷	:		÷ ,	
		ТВ		RCT	•	24	60	SB

# Sit/Stand Packages 1000 Series



Height Adjustable	F	FINISHES				
MODEL#	CHAIR	DESK	LIST			
SSWSP1500-MTL-HAT-MPL	Cloud 9 – Metal	Maple w/silver legs	\$5,879			
SSWSP1500-INK-HAT-MPL	Cloud 9 – Ink	Maple w/silver legs	\$5,879			
SSWSP1500-EBY-HAT-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$5,879			
SSWSP1500-MTL-HAT-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,173			
SSWSP1500-INK-HAT-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,173			
SSWSP1500-EBY-HAT-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,173			



Height Adjustable w/Screens	F	INISHES	
MODEL #	CHAIR	DESK	LIST
SSWSP1500-MTL-HATWS-MPL	Cloud 9 – Metal	Maple w/silver legs	\$7,863
SSWSP1500-INK-HATWS-MPL	Cloud 9 – Ink	Maple w/silver legs	\$7,863
SSWSP1500-EBY-HATWS-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$7,863
SSWSP1500-MTL-HATWS-CHR	Cloud 9 – Metal	Cherry w/black legs	\$8,067
SSWSP1500-INK-HATWS-CHR	Cloud 9 – Ink	Cherry w/black legs	\$8,067
SSWSP1500-EBY-HATWS-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$8,067

......

Stand-biased	F	INISHES	
MODEL#	CHAIR	DESK	LIST
SSWSP1500-MTL-STB-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,101
SSWSP <mark>1500</mark> -INK-STB-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,101
SSWSP1500-EBY-STB-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,101
SSWSP <mark>1500</mark> -MTL-STB-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,030
SSWSP1500-INK-STB-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,030
SSWSP1500-EBY-STB-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,030

Freight is not included for sit/stand packages. For sit/stand package discount information contact your Customer Service Representative at customerservice@neutralposture.com or 979.778.0502 ext. 301

Specify	Height Adjustable	Stand-biased	Application Notes	
1. Model #	<b>Included</b> • 1000 Series Chair • 60 x 30 Desk • Dual Monitor Arms • Keyboard Arm & Tray	Included • 1000 Series Chair • 60 x 30 Desk • Dual Monitor Arms • Keyboard Arm & Tray • N·Position	Electric Height Adjustable Base Adjustable height bases have a capacity of 264 lbs evenly distributed.	Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.
			Comes with four position memory controller.	3-stage legs offer a large height adjustment range of 24" – 50".

# Sit/Stand Packages 8000 Series



Height Adjustable	FI	FINISHES	
MODEL #	CHAIR	DESK	LIST
SSWSP8500-MTL-HAT-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,012
SSWSP8500-INK-HAT-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,012
SSWSP8500-EBY-HAT-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,012
SSWSP8500-MTL-HAT-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,306
SSWSP8500-INK-HAT-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,306
SSWSP8500-EBY-HAT-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,306




Height Adjustable w/Screens		FINISHES		
MODEL #	CHAIR	DESK	LIST	
SSWSP8500-MTL-HATWS-MPL	Cloud 9 – Metal	Maple w/silver legs	\$7,996	
SSWSP8500-INK-HATWS-MPL	Cloud 9 – Ink	Maple w/silver legs	\$7,996	
SSWSP8500-EBY-HATWS-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$7,996	
SSWSP8500-MTL-HATWS-CHR	Cloud 9 – Metal	Cherry w/black legs	\$8,200	
SSWSP8500-INK-HATWS-CHR	Cloud 9 – Ink	Cherry w/black legs	\$8,200	
SSWSP8500-EBY-HATWS-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$8,200	




Stand-biased	Fi	FINISHES		
MODEL #	CHAIR	DESK	LIST	
SSWSP8500-MTL-STB-MPL	Cloud 9 – Metal	Maple w/silver legs	\$6,234	
SSWSP8500-INK-STB-MPL	Cloud 9 – Ink	Maple w/silver legs	\$6,234	
SSWSP8500-EBY-STB-MPL	Cloud 9 – Ebony	Maple w/silver legs	\$6,234	
SSWSP8500-MTL-STB-CHR	Cloud 9 – Metal	Cherry w/black legs	\$6,163	
SSWSP8500-INK-STB-CHR	Cloud 9 – Ink	Cherry w/black legs	\$6,163	
SSWSP8500-EBY-STB-CHR	Cloud 9 – Ebony	Cherry w/black legs	\$6,163	

Freight is not included for sit/stand packages. For sit/stand package discount information contact your Customer Service Representative at customerservice@neutralposture.com or 979.778.0502 ext. 301

Specify	Height Adjustable	Stand-biased	Application Notes	
1. Model #	Included • 8000 Series Chair • 60 x 30 Desk • Dual Monitor Arms • Keyboard Arm & Tray	Included • 8000 Series Chair • 60 x 30 Desk • Dual Monitor Arms • Keyboard Arm & Tray • N-Position	Electric Height Adjustable Base Adjustable height bases have a capacity of 264 lbs evenly distributed.	Anti-collision stops and reverses the travel of the table when the table collides with a fixed object during operation.
			Comes with four position memory controller.	3-stage legs offer a large height adjustment range of 24" – 50".




Priv	vacy	y & Mod	lesty Panels		SCREEN TYPE	
W	H	BRACKETS	MODEL #	PG	CR	TC
12"	12"	2	PRVMOD(CR/PG/TC)12	\$355	\$403	\$861
18"	12"	2	PRVMOD(CR/PG/TC)18	\$403	\$500	\$1,176
24"	12"	2	PRVMOD(CR/PG/TC)24	\$475	\$596	\$1,489
30"	12"	2	PRVMOD(CR/PG/TC)30	\$548	\$693	\$1,804
36"	12"	2	PRVMOD(CR/PG/TC)36	\$620	\$790	\$2,142
42"	12"	2	PRVMOD(CR/PG/TC) <mark>42</mark>	\$693	\$886	\$2,455
48"	12"	2	PRVMOD(CR/PG/TC)48	\$764	\$983	\$2,770
60"	12"	3	PRVMOD(CR/PG/TC)60	\$909	\$1,224	\$3,421



# **Privacy Panels**

12"	12"	2	PRV(CR/PG/TC)12	\$177	\$202	\$431
18"	12"	2	PRV(CR/PG/TC)18	\$202	\$250	\$588
24"	12"	2	PRV(CR/PG/TC)24	\$237	\$298	\$744
30"	12"	2	PRV(CR/PG/TC)30	\$274	\$347	\$902
36"	12"	2	PRV(CR/PG/TC)36	\$310	\$395	\$1,071
42"	12"	2	PRV(CR/PG/TC)42	\$347	\$443	\$1,227
48"	12"	2	PRV(CR/PG/TC)48	\$382	\$491	\$1,385
60"	12"	3	PRV(CR/PG/TC)60	\$455	\$612	\$1,710



#### **Modesty Panels**

12"	12"	2	MOD(CR/PG/TC)12	\$177	\$202	\$431
18"	12"	2	MOD(CR/PG/TC)18	\$202	\$250	\$588
24"	12"	2	MOD(CR/PG/TC)24	\$237	\$298	\$744
30"	12"	2	MOD(CR/PG/TC)30	\$274	\$347	\$902
36"	12"	2	MOD(CR/PG/TC)36	\$310	\$395	\$1,071
42"	12"	2	MOD(CR/PG/TC)42	\$347	\$443	\$1,227
48"	12"	2	MOD(CR/PG/TC)48	\$382	\$491	\$1,385
60"	12"	3	MOD(CR/PG/TC) <mark>60</mark>	\$455	\$612	\$1,710

		Spe	ci	fy	
--	--	-----	----	----	--

- Model #
   Insert type
- 3. Insert color

Trim - Brushed nickel only

#### Screen Type

**CR** . . Corian **PG** . . Plexiglass

**TC** ... Textured Corian

Glacier White ... CR001 Pearl Grey .... CR002 Corian Clay .... CR003 Silver Grey .... CR004 Corian Grey .... CR05

Corian Finishes

#### Textured Corian Finishes

Glacier White.	. CR001T
Pearl Grey	. CR002T
Corian Clay	. CR003T
Silver Grey	. CR004T
Corian Grey	. CR005T

#### Plexiglass Finishes

IC . . . Ice


SM. . Smoked

- $\textbf{TR} \dots \textbf{Translucent}$
- LF...Frost

#### **Application Notes**

Screens are ¼" thick.

Widths are 1" less than nominal to allow for  $\frac{1}{2}$ " set-back on each side.



Priv	acy	v & Mod	lesty Panels — fabric	FABRIC							
W	H	BRACKETS	MODEL #	A	В	C	D	E	F	G	Н
24"	27"	2	PRVMODFA24	\$431	\$481	\$511	\$531	\$641	\$761	\$871	\$971
30"	27"	2	PRVMODFA30	\$455	\$525	\$555	\$575	\$685	\$805	\$905	\$1,015
36"	27"	2	PRVMODFA36	\$479	\$569	\$599	\$619	\$729	\$849	\$949	\$1,059
42"	27"	2	PRVMODFA42	\$503	\$603	\$643	\$663	\$773	\$883	\$993	\$1,103
48"	27"	2	PRVMODFA48	\$588	\$708	\$748	\$758	\$878	\$998	\$1,088	\$1,208
60"	27"	3	PRVMODFA60	\$744	\$874	\$924	\$934	\$1,034	\$1,164	\$1,264	\$1,374

# Free Standing

#### Specify

- 1. Model #
- Insert type
   Insert color

Trim - Brushed nickel only

#### Screen Type

**CR** ... Corian **PG** ... Plexiglass **TC** ... Textured Corian

#### **Corian Finishes**

Glacier White ... CR001 Pearl Grey ..... CR002 Corian Clay ..... CR003 Silver Grey ..... CR004 Corian Grey .... CR005

#### Textured Corian Finishes

Glacier White .. **CR001T** Pearl Grey .... **CR002T** Corian Clay ... **CR003T** Silver Grey ... **CR004T** Corian Grey ... **CR005T** 

#### Plexiglass Finishes

- IC . . . Ice SM . . Smoked
- TR ... Translucent LF.... Frost

#### Application Notes

Screens are ¼" thick.

Widths are 1" less than nominal to allow for  $\frac{1}{2}$ " set-back on each side.



18" H		INSERT	PAII	NT
W	MODEL #	PG	P2	Р3
12"	EDTS()1218()	\$431	+ \$30	+ \$60
18"	EDTS()1818()	\$455	+ \$30	+ \$60
24"	EDTS()2418()	\$479	+ \$30	+ \$60
30"	EDTS()3018()	\$503	+ \$30	+ \$60
36"	EDTS()3618()	\$527	+ \$30	+ \$60
42"	EDTS()4218()	\$551	+ \$30	+ \$60
48"	EDTS()4818()	\$575	+ \$30	+ \$60

#### 24" H

12"	EDTS()1224()	\$455	+ \$30	+ \$60
18"	EDTS()1824()	\$479	+ \$30	+ \$60
24"	EDTS()2424()	\$503	+ \$30	+ \$60
30"	EDTS()3024()	\$527	+ \$30	+ \$60
36"	EDTS()3624()	\$551	+ \$30	+ \$60
42"	EDTS()4224()	\$575	+ \$30	+ \$60
48"	EDTS()4824()	\$600	+ \$30	+ \$60
60"	EDTS()6024()	\$660	+ \$30	+ \$60

#### 30" H


12"	EDTS()1230()	\$527	+ \$30	+ \$60
18"	EDTS()1830()	\$551	+ \$30	+ \$60
24"	EDTS()2430()	\$575	+ \$30	+ \$60
30"	EDTS()3030()	\$600	+ \$30	+ \$60
36"	EDTS()3630()	\$624	+ \$30	+ \$60
42"	EDTS()4230()	\$648	+ \$30	+ \$60
48"	EDTS()4830()	\$672	+ \$30	+ \$60
	18" 24" 30" 36" 42"	18"         EDTS()1830()           24"         EDTS()2430()           30"         EDTS()3030()           36"         EDTS()3630()           42"         EDTS()4230()	18"         EDTS()1830()         \$551           24"         EDTS()2430()         \$575           30"         EDTS()3030()         \$600           36"         EDTS()3630()         \$624           42"         EDTS()4230()         \$648	18"         EDTS()1830()         \$551         + \$30           24"         EDTS()2430()         \$575         + \$30           30"         EDTS()3030()         \$600         + \$30           36"         EDTS()3630()         \$624         + \$30           42"         EDTS()4230()         \$648         + \$30

## 36" H

12"	EDTS()1236()	\$624	+ \$30	+ \$60
18"	EDTS() <mark>1836(</mark> )	\$648	+ \$30	+ \$60
24"	EDTS()2436()	\$672	+ \$30	+ \$60
30"	EDTS()3036()	\$696	+ \$30	+ \$60
36"	EDTS()3636()	\$720	+ \$30	+ \$60
42"	EDTS()4236()	\$744	+ \$30	+ \$60
48"	EDTS() <mark>4836</mark> ()	\$769	+ \$30	+ \$60

#### Specify

- 1. Model #
- Insert type
   Insert color
- 4. Paint



#### Screens Mobile Privacy

. . . . ,

·····



61" H		INSERT	PAINT	
W	MODEL #	PG	P2	P3
24"	EMS( )2461	\$2,061	+ \$30	+ \$60
30"	EMS( )3061	\$2,363	+ \$30	+ \$60
36"	EMS( )3661	\$2,725	+ \$30	+ \$60
42"	EMS( )4261	\$3,087	+ \$30	+ \$60
48"	EMS( ) <mark>4861</mark>	\$3,329	+ \$30	+ \$60

### 64" H

24"	EMS( )2464	\$2,182	+ \$30	+ \$60
30"	EMS( )3064	\$2,544	+ \$30	+ \$60
36"	EMS( )3664	\$2,906	+ \$30	+ \$60
42"	EMS( ) <mark>4264</mark>	\$3,269	+ \$30	+ \$60
48"	EMS( ) <mark>4864</mark>	\$3,570	+ \$30	+ \$60

81" H

24"	EMS( )2481	\$2,786	+ \$30	+ \$60
30"	EMS( )3081	\$3,389	+ \$30	+ \$60
36"	EMS( )3681	\$3,872	+ \$30	+ \$60
42"	EMS( )4281	\$4,355	+ \$30	+ \$60
48"	EMS( )4881	\$4,718	+ \$30	+ \$60

					Options	
Specify			W	Н		
1. Model #	EMS Equity Mobile Screen	PG Plexiglass Insert	36	81	C Casters	\$120
<ol> <li>Insert type</li> <li>Insert color</li> </ol>						
4. Paint	EMS	PG	36	81		

#### **STORAGE**

Neutral Posture is not only dedicated to good posture, we are also dedicated to making offices more efficient and more enjoyable to work in. Neutral Posture knows that to increase efficiency in the office things must be organized well and be easily accessible. Neutral Posture offers the most space efficient and easily accessible products on the market.

Neutral Posture offers many diverse storage units making sure you can always find the exact unit of storage for your office's needs. From small pedestals that can double as seating to large towers with wardrobe capability, Neutral Posture can fit your needs in any situation. Along with our wide range of storage options, Neutral Posture also lets you truly personalize your office equipment, making your office a welcoming place for not only your customers, but, your employees as well. Neutral Posture provides storage units that work together--meaning that they will work better for you and your workspace. Neutral Posture allows customization by offering several different color options, fabric patterns and even several different pulls and lock options to make sure your office space looks exactly how you want. Storage units that are cohesive have numerous benefits, such as taking up less space, being easier to access and making your office look more unified.

#### **TRUE DIMENSIONS**

**Disclaimer:** While Equity panels and worksurfaces are based on centerline to centerline dimensions, all storage dimensions are true dimensions.

# **STORAGE**

	<u> </u>	• •	 $\left  \right $	<u> </u>	Î.
0		0		0	-
0		0			_
-	-	0		0	-

D

630







3







	PEDESTALS	LATERALS	TOWERS	CREDENZAS	CABINETS	LOCKERS	BOOKCASES
Pencil tray							
	•	•	•				
Drawer dividers							
	•		•				
Magnetic label							
	•	•	•	•			
Ped drawer front filler							
	•		•				
Magnetic drawer dividers							
		•		•			
Magnetic shelf divider							
		•	•	•	•		•
Lateral file conversion bar							
		•					
Worksurface supporting bracket							
			•				
Ped accessory package – FF							
	•		•				
Ped accessory package – BBF							
	•		•				
Ped accessory package – BF							
	•						

		MODEL #	LIST
	Pencil tray	SPTRY	\$20
77	6" Drawer divider	SBDD	\$20
	12" Drawer divider	SFDD	\$46
ì	 Magnetic label	SMLB	\$84
	Ped drawer front filler	SPFF	\$82
	Magnetic drawer dividers	SMDDB	\$121
	Magnetic shelf divider	SMSD	\$96
	Lateral file conversion bar	SLFCB	\$96

R

#### PED ACCESSORY PACKAGE - FF

2 – 12" Drawer dividers	SFFA	\$84
PED ACCESSORY PACKAGE	– BBF	
2 – 6" Drawer dividers 1 – 12" Drawer dividers 1 – Pencil tray	SBBFA	\$96



#### PED ACCESSORY PACKAGE – BF

1 – 6" Drawer divider	SBFA	\$84
1 – 12" Drawer divider		
1 – Pencil tray		

# **Pedestals**

General Info

#### Step 1 – Model #

	Pedestal		Drawers	D		Pull	
SPED SMPED SCMPED SSPED SWSPED SWSLKR SFC	Freestanding Pedestal Mobile Pedestal Mobile Pedestal w/Cushion Suspended Pedestal Worksurface Supporting Pedestal Worksurface Supporting Locker File Center	FF <b>BBF</b> BF	File File <b>Box Box File</b> Box File	19	J B R	J Pull <b>Bar Pull</b> Radiused Pull	301 (
SPED	[	BBF		19	В		301

Step 2 – Case Finish	<b>Step 3</b> – Front Finish
	Not Available w/J Pull
Paint	Laminate
301 Champagne	PW-STK Studio Teak
301	PW-STK

#### **FEATURES**

#### **COUNTER WEIGHTS**

- Freestanding, mobile and cushion pedestals include factory installed counterweights.
- Counterweights are not necessary for
   worksurface supporting or suspended pedestals.

#### LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

#### DRAWERS

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.

#### **LEVELING GLIDES**

• 4 Leveling glides allow for 1 5%" adjustment.

#### **CASTERS – MOBILE PEDS**

• 4 Black casters, 2 of which are locking.

#### CONSTRUCTION

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels
Side channels
Outer panels
Drawer fronts
Drawer bins

#### DRAWER LOAD CAPACITY

6" Box drawers	50 lbs
12" File drawers	70 lbs

18 – 21 Gauge 18 – 21 Gauge

22 Gauge

20 Gauge

22 Gauge

12 1⁄8"

15 1⁄5"

18 ¼"

24 1⁄4"

#### **DRAWER INNER DIMENSIONS**

Height	
Box drawer	4 1⁄2"
File drawer	9 1⁄2"

Width All drawers

#### Depth

Deptil	
18" Deep pedestal	
22" Deep pedestal	
30" Deep pedestal	

#### **PULL STYLES**

#### Available with Laminate Front

B - Bar Pull R - Radiused



#### SURFACE MATERIALS

#### **PEDESTAL** Paint

#### FRONTS

w/Bar pull (B) w/Radiused pull (R) w/J pull (J) Paint or Laminate Paint or Laminate Paint

#### **DRAWER PULL**

Bar (**B**) Radiused (**R**) J (**J**) Satin nickel Satin nickel Paint

#### **MOBILE PED HANDLE**


Satin nickel

**LOCK** Satin nickel

**CUSHION TOP** Upholstery

Storage

PEDESTALS



# **Pedestals**




Freestanding				PAINT		LAMINAT	E FRONT (UPCHAI	RGE)	
H	W	D	MODEL #	P1	P2	P3	L1	L2	L3
27 ¾"	15 ¼"	21 %"	SPEDFF22(J/B/R)	\$753	\$828	\$903	+ \$328	+ \$360	+ \$393
27 ¾"	15 ¼"	21 1/8"	SPEDBBF22(J/B/R)	\$804	\$884	\$964	+ \$353	+ \$388	+ \$423
27 ¾"	15 ¼"	27 1/8"	SPEDFF30(J/B/R)	\$855	\$940	\$1,026	+ \$341	+ \$460	+ \$579
27 ¾"	15 ¼"	27 1/8"	SPEDBBF <mark>30</mark> (J/B/R)	\$880	\$968	\$1,056	+ \$351	+ \$473	+ \$596

# Mobile

26 %"	15 ¼"	18 %"	SMPEDFF19(J/B/R)	\$753	\$828	\$903	+ \$328	+ \$360	+ \$394
26 %"	15 ¼"	18 %"	SMPEDBBF19(J/B/R)	\$817	\$898	\$980	+ \$359	+ \$394	+ \$431
21 1⁄8"	15 ¼"	18 %"	SMPEDBF19(J/B/R)	\$728	\$800	\$873	+ \$315	+ \$346	+ \$378
26 %"	15 ¼"	21 %"	SMPEDFF22(J/B/R)	\$804	\$884	\$964	+ \$353	+ \$388	+ \$424
26 %"	15 ¼"	21 %"	SMPEDBBF22(J/B/R)	\$855	\$940	\$1,026	+ \$379	+ \$416	+ \$455
21 1⁄8"	15 ¼"	21 1/8"	SMPEDBF22(J/B/R)	\$741	\$815	\$889	+ \$315	+ \$346	+ \$378
26 %"	15 ¼"	27 1/8"	SMPEDFF30(J/B/R)	\$829	\$911	\$994	+ \$331	+ \$446	+ \$562
26 %"	15 ¼"	27 %"	SMPEDBBF30(J/B/R)	\$868	\$954	\$1,041	+ \$347	+ \$468	+ \$589
21 1⁄8"	15 ¼"	27 %"	SMPEDBF30(J/B/R)	\$767	\$843	\$920	+ \$306	+ \$413	+ \$520



Mobile Cushion								FABR				
H	W	D	MODEL #		1	2	3	4	5	6	7	8
1"	15 ¼"	18 %"	PC19		\$227	\$257	\$287	\$317	\$387	\$447	\$507	\$597
1"	15 ¼"	21 %"	PC22		\$227	\$257	\$287	\$317	\$387	\$447	\$507	\$597
1"	15 ¼"	27 %"	PC30		\$227	\$257	\$287	\$317	\$387	\$447	\$507	\$597



# Storage

# **Pedestals**



Suspended					PAINT		LAMINATE FRONT (UPCHARGE)			
H	W	D	MODEL #	P1	P2	P3	L1	L2	L3	
25"	15 ¼"	21 7⁄8"	SSPEDFF22(J/B/R)	\$753	\$828	\$903	+ \$328	+ \$360	+ \$394	
25"	15 ¼"	21 %"	SSPEDBBF22(J/B/R)	\$804	\$884	\$964	+ \$353	+ \$388	+ \$424	
19 ¾"	15 ¼"	21 %"	SSPEDBF22(J/B/R)	\$627	\$689	\$752	+ \$271	+ \$298	+ \$32	
Vorks	urface	Supporti	ng							
			<b>.</b>	¢720	¢000	¢072	. 6222	. 6254	. 620	
27 ¾"	15 ¼"	17 %"	SWSPEDFF18(J/B/R)	\$728	\$800	\$873	+ \$322	+ \$354		
27 <sup>3</sup> ⁄4" 27 <sup>3</sup> ⁄4"	15 ¼" 15 ¼"	17 %" 17 %"	SWSPEDFF18(J/B/R) SWSPEDBBF18(J/B/R)	\$779	\$856	\$934	+ \$340	+ \$374	+ \$386 + \$408	
27 ¾"	15 ¼"	17 %"	SWSPEDFF18(J/B/R)							
27 ¾" 27 ¾"	15 ¼" 15 ¼"	17 %" 17 %"	SWSPEDFF18(J/B/R) SWSPEDBBF18(J/B/R)	\$779	\$856	\$934	+ \$340	+ \$374	+ \$40	
27 ¾" 27 ¾" 27 ¾"	15 ¼" 15 ¼" 15 ¼"	17 7⁄8" 17 7⁄8" 21 7⁄8"	SWSPEDFF18(J/B/R) SWSPEDBBF18(J/B/R) SWSPEDFF22(J/B/R)	\$779 \$728	\$856 \$800	\$934 \$873	+ \$340 + \$322	+ \$374 + \$354	+ \$40 + \$38	



<b>Nobile</b>	Slim					PAINT		LAMINATE FRONT (UPCHARGE)			
DRAWER ACCESS	н	w	D	MODEL #	P1	P2	P3	L1	L2	L3	
L	20"	12"	18 %"	SMPEDSLM19L(J/B/R)	\$1,385	\$1,523	\$1,662	+ \$353	+ \$388	+ \$424	
R	20"	12"	18 %"	SMPEDSLM19R(J/B/R)	\$1,385	\$1,523	\$1,662	+ \$353	+ \$388	+ \$424	
Both	20"	12"	18 %"	SMPEDSLM19B(J/B/R)	\$1,449	\$1,593	\$1,738	+ \$353	+ \$388	+ \$424	



Mobile Slim Cushion				FABRIC								
Н	W	D	MODEL #		1	2	3	4	5	6	7	8
1"	12"	18 %"	PCS19		\$227	\$257	\$287	\$317	\$387	\$447	\$507	\$597

									Options	
ecify		Lateral			w		Pull			
Model # Case finish Front finish Laminate not available on J Pull	SPED SMPED SCMPED SSPED SWSPED SWSLKR SFC	Freestanding Pedestal Mobile Pedestal Mobile Pedestal w/Cushion Suspended Pedestal Worksurface Supporting Pedestal Worksurface Supporting Locker File Center	FF <b>BBF</b> BF	File File <b>Box Box File</b> Box File	19	J B R	J Pull <b>Bar Pull</b> Radiused Pull	DL	Digital Lock	\$450
	SPED		BBF	:	19	В		DL		

# **File Centers**

**General Info** 

#### Step 3 – Front Finish Step 1 - Model # Step 2 - Case Finish Not Available w/J Pull **File Center** Pull Drawers D Paints Laminate SFC File Center File File 19 J Pull 301 Champagne **PW-STK** Studio Teak Mobile File Center w/Cushion BBF **Box Box File** Bar Pull SCMEC В BF Box File R Radiused Pull 19 B SFC BBF 301 **PW-STK**

#### **FEATURES**

#### **COUNTER WEIGHTS**

- Freestanding file centers include factory installed counterweights.
- · Counterweights are not necessary for worksurface supporting file centers.

#### LOCK

- · Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

#### DRAWERS

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber bumpers for quiet operation.

#### **LEVELING GLIDES**

• 4 Leveling glides allow for 1 5%" adjustment.

#### **CASTERS – MOBILE PEDS**

• 4 Black casters, 2 of which are locking

#### CONSTRUCTION

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top channels
Side channels
Outer panels
Drawer fronts
Drawer bins

#### DRAWER LOAD CAPACITY

6" Box drawers	50 lbs
12" File drawers	70 lbs

18 – 21 Gauge 18 – 21 Gauge

22 Gauge

20 Gauge

22 Gauge

12 1⁄8"

15 1⁄5"

26 1⁄4"

#### DRAWER INNER DIMENSIONS

Height	
Box drawer	4 1⁄2"
File drawer	9 ½"

Width All drawers

```
Depth
```

18" Deep pedestal 30" Deep pedestal

#### **PULL STYLES**

#### Available with Laminate Front

B – Bar Pull R – Radiused

J – J Pull	

#### **SURFACE MATERIALS**

#### PEDESTAL Paint

#### FRONTS

w/Bar pull (B) w/Radiused pull (R) w/J pull (J)

Paint or Laminate Paint or Laminate Paint

#### **DRAWER PULL**


Bar (**B**) Radiused (R) 7 (**)** 

Satin nickel Satin nickel Paint

LOCK Satin nickel

**CUSHION TOP** Upholstery

**FILE CENTERS** 



# **File Centers**



Worksu	Worksurface Supporting File Center			PAINT			LAMINATE FRONT (UPCHARGE)			
Н	W	D	MODEL #	P1	P2	P3	L1	L2	L3	
27 ¾"	30 ½"	18 ¼"	SFCFFLAT(J/B/R)	\$1,486	\$1,634	\$1,783	+ \$657	+ \$722	+ \$788	
27 ¾"	30 ½"	18 ¼"	SFCBBFLAT(J/B/R)	\$1,500	\$1,650	\$1,800	+ \$682	+ \$750	+ \$818	
27 ¾"	30 ½"	18 ¼"	SFCFBBLAT(J/B/R)	\$1,500	\$1,650	\$1,800	+ \$682	+ \$750	+ \$818	




## Mobile File Center w/Cushion

24 1/8" 30 1/2" 18 3/8" <b>SCMFCBBLAT(J/B/R)</b>		\$2,536	\$2,789	\$3,043	+ \$884	+ \$1,226	+ \$1,567
--------------------------------------------------	--	---------	---------	---------	---------	-----------	-----------

#### **Mobile Cushion Fabric Upcharges**

SEATING GRADES	UPCHARGE
1	+ \$225
2	+ \$300
3	+ \$400
4	+ \$500
5	+ \$600
6	+ \$700
7	+ \$800
8	+ \$900



# **File Centers**



Mobile File Center w/Cupboard Door					PAINT			LAMINATE FRONT (UPCHARGE)			
HINGE	Н	W	D	MODEL #	P1	P2	P3	L1	L2	L3	
L	22 ¾"	30 1⁄2"	18 ¼"	SMFCFBCUBL(J/B/R)	\$1,575	\$1,701	\$1,827	+ \$682	+ \$750	+ \$818	
R	22 ¾"	30 ½"	18 ¼"	SMFCFBCUBR(J/B/R)	\$1,575	\$1,701	\$1,827	+ \$682	+ \$750	+ \$818	




# Mobile File Center w/Open Shelf


L	22 3⁄8"	30 ½"	18 ¼"	SMFCFBSHFL(J/B/R)	\$1,449	\$1,701	\$1,827	+ \$669	+ \$735	+ \$802
R	22 ¾"	30 ½"	18 ¼"	SMFCFBSHFR(J/B/R)	\$1,449	\$1,701	\$1,827	+ \$669	+ \$735	+ \$802



Mobi	le File	Center	Cushion		•••••••	••••••	FABR		••••••		
Н	W	D	MODEL #	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H/8
1"	30 ½"	18 ¼"	MFCC30	\$413	\$513	\$563	\$613	\$663	\$713	\$763	\$833



**General Info** 



#### **FEATURES**

#### **COUNTER WEIGHTS**

- Counterweights are not included with laterals.
- Counterweights are not necessary for worksurface supporting laterals.

#### LOCK

- · Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Individual locking drawers available upon request. Upcharge may apply.

#### DRAWERS

- All drawers include full extension steel ball-bearing slides with anti-rebound features to ensure smooth operation.
- Drawer fronts include rubber bumpers for quiet operation.
- The top opening of 5-high laterals features an over-the-top flipper door with 13 ¼" inside clear height for binder storage.
- Drawer includes full-height side panels.
  2 file bars are included in each
- drawer, for side-to-side filing.Conversion bars for front to back filing are sold separately.
- All lateral drawer bins will accommodate A4, letter and legal size filing.

#### **LEVELING GLIDES**

4 leveling glides allow for 1 <sup>1</sup>/<sub>4</sub>" adjustment.

#### **COUNTERWEIGHTS**

• Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

#### CONSTRUCTION

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas. Standard depth is 18 ¼".

Inner frame Outer panels Drawer fronts Drawer bins

30" Wide lateral

36" Wide lateral

42" Wide lateral

#### DRAWER LOAD CAPACITY

140 lbs
168 lbs
192 lbs

20 Gauge

22 Gauge

20 Gauge

20 Gauge

16"

#### **DRAWER INNER DIMENSIONS**

Height	
Top flipper door	13 ¼"
Drawer immediately below lock strip	9 2⁄5"
All other drawers	10 ¾"

Width	
30" Wide lateral	26 7⁄10"
36" Wide lateral	32 7⁄10"
42" Wide lateral	38 7/10"

#### Depth

18 ¼" Deep lateral

#### **PULL STYLES**

#### Available with Laminate Front

# B – Bar Pull



#### **SURFACE MATERIALS**

**LATERAL** Paint

#### FRONTS

w/Bar pull **(B)** w/J pull **(J)**  Paint or Laminate Paint

#### DRAWER PULL

Bar **(B)** J **(J)**  Satin nickel Paint

#### LOCK


Satin nickel

#### TOP

Paint or Laminate

Storage

LATERALS





2 Drawer				PAINT			LAMINATE FRONT (UPCHARGE)		
H	W	D	MODEL #	P1	P2	P3	L1	L2	L3
28 ¾"	30"	18 ¼"	SLAT230(J/B)	\$1,133	\$1,246	\$1,359	+ \$505	+ \$555	+ \$666
28 ¾"	36"	18 ¼"	SLAT236(J/B)	\$1,385	\$1,523	\$1,662	+ \$556	+ \$611	+ \$733
28 ¾"	42"	18 ¼"	SLAT242(J/B)	\$1,449	\$1,593	\$1,738	+ \$606	+ \$666	+ \$799

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### **3 Drawer**

39 %"	30"	18 ¼"	SLAT330(J/B)	\$1,575	\$1,732	\$1,890	+ \$694	+ \$763	+ \$916
39 1/8"	36"	18 ¼"	SLAT <mark>336</mark> (J/B)	\$1,764	\$1,940	\$2,116	+ \$745	+ \$819	+ \$983
39 %"	42"	18 ¼"	SLAT342(J/B)	\$1,891	\$2,080	\$2,269	+ \$795	+ \$874	+ \$1,049

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### 4 Drawer

51 ¾"	30"	18 ¼"	SLAT430(J/B)	\$1,955	\$2,150	\$2,346	+ \$846	+ \$930	+ \$1,116
51 ¾"	36"	18 ¼"	SLAT <mark>436</mark> (J/B)	\$2,144	\$2,358	\$2,572	+ \$884	+ \$972	+ \$1,166
51 ¾"	42"	18 ¼"	SLAT442(J/B)	\$2,270	\$2,497	\$2,724	+ \$922	+ \$1,014	+ \$1,217


Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### 5 Drawer — fixed top shelf

		•							
65 1/8"	30"	18 ¼"	SLAT530(J/B)	\$2,334	\$2,567	\$2,800	+ \$935	+ \$1,028	+ \$1,234
65 %"	36"	18 ¼"	SLAT536(J/B)	\$2,523	\$2,775	\$3,027	+ \$960	+ \$1,056	+ \$1,267
65 %"	42"	18 ¼"	SLAT542(J/B)	\$2,776	\$3,053	\$3,331	+ \$985	+ \$1,083	+ \$1,300
				· · · · · · · · · · · · · · · · · · ·					

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### 5 Drawer — w/roll-out shelf

65 %"	30"	18 ¼"	SLAT5R30(J/B)	\$3,509	\$3,859	\$4,210	+ \$2,527	+ \$2,779	+ \$3,032
65 1/8"	36"	18 ¼"	SLAT5R36(J/B)	\$4,014	\$4,415	\$4,816	+ \$2,527	+ \$2,779	+ \$3,032
65 %"	42"	18 ¼"	SLAT5R42(J/B)	\$4,267	\$4,693	\$5,120	+ \$2,527	+ \$2,779	+ \$3,032

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

						Options
Specify	Pulls	Lateral	# Drawers	W	Pull	
<ol> <li>Model #</li> <li>Case finish</li> <li>Front finish Laminate not available on J pull</li> </ol>	B – Bar Pull J – J Pull	SLAT Lateral SWSLAT Worksurface Supporting	2 3 4 5	36	J JPull B Bar Pull	CW Counterweights \$211 DL Digital Lock \$450
Application Notes		SLAT	3	36	J	CW
• Leveling glides for						

#### Leveling glides for

1 <sup>5</sup>/<sub>8</sub>" adjustment

Storage



BF					PAINT			E FRONT (UPCHAI	
H	W	D	MODEL #	P1	P2	P3	L1	L2	L3
22 5⁄8"	30"	18 ¼"	SLAT130(J/B)	\$1,272	\$1,399	\$1,526	+ \$441	+ \$612	+ \$782
22 5⁄8"	36"	18 ¼"	SLAT <mark>136</mark> (J/B)	\$1,399	\$1,538	\$1,678	+ \$441	+ \$624	+ \$807
22 5⁄8"	42"	18 ¼"	SLAT <mark>142</mark> (J/B)	\$1,525	\$1,677	\$1,830	+ \$441	+ \$637	+ \$832

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

## **BF Shelf**

22 5⁄8"	30"	18 ¼"	SLATS130	\$1,019	\$1,120	\$1,222	N/A	N/A	N/A
22 5⁄8"	36"	18 ¼"	SLATS136	\$1,146	\$1,260	\$1,375	N/A	N/A	N/A
22 5⁄8"	42"	18 ¼"	SLATS142	\$1,272	\$1,399	\$1,526	N/A	N/A	N/A

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



## Worksurface Supporting

27 ¾"	30"	18 ¼"	SWSLAT230(J/B)	\$1,133	\$1,246	\$1,359	+ \$505	+ \$555	+ \$666
27 ¾"	36"	18 ¼"	SWSLAT236(J/B)	\$1,259	\$1,384	\$1,510	+ \$556	+ \$611	+ \$733
27 ¾"	42"	18 ¼"	SWSLAT242(J/B)	\$1,385	\$1,523	\$1,662	+ \$606	+ \$666	+ \$799

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### 2 Drawer/2 Open Shelves

51 ¾"	30"	18 ¼"	SLAT2S2F30(J/B)	\$2,789	\$3,067	\$3,346	+ \$2,527	+ \$2,779	+ \$3,032
52 ¾"	36"	18 ¼"	SLAT2S2F36(J/B)	\$3,168	\$3,484	\$3,801	+ \$2,527	+ \$2,779	+ \$3,032
53 ⅔"	42"	18 ¼"	SLAT2S2F42(J/B)	\$3,736	\$4,109	\$4,483	+ \$2,527	+ \$2,779	+ \$3,032

Counterweights are included.




#### 2 Drawer/3 Open Shelves


65 %"	30"	18 ¼"	SLAT3S2F30(J/B)	\$2,915	\$3,206	\$3,498	+ \$2,527	+ \$2,779	+ \$3,032
65 %"	36"	18 ¼"	SLAT3S2F36(J/B)	\$3,294	\$3,623	\$3,952	+ \$2,527	+ \$2,779	+ \$3,032
65 %"	42"	18 ¼"	SLAT3S2F42(J/B)	\$3,862	\$4,248	\$4,634	+ \$2,527	+ \$2,779	+ \$3,032

Counterweights are included.

#### Lateral – Accessories

DESCRIPTION	MODEL #	BLACK ONLY
Lateral Ganging Kit	SLATGK	\$185





B Dra	wer				PAINT	
H	W	D	MODEL #	P1	P2	P
89 %"	30"	18 ¼"	S6BLAT30(J/B)	\$2,371	\$2,608	\$2,84
39 %"	36"	18 ¼"	S6BLAT36(J/B)	\$2,498	\$2,747	\$2,99
39 %"	42"	18 ¼"	S6BLAT42(J/B)	\$2,725	\$2,997	\$3,27

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

#### 6B Drawer, No Top

39 1/8"	30"	18 ¼"	S6BLAT30NT(J/B)	\$2,283	\$2,511	\$2,739
39 1/8"	36"	18 ¼"	S6BLAT36NT(J/B)	\$2,410	\$2,651	\$2,892
39 1/8"	42"	18 ¼"	S6BLAT42NT(J/B)	\$2,662	\$2,928	\$3,194
				•		

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### **BBF Drawer**

28 3⁄8"	30"	18 ¼"	S2BFLAT30(J/B)	\$1,525	\$1,677	\$1,830
28 ¾"	36"	18 ¼"	S2BFLAT36(J/B)	\$1,651	\$1,816	\$1,981
28 3⁄8"	42"	18 ¼"	S2BFLAT42(J/B)	\$1,778	\$1,955	\$2,133

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

#### **BBF Drawer**, No Top

28 3⁄8"	30"	18 ¼"	S2BFLAT30NT(J/B)	\$1,525	\$1,677	\$1,830
28 3⁄8"	36"	18 ¼"	S2BFLAT36NT(J/B)	\$1,651	\$1,816	\$1,981
28 3⁄8"	42"	18 ¼"	S2BFLAT42NT(J/B)	\$1,778	\$1,955	\$2,133

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.



#### **BBFF Drawer**

39 %"	42"	18 ¼"	S2B2FLAT42(J/B)	\$2,283	\$2,511	\$2,739
20.7/8	40"	101/8		40.000	40.544	40 700
39 %"	36"	18 ¼"	S2B2FLAT36(J/B)	\$2,157	\$2,372	\$2,588
39 1/8"	30"	18 ¼"	S2B2FLAT30(J/B)	\$2,030	\$2,233	\$2,436

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

#### **BBFF Drawer, No Top**

39 %	30	18 1⁄4	S2B2FLAT30NT(J/B)	\$2,030	\$2,233	\$2,436
39 1/8	36	18 1⁄4	S2B2FLAT36NT(J/B)	\$2,157	\$2,372	\$2,588
39 1/8	42	18 1⁄4	S2B2FLAT42NT(J/B)	\$2,283	\$2,511	\$2,739

Counterweights are required for all lateral files that are not ganged together or otherwise anchored.

			Options
Specify	Lateral	W P	Pull
1. Model # 2. Case finish	S6BLAT6B Drawer LatS2BFLATBBF Drawer LatS2B2FLATBBFF Drawer Lat	<b>36 J JPu</b> B Barl	
	S6BLAT	36 J	CW




#### Common Top – 18" Deep


Common Top – 18" Deep			LAMINATE				
Н	W	D	MODEL #		L1	L2	L3
5⁄8"	30"	18 ¼"	LT30		\$441	\$485	\$529
5⁄8"	36"	18 ¼"	LT36		\$480	\$528	\$576
5⁄8"	42"	18 ¼"	LT42		\$492	\$541	\$590
5⁄8"	60"	18 ¼"	LT60		\$517	\$568	\$620
5⁄8"	66"	18 ¼"	LT66		\$586	\$644	\$703
5⁄8"	72"	18 ¼"	LT72		\$612	\$673	\$734
5⁄8"	84"	18 ¼"	LT84		\$618	\$679	\$741
5⁄8"	90"	18 ¼"	LT90		\$625	\$687	\$750
5⁄8"	108"	18 ¼"	LT108		\$669	\$735	\$802
5⁄8"	126"	18 ¼"	LT126		\$890	\$979	\$1,068

# Common Top – 36" Deep

#### Specify Lateral Common Top

- 1. Model #
- 2. Laminate
- 3. Edge band





ushi	on – '	18" Dee	р				FAB	RIC			
н	W	D	MODEL #	A/1	B/2	C/3	D/4	E/5	F/6	G/7	H,
1"	30"	18 ¼"	LC30	\$413	\$513	\$563	\$613	\$663	\$713	\$763	\$83
1"	36"	18 ¼"	LC36	\$443	\$543	\$598	\$648	\$708	\$773	\$838	\$92
1"	42"	18 ¼"	LC42	\$475	\$575	\$635	\$685	\$755	\$835	\$915	\$1,02
1"	60"	18 ¼"	LC <mark>60</mark>	\$551	\$651	\$721	\$781	\$871	\$971	\$1,071	\$1,22
1"	66"	18 ¼"	LC66	\$583	\$683	\$758	\$818	\$923	\$1,033	\$1,148	\$1,30
1"	72"	18 ¼"	LC72	\$615	\$715	\$795	\$855	\$975	\$1,095	\$1,225	\$1,39
1"	84"	18 ¼"	LC <mark>84</mark>	\$665	\$765	\$855	\$925	\$1,065	\$1,205	\$1,375	\$1,52
1"	90"	18 ¼"	LC90	\$703	\$803	\$893	\$963	\$1,123	\$1,273	\$1,463	\$1,61
1"	108"	18 ¼"	LC108	\$779	\$879	\$979	\$1,059	\$1,239	\$1,414	\$1,609	\$1,78
1"	126"	18 ¼"	LC126	\$855	\$955	\$1,065	\$1,155	\$1,355	\$1,555	\$1,755	\$1,96

# Cushion – 36" Deep

Specify Lateral Cushion

- 1. Model #
- 2. Fabric

			•								
1"	30"	36 1⁄2"	LC3037	\$602	\$662	\$722	\$822	\$922	\$1,022	\$1,122	\$1,222
1"	36"	36 1⁄2"	LC3637	\$640	\$710	\$775	\$890	\$1,005	\$1,125	\$1,245	\$1,390
1"	42"	36 1⁄2"	LC4237	\$678	\$758	\$828	\$958	\$1,088	\$1,228	\$1,368	\$1,558
1"	60"	36 ½"	LC6037	\$767	\$867	\$957	\$1,097	\$1,267	\$1,457	\$1,657	\$1,967
1"	66"	36 1⁄2"	LC6637	\$804	\$904	\$1,004	\$1,154	\$1,344	\$1,549	\$1,774	\$2,114
1"	72"	36 1⁄2"	LC7237	\$842	\$942	\$1,052	\$1,212	\$1,422	\$1,642	\$1,892	\$2,262
1"	84"	36 1⁄2"	LC8437	\$918	\$1,018	\$1,148	\$1,318	\$1,558	\$1,808	\$2,088	\$2,488
1"	90"	36 ½"	LC9037	\$956	\$1,056	\$1,196	\$1,376	\$1,636	\$1,916	\$2,216	\$2,636
1"	108"	36 1⁄2"	LC10837	\$1,057	\$1,162	\$1,317	\$1,507	\$1,787	\$2,127	\$2,477	\$2,937
1"	126"	36 1⁄2"	LC12637	\$1,158	\$1,268	\$1,438	\$1,638	\$1,938	\$2,338	\$2,738	\$3,238

Storage

**General Info** 

Step 1 – Model #						Step 2 – Case Finish	<b>Step 3</b> – Front Finish
							Not Available w/J Pull
	н	w	Drawers	Coat Door	Pull	Paint	Laminate
STWR Tower	56	22	FF BBF	<b>L Left</b> R Right	J J Pull <b>B Bar Pull</b> R Radiused Pull	301 Champagne	PW-STK Studio Teak
STWR	56	22	FF	L	В	301	PW-STK

#### **FEATURES**

#### LOCK

- Lock core is removable.
- 24" Side access tower includes 2
- locks. All others include 1 lock.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
  Individual locking drawers available
- upon request. Upcharge may apply.

#### DRAWERS

- Include full suspension steel ball-bearing slides.
- Drawer fronts include rubber
- bumpers for quiet operation.Slides include anti-rebound and quick disconnect features.
- File drawer dividers which allow sideto-side filing are sold separately.

#### SHELVES

• Shelves are adjustable in 1 1/2" increments.

#### **LEVELING GLIDES – TOWER**

 $\bullet$  Leveling glides allow for 7/8" adjustment.

#### **LEVELING GLIDES – SIDE ACCESS TOWER**

• Leveling glides allow for 1 5%" adjustment.

#### DOORS

• Cupboard and coat doors include concealed hinges that allow for 110° degree opening.

#### CONSTRUCTION

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Inner top channel	18 Gauge
Bottom channel	18 Gauge
Side channels	18 Gauge
Outer top	21 Gauge
Outer back	21 Gauge
Outer sides	21 Gauge
Outer center	21 Gauge
Drawer & door fronts	21 Gauge
Shelves	18 Gauge
Drawer bins	22 Gauge
Drawer fronts	20 Gauge

#### DRAWER LOAD CAPACITY

12" File drawers

6" Box drawers

#### SHELF LOAD CAPACITY

Shelf

#### **DRAWER INNER DIMENSIONS**

Height	
Box drawer	4 1⁄2"
File drawer	9 1⁄2"
Width	

All drawers

Depth

All drawers

#### **PULL STYLES**

#### Available with Laminate Front

B – Bar Pull	R – Radiused



#### SURFACE MATERIALS

**CASE** Paint

50 lbs

70 lbs

61 lbs

12 1/2"

18 ¼"

#### FRONTS

w/Ba	ar Pull <b>(B)</b>	
w/Ra	adiused Pull (R)	
w/J I	Pull <b>(J)</b>	

Paint or Laminate Paint or Laminate Paint

#### NOTE: Laminate is not available on 24" side access towers, 15" towers or 15" side access towers.

#### DRAWER PULL

Bar **(B)** Radiused **(R)** J **(J)**  Satin nickel Satin nickel Paint

#### LOCK

Satin nickel

storage

**TOWERS** 





STWR5624BBFLB

4 <b>0</b> "	High.	— does	not inclu	ıde an adj. shelf	PAINT			LAMINATE FRONT (UPCHARGE)			
COAT DOOR	Н	w	D	MODEL #	P1	P2	P3	L1	L2	L3	
L	39 %"	23 ½"	23 ½"	STWR <mark>4024</mark> FFL(J/B/R)	\$2,460	\$2,706	\$2,952	+ \$1,137	+ \$1,250	+ \$1,364	
R	39 %"	23 ½"	23 ½"	STWR <mark>4024</mark> FFR(J/B/R)	\$2,460	\$2,706	\$2,952	+ \$1,137	+ \$1,250	+ \$1,364	
L	39 %"	23 ½"	23 ½"	STWR4024BBFL(J/B/R)	\$2,523	\$2,775	\$3,027	+ \$1,174	+ \$1,291	+ \$1,408	
R	39 %"	23 ½"	23 ½"	STWR <mark>4024</mark> BBFR(J/B/R)	\$2,523	\$2,775	\$3,027	+ \$1,174	+ \$1,291	+ \$1,408	
<b>46</b> "	High	— does	not inclu	ıde an adj. shelf			,				
L	46"	23 ½"	23 1⁄2"	STWR <mark>4624</mark> FFL(J/B/R)	\$2,649	\$2,913	\$3,178	+ \$1,162	+ \$1,278	+ \$1,394	
R	46"	23 ½"	23 ½"	STWR4624FFR(J/B/R)	\$2,649	\$2,913	\$3,178	+ \$1,162	+ \$1,278	+ \$1,394	
L	46"	23 ½"	23 ½"	STWR <mark>4624</mark> BBFL(J/B/R)	\$2,713	\$2,984	\$3,255	+ \$1,200	+ \$1,320	+ \$1,440	
R	46"	23 ½"	23 ½"	STWR4624BBFR(J/B/R)	\$2,713	\$2,984	\$3,255	+ \$1,200	+ \$1,320	+ \$1,440	

# 51" High — includes 1 adj. shelf

L	51 ¾"	23 ½"	23 ½"	STWR5124FFL(J/B/R)	\$2,713	\$2,984	\$3,255	+ \$1,200	+ \$1,320	+ \$1,440
R	51 %"	23 ½"	23 ½"	STWR5124FFR(J/B/R)	\$2,713	\$2,984	\$3,255	+ \$1,200	+ \$1,320	+ \$1,440
L	51 %"	23 ½"	23 ½"	STWR5124BBFL(J/B/R)	\$2,776	\$3,053	\$3,331	+ \$1,225	+ \$1,347	+ \$1,470
R	51 %"	23 ½"	23 ½"	STWR5124BBFR(J/B/R)	\$2,776	\$3,053	\$3,331	+ \$1,225	+ \$1,347	+ \$1,470


# 56" High — includes 1 adj. shelf

L	56"	23 ½"	23 ½"	STWR5624FFL(J/B/R)	\$2,776	\$3,053	\$3,331	+ \$1,225	+ \$1,347	+ \$1,470
R	56"	23 ½"	23 ½"	STWR5624FFR(J/B/R)	\$2,776	\$3,053	\$3,331	+ \$1,225	+ \$1,347	+ \$1,470
L	56"	23 ½"	23 ½"	STWR5624BBFL(J/B/R)	\$2,902	\$3,192	\$3,482	+ \$1,263	+ \$1,389	+ \$1,515
R	56"	23 ½"	23 1⁄2"	STWR5624BBFR(J/B/R)	\$2,902	\$3,192	\$3,482	+ \$1,263	+ \$1,389	+ \$1,515

# 66" High — includes 2 adj. shelves


L	65 %"	23 ½"	23 ½"	STWR <mark>6624</mark> FFL(J/B/R)	\$3,028	\$3,330	\$3,633	+ \$1,516	+ \$1,667	+ \$1,819
R	65 %"	23 ½"	23 ½"	STWR <mark>6624</mark> FFR(J/B/R)	\$3,028	\$3,330	\$3,633	+ \$1,516	+ \$1,667	+ \$1,819
L	65 %"	23 ½"	23 ½"	STWR <mark>6624</mark> BBFL(J/B/R)	\$3,092	\$3,401	\$3,710	+ \$1,643	+ \$1,807	+ \$1,971
R	65 1/8"	23 1⁄2"	23 1⁄2"	STWR <mark>6624</mark> BBFR(J/B/R)	\$3,092	\$3,401	\$3,710	+ \$1,643	+ \$1,807	+ \$1,971

							Options	
	н	w	Drawers	Coat Door	Pull			
STWR Tower	56	22	<b>FF</b> BBF	<b>L Left</b> R Right	J J Pull B Bar Pull R Radiused Pull	DL	Digital Lock	\$450
STWR	56		FF		J	DL		



# **Side Access Towers**

24" Wide




SSAT5624BBFRB

						•••••••••••••••••••••••••••••••••••••••	••••••
46" H	ligh —	does not i	nclude an adj.	shelf		PAINT	
COAT DOOR	н	W	D	MODEL #	P1	P2	P3
L	46"	23 ½"	23 ½"	SSAT <mark>462</mark> 4FFL(J/B/R)	\$2,624	\$2,886	\$3,148
R	46"	23 1⁄2"	23 1⁄2"	SSAT4624FFR(J/B/R)	\$2,624	\$2,886	\$3,14
L	46"	23 1⁄2"	23 1⁄2"	SSAT4624BBFL(J/B/R)	\$2,688	\$2,956	\$3,22
R	46"	23 ½"	23 ½"	SSAT4624BBFR(J/B/R)	\$2,688	\$2,956	\$3,22
51" H	ligh_	includes 1	adj. shelf				
L	51 ¾"	23 ½"	23 ½"	SSAT5124FFL(J/B/R)	\$2,713	\$2,984	\$3,25
R	51 ¾"	23 ½"	23 ½"	SSAT5124FFR(J/B/R)	\$2,713	\$2,984	\$3,25
L	51 ¾"	23 ½"	23 ½"	SSAT5124BBFL(J/B/R)	\$2,776	\$3,053	\$3,33
R	51 ¾"	23 ½"	23 ½"	SSAT5124BBFR(J/B/R)	\$2,776	\$3,053	\$3,33
56" H	ligh_	includes 1	adj. shelf				
L	56"	23 ½"	23 ½"	SSAT5624FFL(J/B/R)	\$2,814	\$3,095	\$3,37
R	56"	23 ½"	23 ½"	SSAT5624FFR(J/B/R)	\$2,814	\$3,095	\$3,37
L	56"	23 ½"	23 1⁄2"	SSAT5624BBFL(J/B/R)	\$2,940	\$3,234	\$3,52
R	56"	23 ½"	23 ½"	SSAT <mark>5624</mark> BBFR(J/B/R)	\$2,940	\$3,234	\$3,52
66" H	ligh_	includes 2	adj. shelves				
L	65 %"	23 ½"	23 ½"	SSAT6524FFL(J/B/R)	\$2,966	\$3,262	\$3,55
R	65 %"	23 ½"	23 1⁄2"	SSAT6524FFR(J/B/R)	\$2,966	\$3,262	\$3,55
L	65 %"	23 ½"	23 ½"	SSAT6524BBFL(J/B/R)	\$3,028	\$3,330	\$3,63
R	65 %"	23 ½"	23 ½"	SSAT6524BBFR(J/B/R)	\$3,028	\$3,330	\$3,63



Worksurface Supporting Bra	cket — factory installed	BLACK ONLY
Add at the end of tower model number	SWSSB	\$121

							Options	
		н	w	Drawers	Coat Door	Pull		
SSAT	Side Access Tower	56	22	FF	L Left	J J Pull	SWSSB	\$121
				BBF	R Right	B Bar Pull	DL Digital Lock	\$450
						R Radiused Pull		
-								
SSAT		56	22	FF		1	SWSSB	
3341			: :			ii	511555	





HINGE	Н	W	D	MODEL #	P1	P2	F
L	46"	15 ¼"	23 ½"	STWR <mark>4615</mark> FFL(J/B/R)	\$1,702	\$1,872	\$2,04
R	46"	15 ¼"	23 1⁄2"	STWR4615FFR(J/B/R)	\$1,702	\$1,872	\$2,04
L	46"	15 ¼"	23 1⁄2"	STWR4615BBFL(J/B/R)	\$1,866	\$2,052	\$2,23
R	46"	15 ¼"	23 ½"	STWR <mark>4615</mark> BBFR(J/B/R)	\$1,866	\$2,052	\$2,23


L	51 %"	15 ¼"	23 ½"	STWR <mark>5115</mark> FFL(J/B/R)	\$1,866	\$2,052	\$2,239
R	51 ¾"	15 ¼"	23 ½"	STWR5115FFR(J/B/R)	\$1,866	\$2,052	\$2,239
L	51 ¾"	15 ¼"	23 ½"	STWR5115BBFL(J/B/R)	\$1,955	\$2,150	\$2,346
R	51 ¾"	15 ¼"	23 ½"	STWR5115BBFR(J/B/R)	\$1,955	\$2,150	\$2,346


#### 56" High — includes 1 adj. shelf

L	56"	15 ¼"	23 ½"	STWR <mark>5615</mark> FFL(J/B/R)	\$1,955	\$2,150	\$2,346
R	56"	15 ¼"	23 1⁄2"	STWR5615FFR(J/B/R)	\$1,955	\$2,150	\$2,346
L	56"	15 ¼"	23 1⁄2"	STWR5615BBFL(J/B/R)	\$2,017	\$2,218	\$2,420
R	56"	15 ¼"	23 1⁄2"	STWR5615BBFR(J/B/R)	\$2,017	\$2,218	\$2,420

# 66" High — includes 2 adj. shelves

L	65 %"	15 ¼"	23 ½"	STWR6615FFL(J/B/R)	\$2,017	\$2,218	\$2,420
R	65 %"	15 ¼"	23 ½"	STWR6615FFR(J/B/R)	\$2,017	\$2,218	\$2,420
L	65 %"	15 ¼"	23 1⁄2"	STWR6615BBFL(J/B/R)	\$2,144	\$2,358	\$2,572
R	65 %"	15 ¼"	23 ½"	STWR <mark>6615</mark> BBFR(J/B/R)	\$2,144	\$2,358	\$2,572





# **Side Access Towers**

15" Wide

	$\geq$
	- Bando
	6000
$\langle$	

SSAT5615BBFLB

! !!</th <th>· · · ·</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>	· · · ·						
6" H	ign —	does not i	nclude an adj. she	f		PAINT	
OPEN	н	W	D	MODEL #	P1	P2	PB
L	46"	15 ¼"	23 1⁄2"	SSAT <mark>4615</mark> FFL(J/B/R)	\$1,638	\$1,801	\$1,965
R	46"	15 ¼"	23 1⁄2"	SSAT4615FFR(J/B/R)	\$1,638	\$1,801	\$1,965
L	46"	15 ¼"	23 ½"	SSAT4615BBFL(J/B/R)	\$1,764	\$1,940	\$2,116
R	46"	15 ¼"	23 1⁄2"	SSAT <mark>4615</mark> BBFR(J/B/R)	\$1,764	\$1,940	\$2,116
1" H	igh_	includes 1	adj. shelf				
L	51 %"	15 ¼"	23 1⁄2"	SSAT5115FFL(J/B/R)	\$1,764	\$1,940	\$2,116
R	51 ¾"	15 ¼"	23 1⁄2"	SSAT5115FFR(J/B/R)	\$1,764	\$1,940	\$2,110
			00.1/8				¢2.20
L	51 ¾"	15 ¼"	23 1⁄2"	SSAT5115BBFL(J/B/R)	\$1,891	\$2,080	\$2,20
L R	51 ¾" 51 ¾"	15 ¼" 15 ¼"	23 ½" 23 ½"	SSAT5115BBFR(J/B/R) SSAT5115BBFR(J/B/R)	\$1,891 \$1,891	\$2,080 \$2,080	
	51 3⁄8"	15 ¼"					\$2,269
к <b>6" Н</b>	51 ⅔" igh—	15 ¼" includes 1	23 ½" adj. shelf	SSAT <mark>5115</mark> BBFR(J/B/R)	\$1,891	\$2,080	\$2,269
к <b>6" Н</b> L	51 ¾" <b>igh</b> — 56"	15 ¼" includes 1 15 ¼"	23 ½" adj. shelf 23 ½"	SSAT5115BBFR(J/B/R) SSAT5615FFL(J/B/R)	\$1,891 \$1,891	\$2,080	\$2,269 \$2,269 \$2,269
R 6" H L R	51 ⅔" <b>igh</b> — 56" 56"	15 ¼" includes 1 15 ¼" 15 ¼"	23 ½" adj. shelf 23 ½" 23 ½"	SSAT5115BBFR(J/B/R) SSAT5615FFL(J/B/R) SSAT5615FFR(J/B/R)	\$1,891 \$1,891 \$1,891 \$1,891	\$2,080 \$2,080 \$2,080	\$2,269 \$2,269 \$2,269 \$2,269 \$2,420
R 6"H L R L R	51 ⅔" <b>igh</b> — 56" 56" 56" 56"	15 ¼" <b>includes 1</b> 15 ¼" 15 ¼" 15 ¼" 15 ¼" 15 ¼"	23 ½" adj. shelf 23 ½" 23 ½" 23 ½" 23 ½"	SSAT5115BBFR(J/B/R) SSAT5615FFL(J/B/R) SSAT5615FFR(J/B/R) SSAT5615BBFL(J/B/R)	\$1,891 \$1,891 \$1,891 \$1,891 \$2,017	\$2,080 \$2,080 \$2,080 \$2,218	\$2,269 \$2,269 \$2,269 \$2,269 \$2,420
R 6"H L R L R	51 ⅔" <b>igh</b> — 56" 56" 56" 56"	15 ¼" <b>includes 1</b> 15 ¼" 15 ¼" 15 ¼" 15 ¼" 15 ¼"	23 ½" adj. shelf 23 ½" 23 ½" 23 ½"	SSAT5115BBFR(J/B/R) SSAT5615FFL(J/B/R) SSAT5615FFR(J/B/R) SSAT5615BBFL(J/B/R)	\$1,891 \$1,891 \$1,891 \$1,891 \$2,017	\$2,080 \$2,080 \$2,080 \$2,218	\$2,269 \$2,269 \$2,269 \$2,269 \$2,420 \$2,420 \$2,420 \$2,420
R 6"H L R L R	51 <sup>3</sup> / <sub>8</sub> " igh — 56" 56" 56" 56" igh —	15 ¼" includes 1 15 ¼" 15 ¼" 15 ¼" 15 ¼" 15 ¼" includes 2	23 ½" adj. shelf 23 ½" 23 ½" 23 ½" 23 ½" adj. shelves	SSAT5115BBFR(J/B/R) SSAT5615FFL(J/B/R) SSAT5615FFR(J/B/R) SSAT5615BBFL(J/B/R) SSAT5615BBFR(J/B/R)	\$1,891 \$1,891 \$1,891 \$2,017 \$2,017	\$2,080 \$2,080 \$2,080 \$2,218 \$2,218	\$2,269 \$2,269 \$2,269 \$2,420 \$2,420 \$2,420 \$2,340
R 6"H L R C 6"H	51 3%" igh — 56" 56" 56" 56" igh — 65 7%"	15 ¼" includes 1 15 ¼" 15 ¼" 15 ¼" 15 ¼" includes 2 15 ¼"	23 ½" adj. shelf 23 ½" 23 ½" 23 ½" 23 ½" adj. shelves 23 ½"	SSAT5115BBFR(J/B/R) SSAT5615FFL(J/B/R) SSAT5615FFR(J/B/R) SSAT5615BBFL(J/B/R) SSAT5615BBFR(J/B/R) SSAT6515FFL(J/B/R)	\$1,891 \$1,891 \$1,891 \$2,017 \$2,017 \$2,017	\$2,080 \$2,080 \$2,080 \$2,218 \$2,218 \$2,218 \$2,218	\$2,269 \$2,269 \$2,269 \$2,420 \$2,420

Worksurface Supporting Bra	cket — factory installed	BLACK ONLY
Add at the end of tower model number	SWSSB	\$121

#### WORKSURFACES & 15" SIDE ACCESSS TOWERS



When adding a 15" tower to the end of a worksurface you will need to add a "T" to the end of the model number in order to make the worksurface and tower completely flush. This will only be neccessary on 24" deep worksurfaces with a width from 48" – 84".

							Options	
	н	w	Drawers	Coat Door	Pull			
SSAT Side Access Tower	56	15	FF BBF	<b>L Left</b> R Right	J J Pull B Bar Pull R Radiused Pull	SWSSB DL	Digital Lock	<b>\$12</b> \$45
SSAT	56	15	FF	L	J	SWSSB		
necify	Pulls			Applicatio	on Notes	Worksu	rface Supporting	Bracket
<b>becify</b> . Model # . Case finish	Pulls B – Ba	ar Pull	J – J Pull	• Levelir	on Notes lock for all drawers ng glides allow " adjustment	Must k a Side	<b>rface Supporting</b> be ordered wit Access Tower. y installed.	
. Model #		ar Pull	J – J Pull	Single     Levelir	lock for all drawers ng glides allow	Must k a Side	pe ordered wit Access Tower.	

Storage

# Credenzas

General Info

tep 1 – Model #						Step 2 – Case Finish		<b>Step 3</b> – Front Finish			
										No	Available w/J Pull
	Drav	ver Width	Shel	f Width		Тор	Pull		Paint		Laminate
SCR Credenza	30	D Drawer	20	S Shelf	:	<b>Metal Top</b> No Top	J J Pull <b>B Bar Pull</b>	301	Champagne	PW-STK	Studio Teak
SCR	30	D	20		МТ		В	301		PW-STK	

#### **FEATURES**

#### COUNTERWEIGHT

- Two drawer cabinets include factory installed counterweights
- Low storage cabinets that do not include shelves do not need counterweight

#### LOCK

- Available on credenza products
   which feature drawers
- Lock core is removable
- Keyed alike available upon request
- Master and change key available upon request. See (page 9).

#### DRAWERS

- Include full suspension steel ball-bearing slides
- Drawer fronts include rubber bumpers for quiet operation

#### SHELF

• ¾" High adjustable shelf

#### **LEVELING GLIDES**

+ 4 Leveling glides allow for  $1\!\!\!/_2$  " adjustment

#### TOP

Available in metal, cushion and laminate

#### CONSTRUCTION

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Bottom channels	16 Gauge
Top channels	18 Gauge
Shelves	18 Gauge
Side channels	20 Gauge
Side panels	20 Gauge
Тор	20 Gauge
Fronts	20 Gauge
Drawer bins	22 Gauge

#### **DRAWER INNER DIMENSIONS**

Height	
6" Drawer	4 1⁄2"
12" Drawer	10 3⁄5"

#### Width

30" Wide drawer	26 7/10"
36" Wide drawer	32 7⁄10"
42" Wide drawer	38 7⁄10"

Depth All drawers

#### **SHELF INNER DIMENSIONS**

Height	
All shelves	16 %
Width	
30" Wide drawer	28 ½"
36" Wide drawer	34 ½"
42" Wide drawer	40 1⁄2"
Depth	
All drawers	19"

#### **PULL STYLES**

#### Available with Laminate Front

# B – Bar Pull



#### **SURFACE MATERIALS**

**CASE** Paint

#### FRONTS

w/Bar pull **(B)** w/J pull **(J)** 

#### Paint or Laminate Paint

Satin nickel

Paint

#### DRAWER PULL

Bar **(B)** J **(J)** 


15 %10"

**LOCK** Satin nickel

# CUSHION TOP

Upholstery

**CREDENZAS** 



# Credenzas



Credenzas						PAINT		LAMINATE FRONT (UPCHARGE)		
DESCRIPTION	н	W	D	MODEL #	P1	P2	P3	L1	L2	L3
30" Drawers, 30" open shelf	22 ¼"	60"	20"	SCR30D30S(J/B)	\$3,516	\$3,867	\$4,219	+ \$669	+ \$735	+ \$802
30" Drawers, 36" open shelf	22 ¼"	66"	20"	SCR30D36S(J/B)	\$3,624	\$3,986	\$4,348	+ \$669	+ \$735	+ \$802
36" Drawers, 36" open shelf	22 ¼"	72"	20"	SCR36D36S(J/B)	\$3,700	\$4,070	\$4,440	+ \$694	+ \$763	+ \$832



# Credenza – Drawers

30" Drawers, metal top	22 1⁄4"	30"	20"	SCRD3020MT(J/B)	\$1,449	\$1,593	\$1,738	+ \$669	+ \$735	+ \$802
36" Drawers, metal top	22 ¼"	36"	20"	SCRD3620MT(J/B)	\$1,512	\$1,663	\$1,814	+ \$694	+ \$763	+ \$832
42" Drawers, metal top	22 ¼"	42"	20"	SCRD4220MT(J/B)	\$1,638	\$1,801	\$1,965	+ \$745	+ \$819	+ \$894




# Credenza - Shelves - includes 1 adj. shelf

30" Shelf, metal top	22 1⁄4"	30"	20"	SCRS3020MT	\$1,158	\$1,273	\$1,389	N/A	N/A	N/A
36" Shelf, metal top	22 1⁄4"	36"	20"	SCRS3620MT	\$1,234	\$1,357	\$1,480	N/A	N/A	N/A
42" Shelf, metal top	22 ¼"	42"	20"	SCRS4220MT	\$1,335	\$1,468	\$1,602	N/A	N/A	N/A

#### Credenza – Accessories

Floating top supports, 2 legs	5 ½"	2 1⁄2"	1 1⁄8"	SCRSL2	\$312	\$343	\$374	N/A	N/A	N/A
Credenza center leg support				SCRCLS	\$248	N/A	N/A	N/A	N/A	N/A
Credenza ganging kit				SCRGK	\$185	N/A	N/A	N/A	N/A	N/A



Specify	Credenza Includes	Application Notes		
<ol> <li>Model #</li> <li>Case finish</li> <li>Front finish Laminate not available on J pull</li> </ol>	<ul> <li>2 low storage cabinets</li> <li>1 laminate top &amp; ganging kit</li> <li>1 credenza center support leg</li> </ul>	<ul> <li>Credenzas must be assembled in the field</li> <li>When ganging 2 units together, order ganging kit</li> <li>Leveling glides allow for 1 <sup>5</sup>/<sub>8</sub>" adjustment</li> </ul>	<ul> <li>Drawer units include 1 <ul> <li>6" drawer &amp; 1 – 12" file drawer &amp; counterweight</li> </ul> </li> <li>Center Leg <ul> <li>Helps to gang 2 credenza pieces together side by side</li> <li>Eliminate the 4 legs in the center and replace with</li> </ul> </li> </ul>	<ul> <li>Ganging Kit</li> <li>Ganging kit for use whe specifying laminate top separately, does not include center leg</li> <li>Floating Top Supports</li> <li>Floating top supports may not be used on a metal top, includes</li> </ul>

# **Credenzas**

.....

ŗ




Credenza – Common Tops	LAMINATE						
DESCRIPTION	Н	W	D	MODEL #	L1	L2	L3
Single 30" W credenza top	5⁄8"	30"	20"	CT30	\$460	\$506	\$552
Single 36" W credenza top	5⁄8"	36"	20"	CT36	\$492	\$541	\$590
Single 42" W credenza top	5⁄8"	42"	20"	CT42	\$530	\$583	\$636
Double 30" W credenza top	5⁄8"	60"	20"	CT60	\$600	\$660	\$720
Double 30"/36" W credenza top	5⁄8"	66"	20"	CT66	\$631	\$694	\$757
Double 36" W credenza top OR 30"/42" W credenza top	5⁄8"	72"	20"	CT72	\$644	\$708	\$772
Double 36"/42" W credenza top	5⁄8"	78"	20"	CT78	\$669	\$735	\$802
Double 42" W credenza top	5⁄8"	84"	20"	CT84	\$707	\$777	\$848
Triple 30" W credenza top	5⁄8"	90"	20"	CT90	\$745	\$819	\$894



#### **Credenza Cushion Tops** FABRIC Н W D MODEL # H/8 A/1 B/2 C/3 D/4 E/5 F/6 G/7 1" 12" 20" SCRC2012 \$261 \$486 \$561 \$661 \$761 \$1,186 \$861 \$1,361 1" 18" 20" SCRC2018 \$312 \$537 \$612 \$712 \$812 \$912 \$1,412 \$1,237 1" SCRC2030 \$1,013 30" 20" \$413 \$638 \$713 \$813 \$913 \$1,338 \$1,513 1" 36" 20" SCRC2036 \$501 \$726 \$801 \$901 \$1,001 \$1,101 \$1,426 \$1,601 1" SCRC2042 42" 20" \$851 \$951 \$1,051 \$1,651 \$551 \$776 \$1,151 \$1,476 1" 60" 20" SCRC2060 \$890 \$965 \$1,065 \$1,165 \$1,765 \$665 \$1,265 \$1,590 1" 66" 20" SCRC2066 \$716 \$941 \$1,016 \$1,116 \$1,216 \$1,316 \$1,641 \$1,816 1" 72" 20" SCRC2072 \$753 \$978 \$1,053 \$1,153 \$1,253 \$1,353 \$1,678 \$1,853



- 1. Model #
- 2. Case finish
- 3. Front finish Laminate not available on J pull



#### **Application Notes**

Center Leg

• Helps to gang 2 credenza pieces together side by side


#### Ganging Kit

• When ganging 2 units together, order ganging kit, does not include center leg

#### **Floating Top Supports**

 Floating top supports may not be used on a metal top, includes top mounting bracket, screws & drill plate

# **Cabinets**



#### **FEATURES**

#### LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).

#### DOORS

•	Concealed hinges allow for	
	110° degrees opening.	

#### **LEVELING GLIDES**

• 4 Leveling glides allow for 1/4" adjustment.

#### CONSTRUCTION

#### **OUTER SHELL & DRAWER CONSTRUCTION** Welded steel frame construction & formed

channels ensure strength in key areas.

Back panel	20 – 22 Gauge
Side panels	20 – 22 Gauge
Inner channels	18 Gauge
Тор	18 Gauge
Doors	18 Gauge
	5
SHELF LOAD CAPACITY	
Shelf	140 lbs
TOP LOAD CAPACITY	
30" Wide cabinets	140 lbs
36" Wide cabinets	169 lbs
42" Wide cabinets	197 lbs
INNER DIMENSIONS	
Height	
2 High	23 ½"
3 High	35"
4 High	46 1⁄2"
5 High	61"
6 High	72 ½"
Width	
30" Wide cabinet	26 ¾"
36" Wide cabinet	32 3⁄4"
42" Wide cabinet	38 3/4"
Depth	
18" Deep	17 ¾o"
24" Deep	22 3⁄5"

#### **PULL STYLES**


B – Bar Pull



#### **SURFACE MATERIALS**

<b>CASE</b> Paint	
FRONTS	
w/Bar Pull (B)	Paint
w/J Pull <b>(J)</b>	Paint
DRAWER PULL	
Bar <b>(B)</b>	Satin nickel
( <b>1</b> ) L	Paint
LOCK	
Satin nickel	

CABINETS



# Cabinets



2 Higl					PAINT	
H	W	D	MODEL #	P1	P2	P3
28 %"	30"	18 ¼"	SCAB293018(J/B)	\$1,259	\$1,384	\$1,510
28 ¾"	36"	18 ¼"	SCAB293618(J/B)	\$1,385	\$1,523	\$1,662
28 ¾"	42"	18 ¼"	SCAB294218(J/B)	\$1,512	\$1,663	\$1,814
<b>Hig</b> 39 7%"	30"	18 ¼"	SCAB <mark>403018</mark> (J/B)	\$1,512	\$1,663	\$1,814
	36"	18 1/4"	SCAB403618(J/B)	\$1,638	\$1,801	\$1,965
	50					
39 <sup>7</sup> /8" 39 <sup>7</sup> /8"	42"	18 ¼"	SCAB404218(J/B)	\$1,764	\$1,940	\$2,116



4	ľ	11	g	1
5	1	3/2	,"	

	-					
51 ¾"	30"	18 ¼"	SCAB523018(J/B)	\$1,828	\$2,010	\$2,193
51 ¾"	36"	18 ¼"	SCAB523618(J/B)	\$1,955	\$2,150	\$2,346
51 ¾"	42"	18 ¼"	SCAB524218(J/B)	\$2,081	\$2,289	\$2,497

		_					Options	
Specify	Application Notes		н	w	D	Pull		
1. Model # 2. Case finish	Leveling glides allow     for ¼" adjustment	SCAB Cabinet	77	30	18	J J Pull B Bar Pull	DL Digital Lock	\$450
		SCAB	77	30	18	L	DL	

# Cabinets




5 Higł	h				PAINT	
н	W	D	MODEL #	P1	P2	P3
65 %"	30"	18 ¼"	SCAB <mark>663018</mark> (J/B)	\$2,081	\$2,289	\$2,497
65 %"	36"	18 ¼"	SCAB <mark>663618</mark> (J/B)	\$2,207	\$2,427	\$2,648
65 1/8"	36"	23 ½"	SCAB663624(J/B)	\$2,713	\$2,984	\$3,255
65 %"	42"	18 ¼"	SCAB <mark>664218(</mark> J/B)	\$2,334	\$2,567	\$2,800



6 High	1					
77 3⁄8"	30"	18 ¼"	SCAB773018(J/B)	\$2,396	\$2,635	\$2,875
77 3⁄8"	36"	18 ¼"	SCAB773618(J/B)	\$2,523	\$2,775	\$3,027
77 3⁄8"	36"	23 1⁄2"	SCAB773624(J/B)	\$2,839	\$3,122	\$3,406
77 3⁄8"	42"	18 ¼"	SCAB <mark>774218</mark> (J/B)	\$2,649	\$2,913	\$3,178

	1				Options
н		W	W D	W D Pull	W D Pull
77		30	30 18	30 18 J J Pull B Bar Pull	
	77			77 30 18 J	

# Lockers



#### FEATURES

#### LOCK

- Lock core is removable.
- Keyed alike available upon request.
- Master and change key available upon request. See (page 9).
- Digital lock available upon request.
- Keyless available upon request.

#### BODY

• Available in 2 depths: 18 1/4" and 23 1/2".

#### DOORS

- All lockers come standard with metal doors.
- Concealed hinges allow for 100 degree opening.

#### SHELF

- Includes one fixed shelf on top
- w/ 12" clear height above.
- Additional shelves may be ordered separately.

#### **COAT ROD**

• Includes side-to-side coat rod beneath shelf.

#### **LEVELING GLIDES**

- Glides are accessible from the inside of the locker.

#### CONSTRUCTION

#### **OUTER SHELL & DRAWER CONSTRUCTION**

Welded steel frame construction & formed channels ensure strength in key areas.

Top panel	21 Gauge
Side panels	21 Gauge
Back panel	21 Gauge
Center panel	21 Gauge
Inner top channel	18 Gauge
Inner bottom channel	18 Gauge
Inner side channels	18 Gauge
Bottom panel	16 Gauge
Door fronts	20 – 22 Gauge
Shelves	18 Gauge

#### **DRAWER INNER DIMENSIONS**

Height	
Above shelf	12"
Below coat rod – 51" High	31 7⁄10"
Below coat rod – 66" High	46 1⁄5"

Width	
All lockers	9 4⁄5"
Depth	
18 ½" Deep locker	17 %"
23 1/2" Deep locker	22 <del>%</del> "

#### **PULL STYLES**



# J – J Pull

#### **SURFACE MATERIALS**

# LOCKER

Paint


#### DRAWER PULL

Bar **(B)** J **(J)**  Satin nickel Paint


LOCK

Satin nickel

LOCKERS




# Lockers



Sinalo	— 51" High						DAINT	
TYPE	HINGE	Н	W	D	MODEL #	P1	PAINT P2	Р
1 Door	L	51 %"	12"	18"	SLKR <mark>5118</mark> L(J/B)	\$1,764	\$1,940	\$2,11
1 Door	R	51 ¾"	12"	18"	SLKR5118R(J/B)	\$1,764	\$1,940	\$2,11
1 Door	L	51 ¾"	12"	24"	SLKR5124L(J/B)	\$1,803	\$1,983	\$2,16
						:		
1 Door	R	51 ¾"	12"	24"	SLKR5124R(J/B)	\$1,803	\$1,983	\$2,16
1 Door Single – 1 Door			12"	24"	SLKR5124R(J/B) SLKR6618L(J/B)	\$1,803	\$1,983	\$2,16
Single -								
<b>Single</b> -	— <b>66" High</b> L	65 7/8"	12"	18"	SLKR <mark>6618</mark> L(J/B)	\$1,866	\$2,053	\$2,23

L	65 %"	12"	18"	SLKR2D6612L(J/B)	\$2,030	\$2,233	\$2,436
R	65 %"	12"	18"	SLKR2D6612R(J/B)	\$2,030	\$2,233	\$2,436
L	65 %"	18"	18"	SLKR2D6618L(J/B)	\$2,157	\$2,372	\$2,588
R	65 %"	18"	18"	SLKR2D6618R(J/B)	\$2,157	\$2,372	\$2,588
	L R L R	R 65 7/8" L 65 7/8"	R 65 %" 12" L 65 %" 18"	R         65 %"         12"         18"           L         65 %"         18"         18"	R         65 7%"         12"         18"         SLKR2D6612R(J/B)           L         65 7%"         18"         18"         SLKR2D6618L(J/B)	R         65 7%"         12"         18"         SLKR2D6612R(J/B)         \$2,030           L         65 7%"         18"         18"         SLKR2D6618L(J/B)         \$2,157	R         65 %"         12"         18"         SLKR2D6612R(J/B)         \$2,030         \$2,233           L         65 %"         18"         18"         SLKR2D6618L(J/B)         \$2,157         \$2,372



# Quad

<b>C</b>								
4 Door	L	65 %"	24"	18"	SLKR4D6624L(J/B)	\$3,421	\$3,763	\$4,105
4 Door	R	65 1/8"	24"	18"	SLKR4D6624R(J/B)	\$3,421	\$3,763	\$4,105



#### Cubby

4 Door	L	34 ¾"	24"	18"	SLKR4D3524L(J/B)	\$2,410	\$2,651	\$2,892
4 Door	R	34 ¾"	24"	18"	SLKR4D3524R(J/B)	\$2,410	\$2,651	\$2,892
8 Door	L	65 %"	24"	18"	SLKR8D6624L(J/B)	\$4,179	\$4,596	\$5,014
8 Door	R	65 %"	24"	18"	SLKR8D6624R(J/B)	\$4,179	\$4,596	\$5,014

# Shelves


coat rod

Juicites					
Qty 2	12"	SLKRS122	\$324	\$356	\$388
Qty 2	18"	SLKRS182	\$374	\$411	\$448
Qty 4	24"	SLKRS244	\$450	\$495	\$540

							Options	
Specify	Application Notes		н	D	Hinge	Pull		
1. Model # 2. Case finish	<ul> <li>Includes 1 fixed shelf on top with 12" clear height above</li> </ul>	SLKR Locker	51	18	L R	<b>J J Pull</b> B Bar Pull	DL Digital Lock	\$45
	<ul> <li>Leveling glides allow for <sup>7</sup>/<sub>8</sub>" adjustment</li> </ul>	SLKR	51			L	DL	
	<b>18" Deep</b> • Include (2) two- pronged coat hooks							
	<b>24" Deep</b> • Include (1) side-to-side							

Storage

# Lockers



Locke	er Com	nmon To	p – 18" Deep		LAMINATE	
H	W	D	MODEL #	L1	L2	L3
5⁄8"	24"	18"	LKRT2418	\$404	\$444	\$484
5⁄8"	36"	18"	LKRT3618	\$480	\$528	\$576
5⁄8"	42"	18"	LKRT4218	\$493	\$542	\$591
5⁄8"	48"	18"	LKRT4818	\$502	\$552	\$602
5⁄8"	54"	18"	LKRT5418	\$511	\$562	\$613
5⁄8"	60"	18"	LKRT6018	\$518	\$569	\$621
5⁄8"	72"	18"	LKRT7218	\$613	\$674	\$735
5⁄8"	84"	18"	LKRT8418	\$619	\$680	\$742
5⁄8"	90"	18"	LKRT9018	\$625	\$687	\$750
5⁄8"	96"	18"	LKRT9618	\$647	\$711	\$776
5⁄8"	108"	18"	LKRT10818	\$670	\$737	\$804

		a	
	е		

1. Model #

2. Laminate finish

		w	D
SLKR	Locker Common Top	48	18
		ł	
:	÷		
SLKR	Г	66	18

Storage

# **Bookcases**

# Step 1 – Model # Step 2 – Case Finish H W Paint SBC Bookcase 66 42 301 Champagne SBC 66 42 301 SBC 301 SBC

#### FEATURES

#### SHELVES

- 1" thick.
- Adjustable in 1/2" increments.
- 2-high bookcases will accommodate binder-height storage on both shelves.
- All other bookcases, binder-height storage is available on all but 1 shelf.

#### **LEVELING GLIDES**

• 4 Leveling glides allow for 1 5%" adjustment.

#### SAFETY:

- To ensure stability, do not install a 4, 5 or 6 high bookcase in the center of a room.
- Bookcases should be installed backto back or against a wall.

#### NOTE

- 2 high bookcases are slightly shorter than 2-high lateral files and double door storage cabinets.
- 2 high bookcases are designed to fit under a worksurface.

#### CONSTRUCTION

#### **OUTER SHELL & DRAWER CONSTRUCTION** Welded steel frame construction & formed channels ensure strength in key areas.

		- 10
Side channels	22 Gauge	Pa
Side panels	22 Gauge	
Bottom panel	18 Gauge	
Shelves	18 Gauge	

140 lbs

#### SHELF LOAD CAPACITY

All bookcases


#### INNER DIMENSIONS

Height	
2 High	25 1⁄5"
3 High	37 ¾o"
4 High	48 4⁄5"
5 High	63 ¾o"
6 High	74
Width	
30" Wide bookcase	27 7⁄10"
36" Wide bookcase	33 7⁄10"
42" Wide bookcase	39 7⁄10"
Depth	
All cabinets	13 1⁄10"

#### **SURFACE MATERIALS**

	<b>CASE</b> Paint	
ge	<b>TOP</b> Paint	
ge		
ge		
ge		

BOOKCASES



# Bookcases



				<del>.</del>		
2 High					PAINT	
H	W	D	MODEL #	P1	P2	P3
27 ¾"	30"	13 3⁄8"	SBC2830	\$1,045	\$1,149	\$1,254
27 ¾"	36"	13 3⁄8"	SBC2836	\$1,107	\$1,217	\$1,328
27 ¾"	42"	13 %"	SBC2842	\$1,234	\$1,357	\$1,480
3 High						
39 1/8"	30"	13 3⁄8"	SBC4030	\$1,133	\$1,246	\$1,359
39 1/8"	36"	13 3⁄8"	SBC4036	\$1,234	\$1,357	\$1,480
39 1/8"	42"	13 <del>∛</del> 8"	SBC4042	\$1,360	\$1,496	\$1,632
4 High						
51 3⁄8"	30"	13 3⁄8"	SBC5230	\$1,259	\$1,384	\$1,510
51 <del>3</del> ⁄8"	36"	13 ¾"	SBC5236	\$1,360	\$1,496	\$1,632
51 ⅔"	42"	13 3⁄8"	SBC5242	\$1,486	\$1,634	\$1,783

#### Specify 1. Model #

2. Case finish

#### Application Notes

- Steel frame constructionDouble wall construction
- on side panels
- Leveling glides allow for <sup>5</sup>/<sub>8</sub>" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall
- Shelf capacity 140 lbs
  2 high bookcase is slightly
- shorter than 2 door
- cabinet as it is designed to fit under a worksurface



# Bookcases



5 High				PAINT		
H	w	D	MODEL#	P1	P2	P3
65 %"	30"	13 ¾"	SBC6630	\$1,385	\$1,523	\$1,662
65 %"	36"	13 3⁄8"	SBC6636	\$1,486	\$1,634	\$1,783
65 %"	42"	13 3⁄8"	SBC6642	\$1,613	\$1,774	\$1,935
6 High						
77 %"	30"	13 3⁄8"	SBC7730	\$1,512	\$1,663	\$1,814
77 3⁄8"	36"	13 3⁄8"	SBC7736	\$1,613	\$1,774	\$1,935
77 %"	42"	13 ¾"	SBC7742	\$1,739	\$1,912	\$2,086


Spe	

1. Model #

2. Case finish

#### **Application Notes**

- Steel frame construction
- Double wall construction on side panels
- Leveling glides allow for 5%" adjustment
- Shelves adjust in ½" increments
- Bookcases should be installed with back against a wall.
- Shelf capacity 140 lbs
   2 high bookcase is slightly shorter than 2 door cabinet as it is designed to fit under a worksurface




#### **WORKPLACE ACCESSORIES**

Neutral Posture is proud to offer the complete package for commercial office furniture. Workplace accessories round out our offering and allow users to truly customize their space to be as comfortable and as ergonomic as possible.

#### **CUSTOMIZE YOUR SPACE WITH:**


Keyboard mechanisms Keyboard trays Monitor arms Footrests Tablet holders CPU holders Forearm supports Patented ergonomic products


# **WORKPLACE ACCESSORIES**



Use Seating/Workplace Accessories Discount

# **Keyboard Trays & Arms**






#### **KEYBOARD TRAYS**



\$170

List

List




#### 86 — ELEMENTAL®

- Straights, corners and natural keyboards
- Made from 100%
- recycled aluminum
- Polished surface

List

\$324



QS

#### 43 — SOFTOUCH™


Straight

Urethane over steel plate
 Includes mouse surface

\$253

176

#### EASY COMBOS



\$0

#### General

S Short Track – 18" Only available on (A) or (C) arm



#### **MONITOR ARMS**

#### **BOOST**<sup>™</sup>

- Yields 13" of vertical movement
- & 24" of extension
- Supports monitors weighing up to 20 lbs
  Effortlessly position two monitors at
- the same height on a single post
- Easily attach two arms on a single post without additional brackets
- Install three or more arms with
- an optional cross bar
- Convenient keyhole slots to effortlessly install monitor onto mounting plate

# NOTE: For multi-screen solutions, contact customerservice@neutralposture.com

Model #	Description	List
Single Arm		
KCG-110B	Black	\$500
KCG-110S	Silver	\$500
Double Arm		


Double Ann		
KCG-110DB	Black	\$988
KCG-110DS	Silver	\$988



#### FREEDOM

- Includes vesa plate aluminum
- articulating arm & desk clamp base
- Tilt: Up 90°, Down 45°
- Pan: 180°
- Rotation: 360°
- Offers 14" of dynamic one-
- touch height adjustment
- Full extension range of 23.4"

Model #	Description	List
918001	Silver	\$544



#### SIT/STAND

- Sturdy aluminum construction
- with vesa compatibility
- Width & depth adjustable fasteners
- Convenient pull handle

Model #	Description	List
KCG-SSB	Black	\$632
KCG-SSS	Silver	\$632

178

#### **Workplace Accessories**

Mounts easily under worksurface storing

CPU safely under desk & off the floor

• Adjusts to either a vertical

Adjustable width of 5.5" – 9.8"

or horizontal position

& height of 15.5" - 20"

#### ACCESSORIES



- FOREARM SUPPORTS • Alleviates shoulder, neck & body burden • Promotes good posture & ergonomic sitting • Reduces pressure on ulnar nerve
- Reduces upper body fatigue
- Lightweight & portable



Model 1	Model 2

160241 \$264	160243 \$264	w/Hooks
160242 \$ <b>264</b>	160244 \$264	w/Screws

#### ANTI-FATIGUE FLOOR MATS

- Premium comfort will not bottom out or lose bounce over time
- Commercial-grade heavy-duty polyurethane
- Matte texture provides optimum traction
- Beveled edge reduces tripping potential
- Available in black

Н	w	D	MODEL#	LIST
3⁄4"	32"	20"	EAM3220B	\$313
3⁄4"	48"	20"	EAM4820B	\$478
3⁄4"	72"	20"	EAM7220B	\$712
3⁄4"	36"	24"	EAM3624B	\$396
3⁄4"	60"	36"	EAM6036B	\$910

#### **TABLET HOLDER**

- Light weight & portable
- Dimensions: 6.76 x 5.5 x 2
- Holds tablets, phones or documents upright
- Easily adjusts for comfortable viewing angle
- Rests on desktop or flat surfaces
- Available in black only

Model #	List
TABHLDR	\$150





**CPU HOLDERS** 

**CPU HOLDER** 


**List** \$192



#### **CPU HOLDER**

- CPU retracts on a 17" track & swivels to allow full accessibility & easy storage
- Accommodates CPU weighing up to 75 lbs & measuring 64" in perimeter
- Installation is quick & easy
- Soft touch anti-slip pads prevent CPU from slipping

Model # VCPU **List** \$214



#### Sit/Stand



#### **STANDUP**<sup>®</sup>

- Retrofits between most existing keyboard trays & keyboard arms
- Mounts directly to worksurface
- without keyboard arm
  Additional 2" 11" of height adjustment
- Infinite range positioning
- \$50 discount when ordered
- with any Easy Combo

MODEL #	LIST
SUP04	\$462

#### Sit/Stand





#### STANDUP® A1


- The integral dual tray system offers a spacious keyboard & mouse platform as well as a secondary surface for other items
- Extends forward to allow the keyboard tray to rest below the desk surface
- supporting proper ergonomic positioning Over 22" of assisted positioning
- Accommodates users ranging from 5<sup>th</sup> percentile seated female to 95<sup>th</sup> percentile standing male
- Supports monitors weighing between 5-20 lbs
- Supports technology
- ranging from 5-25 lbs
- Grommet or clamp mount
- Single or dual monitor


1 MONITOR	MECH	LIST
SUPA1B	Black	\$1,096
SUPA1S	Silver	\$1,096

2 MONITORS	MECH	LIST
SUPA2B	Black	\$1,305
SUPA2S	Silver	\$1,305












**GROMMET MOUNT** 







#### **GRADED-IN AND COM UPHOLSTERY**

Neutral Posture's furniture is manufactured to the highest standards. Our artisans are skilled in creating consistent finishes across all products and materials. However, the unique nature of upholstery and the other materials that are used in production means that no two pieces of furniture will be exactly alike. Fabrics will upholster differently based on composition and construction. Neutral Posture makes every effort to ensure that each item is produced to our exacting standards, but cannot be held responsible for slight variations in upholstery, color and general appearance.

Similarly, the images in our publications are as accurate as your monitor is calibrated. Customers are reminded that colors and finishes may vary according to the unique nature of each item of furniture.

Neutral Posture will not be responsible for variances in the acoustical performance of a panel due to the fact that certain fabrics perform differently from others. Additionally, Neutral Posture cannot guarantee that the graded-in fabrics will be Indoor Air Quality and/ or BIFMA Level compliant. Please see the fabric manufacturer's website for these details and cleaning instructions specific to selected fabric.

For specific color matching requirements please contact Customer Servicet.

Please note: The finish codes used by Neutral Posture are used as a guide to the appearance of the furniture and should not be used to determine the specific materials used in the construction of an item of furniture.

The Neutral Posture Upholstery Department is pleased to offer a Graded-in program and also accepts COM for most products. For certain items or in cases of unusual or difficult fabric patterns additional material may be required. Any unusual or special cutting requirements must be requested in writing and a full-width fabric repeat sent to the Customer Service in order for a quotation to be provided. The customer is responsible for shipping COM to Customer Service.

Carnegie

Verse

CARNEGIE			C.F. STINSO
Manufacturer	Pattern	Grade	Manufacture
Carnegie	Abacus Embroider	Н	C. F. Stinson
Carnegie	Arrow X	G	C. F. Stinson
Carnegie	Bardot	F	C. F. Stinson
Carnegie	Buff	E	C. F. Stinson
Carnegie	Cane Embroider X	Call	C. F. Stinson
Carnegie	Channel	E	C. F. Stinson
Carnegie	Chelsea	E	C. F. Stinson
Carnegie	Cirque Couture	Call	C. F. Stinson
Carnegie	Covet	D	C. F. Stinson
Carnegie	Crossing	F	C. F. Stinson
Carnegie	Dazzle	н	C. F. Stinson
Carnegie	Departure	E	C. F. Stinson
Carnegie	Edge	F	C. F. Stinson
Carnegie	Elite	C	C. F. Stinson
Carnegie	Groove	E	C. F. Stinson
Carnegie	Hashtag	E	C. F. Stinson
Carnegie	Haze X	G	C. F. Stinson
Carnegie	Hepburn	F	C. F. Stinson
Carnegie	Hide	E	C. F. Stinson
Carnegie	Impress	E	C. F. Stinson
Carnegie	Index	D	C. F. Stinson
Carnegie	Keystone	E	C. F. Stinson
Carnegie	Kid	E	C. F. Stinson
Carnegie	Merge	F	C. F. Stinson
Carnegie	Monocle Embroider	I	C. F. Stinson
Carnegie	Ola	Call	C. F. Stinson
Carnegie	Reverie	E	C. F. Stinson
Carnegie	Rise	C	C. F. Stinson
Carnegie	Roxy	E	C. F. Stinson
Carnegie	Tangle	F	C. F. Stinson
Carnegie	Theory	E	
Carnegie	Touch	C	
Carnegie	Trace X	G	
Carnegie	Twine	F	
-			

D

Grade

D

C

C

D

C

C

Ε

C

D

D

C

Ε

C

C

C

Е

C

D

C

C

D

B

D

C

D

C

C

Ε

D

C

Pattern

Aperture

Axis Too!

Backdrop

Binary

Code

Dapple

Del Mar

Focus

Galaxy

Genesis

Imprint

Intermix

Luther II

Mason

Mira

Nikko

Prime

Ringer

Surf

Tally

Tussah

Venture

Repetition

Sight Line Spree

Linea

Lulu

Aerie

Array

Ally

DESIGNTEX		
Manufacturer	Pattern	Grade
Designtex	Appleseed	F
Designtex	Arne	E
Designtex	Birdseye	D
Designtex	Brushed Flannel	E
Designtex	Cloud Velvet	E
Designtex	Crossweave	E
Designtex	Ellipsis	D
Designtex	Everywhere Texture	E
Designtex	Gamut	D
Designtex	Gridley	E
Designtex	"Hem Stitch	п
Designtex	Melange	E
Designtex	Minnie	D
Designtex	Otto	F
Designtex	"Reppweave	"
Designtex	Rocket	E
Designtex	Singing In The Rain	E
Designtex	Ulster	c
Designtex	Wend	E
Designtex	Woolish	E

GUILFORD OF MAINE		
Manufacturer	Pattern	Grade
<b>Guilford of Maine</b>		В
<b>Guilford of Maine</b>	Anchorage	В
<b>Guilford of Maine</b>	Auster	В
<b>Guilford of Maine</b>	Axiom	В
<b>Guilford of Maine</b>	Bailey	В
<b>Guilford of Maine</b>	Beacon (54" bolt)	В
<b>Guilford of Maine</b>	BeeHave (54" bolt)	В
<b>Guilford of Maine</b>	Birdseye	В
<b>Guilford of Maine</b>	Block Party	C
<b>Guilford of Maine</b>	Broadcast	В
<b>Guilford of Maine</b>	Cape Cod	В
<b>Guilford of Maine</b>	Chase	В
<b>Guilford of Maine</b>	Couture (54" bolt)	В
<b>Guilford of Maine</b>	Crossings	В
<b>Guilford of Maine</b>	Crosstown	В
<b>Guilford of Maine</b>	Dashing	В
<b>Guilford of Maine</b>	Drift	C
<b>Guilford of Maine</b>	Essence	В
Guilford of Maine	Felt (64" bolt)	C
<b>Guilford of Maine</b>	FR701 <sup>®</sup>	C
<b>Guilford of Maine</b>	FR702 <sup>®</sup>	C
<b>Guilford of Maine</b>	Framework	В
<b>Guilford of Maine</b>	Galaxy	C
<b>Guilford of Maine</b>	Groove	C
<b>Guilford of Maine</b>	Hatchet	В
<b>Guilford of Maine</b>	Highbeams (54" bolt)	В
<b>Guilford of Maine</b>	Intermix	В
<b>Guilford of Maine</b>	Intuition (54" bolt)	C
<b>Guilford of Maine</b>	Jane (54" bolt)	В
<b>Guilford of Maine</b>	Lido	В
<b>Guilford of Maine</b>	Meander	В
<b>Guilford of Maine</b>	Metallation	В
<b>Guilford of Maine</b>	Metro	В
<b>Guilford of Maine</b>	Mingle	В
<b>Guilford of Maine</b>	Network	C
<b>Guilford of Maine</b>	Open House (54" bolt)	Α
<b>Guilford of Maine</b>	Otto	В
<b>Guilford of Maine</b>	Palette (54" bolt)	C
<b>Guilford of Maine</b>	Paradise	В
<b>Guilford of Maine</b>	Parameter	В
<b>Guilford of Maine</b>	Phone Tag	C
<b>Guilford of Maine</b>	Pursuit	В
<b>Guilford of Maine</b>	Quadrille (54" bolt)	В
Guilford of Maine		c
Guilford of Maine	Reeds	В
Guilford of Maine	Sand	c
<b>Guilford of Maine</b>	Spinel	В
Guilford of Maine		В
Guilford of Maine	-	В
Guilford of Maine	Strata	В
Guilford of Maine	Streetwise	C
Guilford of Maine		Ċ
	Synopsis (54" bolt)	В
Guilford of Maine		Č
Guilford of Maine	Theory	В
Guilford of Maine	•	B
Guilford of Maine		B
	Vertical Surface Blends	C
	Vertical Surface Solids	ć
Sector of munit	Juliace Julia	

Manufacturer	Pattern	Grade
<b>Guilford of Maine</b>	Vortex	В
<b>Guilford of Maine</b>	Whisper	В

LUNA		
Manufacturer	Pattern	Grade
Luna	Affinity	G
Luna	Aspect	G
Luna	Facet	G
Luna	ldyll	E
Luna	Incandescent	E
Luna	Intersect	E
Luna	Luminescente	E
Luna	Radar	E
Luna	Signal	E
Luna	Stitch	E
Luna	Transmission	E
Luna	Twiggy	н
Luna	Twist	E

Manufacturer	Pattern	Grade
Maharam	Crisp	E
Maharam	Field	E
Maharam	Flock	E
Maharam	Glance	E
Maharam	Glint	E
Maharam	Hum	E
Maharam	Morse	E
Maharam	Parallel	E
Maharam	Reply	E
Maharam	Sharkskin 2	F
Maharam	Sketch	E
Maharam	Spiral	E
Maharam	Unit	E

MAYER		
Manufacturer	Pattern	Grade
Mayer	Basic	Α
Mayer	Blueprint	В
Mayer	Cipher	В
Mayer	Code	Α
Mayer	Сора	В
Mayer	Cross Check (54" Bolt)	В
Mayer	Echo (54" Bolt)	4
Mayer	Equal	В
Mayer	Flair	C
Mayer	Forte (54" Bolt)	Α
Mayer	Fresco	В
Mayer	Graph	В
Mayer	Grasscloth	В
Mayer	Gridline	С
Mayer	Interlude	В
Mayer	Luminary	В
Mayer	Melange	С
Mayer	Multi-Crepe	В
Mayer	Nexus	В
Mayer	Paragon	C
Mayer	Pebble Beach	В
Mayer	Quattro (54" Bolt)	В
Mayer	Reverb (54" Bolt)	В
Mayer	Space Odyssey	C
Mayer	Spectre	C
Mayer	Strata	В
Mayer	Whirlwind	В
Mayer	Zest	В

MOMENTUM		
Manufacturer	Pattern	Grade
Momentum	Cameo	D
Momentum	Curtain Call	D
Momentum	Edict	D
Momentum	Encore	D
Momentum	Glint	В
Momentum	Infinity C-Zero	C
Momentum	Kinect	В
Momentum	Marathon C-Zero	C
Momentum	Meander	В
Momentum	Millennium C-Zero	C
Momentum	Odyssey C-Zero	C
Momentum	Pact	В
Momentum	Proverb	В
Momentum	Script	В
Momentum	Tenor	D
Momentum	Tradition C-Zero	c
Momentum	Universe	В

#### **LEGACY TABLE OF CONTENTS**

LEGACY FINISHES 188
Laminate
Edge Band
Paint
Plexiglass
Fabric
GEN 1 & 2 PANELS
Fabric Panels
Fabric Panels
Insert Panels
Insert Panels
Wall Starter & Wall Mount Chanel
POST ASSEMBLIES
Straight
Straight
Straight         195           Corner (90°)         195           End         195           3-way (T)         196
Straight         195           Corner (90°)         195           End         195           3-way (T)         196           3-way (Y)         196
Straight       195         Corner (90°)       195         End       195         3-way (T)       196         3-way (Y)       196         4-way (X)       196
Straight       195         Corner (90°)       195         End       195         3-way (T)       196         3-way (Y)       196         4-way (X)       196         Dual Height Posts       197
Straight       195         Corner (90°)       195         End       195         3-way (T)       196         3-way (Y)       196         4-way (X)       196         Dual Height Posts       197         Triple Height Posts       198
Straight       195         Corner (90°)       195         End       195         3-way (T)       196         3-way (Y)       196         4-way (X)       196         Dual Height Posts       197         Triple Height Posts       198         Single Height Posts       199
Straight       195         Corner (90°)       195         End       195         3-way (T)       196         3-way (Y)       196         4-way (X)       196         Dual Height Posts       197         Triple Height Posts       198

GEN 3	202
Fabric Panels	202
Insert Panels	203
POST ASSEMBLIES	204
Straight	204
2-way (L)	
2-way (120).	204
3-way (T)	204
3-way (120).	204
4-way (X)	204
Single Height	
Dual Height	205
Triple Height	205
End Kits	206
Wall Starter/Wall Mounted Channel	207
PANEL ACCESSORIES	208
Vertical Wire Manager	
Metal Ceiling Module	
Coat Hook	
Carpet Gripper	
COUNTER CAPS	210
Straights	
Corners	

FREESTANDING	212
Flat Brackets	212
Column Base	212
Tackable Privacy	213
WALL MOUNTING	214
Wall Mounting Suggestions	215
KEY LOCK PROGRAM	216
General Information	216
How to Specify Key Alike	216
Key-alike ordered prior to 6/12/00.	217

Legacy finishes are only available for existing customers to match existing installs

LAMINATES	
L1	
Bright White	118
Caramel Maple	MC
Clear Maple	CM
Deep Mahogany	MP58
Jet Black	111
Medium Cherry	124
Pearwood	PA
Pumice (was LF)	119
Warm Cherry	WM
White Essence	ES7
Winter Grey Matrix	MR6

#### **EDGE BANDS**

Bright White	118
Caramel Maple	MC
Clear Maple	CM
Jet Black	111
Medium Cherry	124
Pumice (was LF)	119

NOTE: If your laminate is not listed please contact Customer Service at customerservice@neutralposture.com or 979.778.0502 ext. 301 to check availability.

NOTE: Laminates and other finishes may vary in color due to different dye lots. Slight variations are normal.

#### **Legacy Finishes**

#### **PAINTS & PLASTICS**

#### **P1**

Jet Black	111
Brown	112
Dark Grey (was Y3)	113
Folkstone Grey (was LA)	114
Med. Grey (was Y2)	115
Sandstone	116
Soft Grey (was E)	117
Dark Neutral	D
Taupe	R
P2	
Beige Mist Metallic	611
Medium Metallic Grey	612
Beige Metallic	н
Light Tan Metallic	W
P3	
Pright White	110

Bright White	118
Silver	613

### NOTE: EP1 and EP2 panels and components are not available in the following:

	5
Bright White	118
Brown	112
Jet Black	111

#### PLEXIGLASS

Clear	CL
lce	IC
Smoked	SM
Translucent	TR

#### FABRICS

KnollTextiles	W1360
KnollTextiles	W1146
KnollTextiles	W305
KnollTextiles	W692
KnollTextiles	W1293
KnollTextiles	W884
KnollTextiles	W693
KnollTextiles	W432
KnollTextiles	W1215
KnollTextiles	W535
KnollTextiles	W1007
KnollTextiles	W539
KnollTextiles	W465
KnollTextiles	W1020
	KnollTextiles KnollTextiles KnollTextiles KnollTextiles KnollTextiles KnollTextiles KnollTextiles KnollTextiles KnollTextiles KnollTextiles KnollTextiles

NOTE: All 72 privacy screens require that the textile is railroaded (turned 90 degrees) for application. This must be considered when applying a patterned textile.

# Generation 1 Fabric Panel 28" thru 48" High

									••••••••••••••••••••	••••••
28" H									PAIN	п
W	MODEL #	A	В	c	D	E	F	G	P2	P3
12"	EP1FA1228R	\$790	\$852	\$872	\$891	\$907	\$923	\$946	N/A	+ \$60
18"	EP1FA1828R	\$822	\$887	\$904	\$926	\$940	\$962	\$984	N/A	+ \$60
24"	EP1FA2428R	\$851	\$921	\$937	\$963	\$979	\$995	\$1,025	N/A	+ \$60
30"	EP1FA3028R	\$876	\$942	\$963	\$988	\$1,008	\$1,026	\$1,052	N/A	+ \$60
36"	EP1FA3628R	\$916	\$987	\$1,007	\$1,032	\$1,053	\$1,069	\$1,098	N/A	+ \$60
42"	EP1FA4228R	\$956	\$1,029	\$1,052	\$1,079	\$1,100	\$1,116	\$1,143	N/A	+ \$60
48"	EP1FA4828R	\$990	\$1,071	\$1,088	\$1,119	\$1,139	\$1,160	\$1,190	N/A	+ \$60
60"	EP1FA6028R	\$1,055	\$1,136	\$1,159	\$1,193	\$1,212	\$1,230	\$1,264	N/A	+ \$60

#### 40" H

12"	EP1FA1240R	\$830	\$894	\$912	\$937	\$952	\$970	\$991	N/A	+ \$60
18"	EP1FA1840R	\$869	\$937	\$956	\$979	\$995	\$1,014	\$1,038	N/A	+ \$60
24"	EP1FA2440R	\$907	\$979	\$999	\$1,027	\$1,044	\$1,064	\$1,088	N/A	+ \$60
30"	EP1FA3040R	\$936	\$1,011	\$1,028	\$1,058	\$1,076	\$1,095	\$1,121	N/A	+ \$60
36"	EP1FA3640R	\$966	\$1,044	\$1,064	\$1,091	\$1,113	\$1,130	\$1,160	N/A	+ \$60
42"	EP1FA4240R	\$1,077	\$1,161	\$1,185	\$1,216	\$1,240	\$1,259	\$1,295	N/A	+ \$60
48"	EP1FA4840R	\$1,112	\$1,201	\$1,219	\$1,254	\$1,275	\$1,299	\$1,329	N/A	+ \$60
60"	EP1FA6040R	\$1,248	\$1,348	\$1,371	\$1,410	\$1,435	\$1,458	\$1,499	N/A	+ \$60

#### 48" H

	•									
12"	EP1FA1248R	\$852	\$922	\$938	\$964	\$980	\$999	\$1,026	N/A	+ \$60
18"	EP1FA1848R	\$895	\$967	\$984	\$1,012	\$1,029	\$1,052	\$1,076	N/A	+ \$60
24"	EP1FA2448R	\$980	\$1,061	\$1,080	\$1,100	\$1,129	\$1,150	\$1,174	N/A	+ \$60
30"	EP1FA3048R	\$1,009	\$1,088	\$1,112	\$1,139	\$1,160	\$1,180	\$1,212	N/A	+ \$60
36"	EP1FA3648R	\$1,024	\$1,105	\$1,122	\$1,154	\$1,171	\$1,194	\$1,224	N/A	+ \$60
42"	EP1FA4248R	\$1,136	\$1,226	\$1,252	\$1,283	\$1,307	\$1,329	\$1,364	N/A	+ \$60
48"	EP1FA4848R	\$1,212	\$1,307	\$1,329	\$1,367	\$1,393	\$1,415	\$1,453	N/A	+ \$60
60"	EP1FA6048R	\$1,378	\$1,491	\$1,516	\$1,555	\$1,583	\$1,612	\$1,654	N/A	+ \$60

Order Co	ode	Specification Information		Application Notes	
e.g.	EP1FA3648R, W3513, 117	Specify fabric and trim color. Post assemblies or	Electrical components must be ordered separately.	Panel is fabric covered. If two different fabrics are	
EP1FA	Fabric panel	be ordered separately.	NOTE: P2 trim colors are not available on EP1 panels	used on one panel, price will reflect cost of the more	
36	Width		and panel components.	expensive panel fabric.	
48	Height	be installed on 12" W panels. Side mount receptacles available		NOTE: EP1 & EP2 Panels and components are available	
R	Raceway	in 24" W panels and wider		in legacy colors only.	
W351-3	Foundation, Corn Silk	while using "E" series power.			
117	Soft Grey trim				

Pricing is for P1 paint trim colors. Add the appropriate upcharge if using P2 or P3 trim.

# Generation 1 fabric panel 53" thru 80" High

•••••••

ſ		
	00	

53" H										••••••
		٨	D	(	D			_	PAIN	
W	MODEL #	A	В	C	D	E	F	G	P2	P3
12"	EP1FA1253R	\$874	\$939	\$961	\$983	\$1,001	\$1,019	\$1,048	N/A	+ \$60
18"	EP1FA1853R	\$918	\$988	\$1,008	\$1,033	\$1,055	\$1,071	\$1,100	N/A	+ \$60
24"	EP1FA2453R	\$967	\$1,048	\$1,067	\$1,095	\$1,114	\$1,131	\$1,161	N/A	+ \$60
30"	EP1FA3053R	\$991	\$1,073	\$1,091	\$1,122	\$1,141	\$1,161	\$1,193	N/A	+ \$60
36"	EP1FA3653R	\$1,141	\$1,233	\$1,258	\$1,295	\$1,314	\$1,339	\$1,371	N/A	+ \$60
42"	EP1FA4253R	\$1,194	\$1,290	\$1,314	\$1,349	\$1,371	\$1,398	\$1,433	N/A	+ \$60
48"	EP1FA4853R	\$1,261	\$1,363	\$1,388	\$1,427	\$1,451	\$1,475	\$1,514	N/A	+ \$60
60"	EP1FA6053R	\$1,433	\$1,548	\$1,575	\$1,618	\$1,647	\$1,677	\$1,719	N/A	+ \$60
60" H										
12"	EP1FA1260R	\$894	\$966	\$983	\$1,011	\$1,028	\$1,048	\$1,073	N/A	+ \$60
18"	EP1FA1860R	\$946	\$1,025	\$1,042	\$1,069	\$1,085	\$1,108	\$1,136	N/A	+ \$60
24"	EP1FA2460R	\$966	\$1,044	\$1,064	\$1,091	\$1,113	\$1,130	\$1,160	N/A	+ \$60
30"	EP1FA3060R	\$1,068	\$1,154	\$1,171	\$1,210	\$1,226	\$1,251	\$1,277	N/A	+ \$60
36"	EP1FA3660R	\$1,166	\$1,259	\$1,281	\$1,317	\$1,343	\$1,364	\$1,401	N/A	+ \$60
42"	EP1FA4260R	\$1,271	\$1,371	\$1,401	\$1,436	\$1,460	\$1,486	\$1,525	N/A	+ \$60
48"	EP1FA4860R	\$1,372	\$1,485	\$1,510	\$1,551	\$1,579	\$1,605	\$1,652	N/A	+ \$60
60"	EP1FA6060R	\$1,578	\$1,705	\$1,736	\$1,783	\$1,814	\$1,846	\$1,894	N/A	+ \$60
65" H										
12"	EP1FA1265R	\$940	\$1,019	\$1,035	\$1,067	\$1,083	\$1,106	\$1,130	N/A	+ \$60
18"	EP1FA1865R	\$964	\$1,041	\$1,063	\$1,088	\$1,112	\$1,126	\$1,157	N/A	+ \$60
24"	EP1FA2465R	\$1,080	\$1,168	\$1,190	\$1,219	\$1,245	\$1,264	\$1,298	N/A	+ \$60
30"	EP1FA3065R	\$1,143	\$1,236	\$1,259	\$1,297	\$1,317	\$1,340	\$1,372	N/A	+ \$60
36"	EP1FA3665R	\$1,216	\$1,314	\$1,340	\$1,373	\$1,401	\$1,423	\$1,458	N/A	+ \$60
42"	EP1FA4265R	\$1,325	\$1,435	\$1,458	\$1,500	\$1,526	\$1,551	\$1,595	N/A	+ \$60
48"	EP1FA4865R	\$1,436	\$1,550	\$1,579	\$1,621	\$1,653	\$1,681	\$1,724	N/A	+ \$60
60"	EP1FA6065R	\$1,659	\$1,790	\$1,826	\$1,876	\$1,906	\$1,941	\$1,992	N/A	+ \$60
30" H										
12"	EP1FA1280R	\$960	\$1,032	\$1,053	\$1,080	\$1,101	\$1,119	\$1,150	N/A	+ \$60
18"	EP1FA1880R	\$1,019	\$1,101	\$1,121	\$1,153	\$1,170	\$1,193	\$1,221	N/A	+ \$60
24"	EP1FA2480R	\$1,085	\$1,172	\$1,197	\$1,229	\$1,252	\$1,273	\$1,304	N/A	+ \$60
30"	EP1FA3080R	\$1,219	\$1,317	\$1,346	\$1,380	\$1,404	\$1,428	\$1,463	N/A	+ \$60
36"	EP1FA3680R	\$1,362	\$1,467	\$1,497	\$1,540	\$1,566	\$1,592	\$1,632	N/A	+ \$60
42"	EP1FA4280R	\$1,499	\$1,618	\$1,647	\$1,692	\$1,724	\$1,752	\$1,797	N/A	+ \$60
48"	EP1FA4880R	\$1,632	\$1,763	\$1,793	\$1,845	\$1,877	\$1,909	\$1,957	N/A	+ \$60
60"	EP1FA6080R	\$1,904	\$2,054	\$2,094	\$2,151	\$2,190	\$2,226	\$2,285	N/A	+ \$60
rdar Cada		Specification	Information					Application	Notor	
order Code		specification	mormation					мррисаціоп	NOLES	

Order Co	de	Spe
e.g.	EP1FA2460R, W3513, 117	Spe Po:
EP1FA	Fabric panel	coi be
24	Width	NO
60	Height	be i
W351-3	Foundation,Corn Silk	Side in 2 whi
117	Soft Grey trim	

Specification Information
Specify fabric and trim color.

ost assemblies or nnection elements must ordered separately.

)TE: Power duplexes cannot installed on 12" W panels. le mount receptacles available 24" W panels and wider nile using "E" series power.

Electrical components must be ordered separately.

NOTE: P2 trim colors are not available on EP1 panels and panel components.

Panel is fabric covered. If two different fabrics are used on one panel, price will reflect cost of the more expensive panel fabric.

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Legacy

#### **Generation 2 Insert Panel**

(compatible with generation 1 panel components only)



MODEL# EP2()1228R EP2()1828R EP2()2428R EP2()3028R EP2()3628R EP2()4228R EP2()4828R EP2()4828R EP2()4828R EP2()4828R EP2()4828R EP2()4828R EP2()4828R EP2()4828R EP2()3600R EP2()2440R EP2()3640R	OPEN FRAME (OF) \$841 \$858 \$875 \$894 \$916 \$939 \$962 \$1,007 \$1,007 \$888 \$906 \$921 \$940	PLEXIGLASS (PG)* \$1,212 \$1,277 \$1,353 \$1,418 \$1,532 \$1,560 \$1,700 \$1,700 \$1,241 \$1,316 \$1,324 \$1,324 \$1,324 \$1,324 \$1,324 \$1,324 \$1,324 \$1,324 \$1,324 \$1,324 \$1,324 \$1,324 \$1,324 \$1,324 \$1,325 \$1,325 \$1,245 \$1,325 \$1,325 \$1,245 \$1,245 \$1,325 \$1,245 \$1,245 \$1,325 \$1,245 \$1,245 \$1,325 \$1,245 \$1,245 \$1,325 \$1,245 \$1,245 \$1,325 \$1,325 \$1,245 \$1,326 \$1,326 \$1,326 \$1,245 \$1,326 \$1,326 \$1,326 \$1,326 \$1,326 \$1,245 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,336 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$1,366 \$ ,166 \$	P2 N/A N/A N/A N/A N/A N/A N/A N/A	F + \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60
EP2()1828R EP2()2428R EP2()3028R EP2()3628R EP2()4228R EP2()4828R EP2()4828R EP2()6028R EP2()6028R EP2()1240R EP2()1840R EP2()2440R EP2()3040R	\$858 \$875 \$894 \$916 \$939 \$962 \$1,007 \$888 \$906 \$906 \$921	\$1,212 \$1,277 \$1,353 \$1,418 \$1,532 \$1,560 \$1,700 \$1,700 \$1,241 \$1,316	N/A N/A N/A N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60
EP2()2428R EP2()3028R EP2()3628R EP2()4228R EP2()4828R EP2()6028R EP2()6028R EP2()1240R EP2()1840R EP2()2440R EP2()3040R	\$875 \$894 \$916 \$939 \$962 \$1,007 \$888 \$906 \$921	\$1,277 \$1,353 \$1,418 \$1,532 \$1,560 \$1,700 \$1,700 \$1,241 \$1,316	N/A N/A N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60 + \$60 + \$60 + \$60
EP2()3028R EP2()3628R EP2()4228R EP2()4828R EP2()6028R EP2()6028R EP2()1240R EP2()1840R EP2()2440R EP2()3040R	\$894 \$916 \$939 \$962 \$1,007 \$888 \$906 \$921	\$1,353 \$1,418 \$1,532 \$1,560 \$1,700 \$1,241 \$1,316	N/A N/A N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60 + \$60 + \$60
EP2()3628R EP2()4228R EP2()4828R EP2()6028R EP2()6028R EP2()1240R EP2()1840R EP2()2440R EP2()3040R	\$916 \$939 \$962 \$1,007 \$888 \$906 \$921	\$1,418 \$1,532 \$1,560 \$1,700 \$1,241 \$1,316	N/A N/A N/A N/A	+ \$60 + \$60 + \$60 + \$60 + \$60 + \$60
EP2()4228R EP2()4828R EP2()6028R EP2()1240R EP2()1840R EP2()2440R EP2()2440R	\$939 \$962 \$1,007 \$888 \$906 \$921	\$1,532 \$1,560 \$1,700 \$1,241 \$1,316	N/A N/A N/A	+ \$6( + \$6( + \$6( + \$6(
EP2()4828R EP2()6028R EP2()1240R EP2()1840R EP2()2440R EP2()3040R	\$962 \$1,007 \$888 \$906 \$921	\$1,560 \$1,700 \$1,241 \$1,316	N/A N/A N/A	+ \$60 + \$60 + \$60
EP2()6028R EP2()1240R EP2()1840R EP2()2440R EP2()3040R	\$1,007 \$888 \$906 \$921	\$1,700 \$1,241 \$1,316	N/A N/A	+ \$60 + \$60
EP2()1240R EP2()1840R EP2()2440R EP2()3040R	\$888 \$906 \$921	\$1,241 \$1,316	N/A	+ \$60
EP2( )1840R EP2( )2440R EP2( )3040R	\$906 \$921	\$1,316		
EP2( )1840R EP2( )2440R EP2( )3040R	\$906 \$921	\$1,316		
EP2( )2440R EP2( )3040R	\$921		N/A	
EP2()3040R		\$1 202		+ \$60
	\$040	\$1,393	N/A	+ \$60
EP2( )3640R	<i>₽7</i> <b>4</b> 0	\$1,533	N/A	+ \$60
	\$962	\$1,726	N/A	+ \$60
EP2( )4240R	\$987	\$1,763	N/A	+ \$60
EP2( )4840R	\$1,009	\$1,788	N/A	+ \$60
EP2( )6040R	\$1,055	\$1,970	N/A	+ \$60
EP2()1248R	\$906	\$1,276	N/A	+ \$6
				+ \$60
				+ \$60
				+ \$60
				+ \$60
		÷		+ \$60
				+ \$60
				+ \$60
EP2()1253R	\$937	\$1,317	N/A	+ \$60
EP2( )1853R	\$956	\$1,445	N/A	+ \$60
EP2( )2453R	\$966	\$1,544	N/A	+ \$60
EP2()3053R	\$990	\$1,681	N/A	+ \$60
EP2()3653R	\$1,009	\$1,791	N/A	+ \$60
EP2()4253R	\$1,034	\$1,990	N/A	+ \$60
EP2()4853R	\$1,058		N/A	+ \$60
EP2()6053R	\$1,105	\$2,239		
	EP2()1248R EP2()1848R EP2()2448R EP2()3048R EP2()3648R EP2()4248R EP2()4248R EP2()4848R EP2()4848R EP2()6048R EP2()1253R EP2()1253R EP2()1253R EP2()3053R EP2()3653R EP2()4253R	EP2()1248R       \$906         EP2()1848R       \$924         EP2()2448R       \$938         EP2()3048R       \$962         EP2()3048R       \$979         EP2()4248R       \$1,007         EP2()4248R       \$1,028         EP2()4248R       \$1,071         EP2()4248R       \$1,071         EP2()453R       \$937         EP2()1253R       \$937         EP2()2453R       \$966         EP2()3053R       \$990         EP2()3653R       \$1,009         EP2()4253R       \$1,034	EP2()1248R       \$906       \$1,276         EP2()1848R       \$924       \$1,406         EP2()2448R       \$938       \$1,507         EP2()3048R       \$962       \$1,640         EP2()3648R       \$979       \$1,668         EP2()4248R       \$1,007       \$1,838         EP2()4248R       \$1,007       \$1,838         EP2()4248R       \$1,028       \$2,176         EP2()4848R       \$1,028       \$2,176         EP2()6048R       \$1,071       \$2,199         EP2()1253R       \$937       \$1,317         EP2()1253R       \$956       \$1,445         EP2()2453R       \$966       \$1,544         EP2()3053R       \$990       \$1,681         EP2()3653R       \$1,009       \$1,791         EP2()4253R       \$1,034       \$1,900	EP2()1248R       \$906       \$1,276       N/A         EP2()1848R       \$924       \$1,406       N/A         EP2()2448R       \$938       \$1,507       N/A         EP2()3048R       \$962       \$1,640       N/A         EP2()3648R       \$979       \$1,668       N/A         EP2()4248R       \$1,007       \$1,838       N/A         EP2()4248R       \$1,007       \$1,838       N/A         EP2()4848R       \$1,028       \$2,176       N/A         EP2()6048R       \$1,071       \$2,199       N/A         EP2()1253R       \$937       \$1,317       N/A         EP2()1253R       \$956       \$1,445       N/A         EP2()2453R       \$966       \$1,544       N/A         EP2()3053R       \$990       \$1,681       N/A         EP2()3653R       \$1,009       \$1,791       N/A         EP2()4253R       \$1,009       \$1,791       N/A

······

in legacy colors only.

613

Silver trim

# Generation 2 Insert Panel (compatible with generation 1 panel components only)

Í	/	1
,	0	

60" H				PAINT	
w	MODEL #	OPEN FRAME (OF)	PLEXIGLASS (PG)*	P2	: P3
12"	EP2( )1260R	\$946	\$1,363	N/A	+ \$60
18"	EP2( )1860R	\$964	\$1,510	N/A	+ \$60
24"	EP2( )2460R	\$978	\$1,664	N/A	+ \$60
30"	EP2( )3060R	\$999	\$1,832	N/A	+ \$60
36"	EP2( )3660R	\$1,019	\$1,857	N/A	+ \$60
42"	EP2( )4260R	\$1,048	\$2,027	N/A	+ \$60
48"	EP2( )4860R	\$1,067	\$2,192	N/A	+ \$60
60"	EP2( )6060R	\$1,112	\$2,458	N/A	+ \$60
<b>65" H</b>	EP2()1265R	\$962	\$1,380	N/A	+ \$60
12" 18"	EP2()1265R EP2()1865R	\$962	\$1,380 \$1,530	N/A N/A	+ \$60 + \$60
24"	EP2()2465R	\$991	\$1,705	N/A	+ \$60
30"	EP2()3065R	\$1,012	\$1,853	N/A	+ \$60
36"	EP2( )3665R	\$1,034	\$1,877	N/A	+ \$60
42"	EP2( )4265R	\$1,061	\$2,046	N/A	+ \$60
48"	EP2( )4865R	\$1,080	\$2,506	N/A	+ \$60
60"	EP2( )6065R	\$1,122	\$2,554	N/A	+ \$60
80" H					
1.2.1	ED2()1200D	¢1.027	¢1 574	N1 / A	. 600

ον π					
12"	EP2( )1280R	\$1,027	\$1,574	N/A	+ \$60
18"	EP2( )1880R	\$1,048	\$1,745	N/A	+ \$60
24"	EP2( )2480R	\$1,058	\$1,903	N/A	+ \$60
30"	EP2( )3080R	\$1,079	\$2,203	N/A	+ \$60
36"	EP2( )3680R	\$1,101	\$2,394	N/A	+ \$60
42"	EP2( )4280R	\$1,122	\$2,762	N/A	+ \$60
48"	EP2( )4880R	\$1,145	\$2,787	N/A	+ \$60
60"	EP2( )6080R	\$1,193	\$3,169	N/A	+ \$60

\* All Colors

Order Co	ode	Specification Information	Specification Information		
e.g.	EP2PG2460R, 613	2PG2460R, 613 Specify insert type, insert NOTE: P2 trim colors are color and trim color. Not available on EP2 panels		Generation 2 insert panels incorporate the generation	
EP2PG	Plexiglass Top caps and base raceway Insert Panel covers are included with		or panel components.	3 mitered panel frame with generation 1 top	
24	Width	panels. Posts and panel		caps and base raceway covers and will only work	
60	Height	eight connectors must be ordered separately.		with generation 1 panels and panel components.	
R	Raceway				
613	Silver trim	-		NOTE: EP1 & EP2 Panels and components are available in legacy colors only.	

# 

#### **Panel Wall Starter**

W	D	H*	ACTUAL HEIGHT	MODEL #	P1	P2	P3
11⁄2"	1⁄2"	28"	23"	EP1PWS28	\$53	N/A	\$58
11⁄2"	1⁄2"	40"	35"	EP1PWS40	\$53	N/A	\$58
11⁄2"	1⁄2"	48"	43"	EP1PWS48	\$58	N/A	\$62
11⁄2"	1⁄2"	53"	48"	EP1PWS53	\$60	N/A	\$67
11⁄2"	1⁄2"	60"	55"	EP1PWS60	\$60	N/A	\$67
11⁄2"	1⁄2"	65"	60"	EP1PWS65	\$62	N/A	\$70
11⁄2"	1⁄2"	80"	75"	EP1PWS80	\$70	N/A	\$83

#### Wall Mounted Channel

21/8"	3⁄4"	28"	23"	EP1WMC28	\$134	N/A	\$147
21/8"	3⁄4"	40"	35"	EP1WMC40	\$134	N/A	\$147
21/8"	3⁄4"	48"	43"	EP1WMC48	\$138	N/A	\$149
21/8"	3⁄4"	53"	48"	EP1WMC53	\$140	N/A	\$154
21/8"	3⁄4"	60"	55"	EP1WMC60	\$156	N/A	\$174
21/8"	3⁄4"	65"	60"	EP1WMC65	\$160	N/A	\$181
21/8"	3⁄4"	80"	75"	EP1WMC80	\$195	N/A	\$214
21/8"	3⁄4"	120"	120"	EP1WMC120	\$300	N/A	\$333

\* - actual height

Order Co	de	Specification Information	Application Notes			
e.g.	EP1PWS60, 117	Specify trim color.	Wall starter:	be ordered separately.		
	Panel wall starter	NOTE: Neutral Posture, Inc. assumes no responsibility	Used to start a run of panels by fastening to an	Wall mount channel: Allows hanging of		
	Height	for wall construction or	existing wall and attaching a connector assembly to	all components and		
117	Soft Grey trim	<ul> <li>performance of fasteners used.</li> </ul>	it. Creates 1¼" space from face of wall to centerline of	accessories on reinforced building walls.		
			post. Constructed of steel.	Painted extruded aluminum		
			The wall starter includes panel top and bottom	with a plastic inset which snaps in place, covering mounting screws.		

NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

The wall starter includes panel top and bottom hooks and modified panel connector. Fasteners not included to attach to wall.

Post and shrouds must

# **Generation 1** single height post assemblies straight, corner and end

C AND	
I BE	

K A

ø

De

Straight	t					
W	D	H	MODEL #	P1	P2	P3
-	-	28"	EP1P28S	\$179	N/A	\$197
-	-	40"	EP1P40S	\$181	N/A	\$198
-	-	48"	EP1P48S	\$183	N/A	\$200
-	-	53"	EP1P53S	\$186	N/A	\$203
-	-	60"	EP1P60S	\$188	N/A	\$205
-	-	65"	EP1P65S	\$189	N/A	\$207
-	-	80"	EP1P80S	\$194	N/A	\$213

#### 2-way L

I

	-					
-	_	28"	EP1P28L	\$173	N/A	\$188
-	-	40"	EP1P40L	\$174	N/A	\$189
-	-	48"	EP1P48L	\$175	N/A	\$194
-	-	53"	EP1P53L	\$179	N/A	\$197
-	-	60"	EP1P60L	\$181	N/A	\$198
-	-	65"	EP1P65L	\$183	N/A	\$200
-	-	80"	EP1P80L	\$188	N/A	\$205

End

-	-	28"	EP1P28E	\$189	N/A	\$207
-	-	40"	EP1P40E	\$191	N/A	\$210
-	-	48"	EP1P48E	\$194	N/A	\$213
-	-	53"	EP1P53E	\$195	N/A	\$214
-	-	60"	EP1P60E	\$197	N/A	\$215
-	-	65"	EP1P65E	\$198	N/A	\$221
-	-	80"	EP1P80E	\$202	N/A	\$226

Order Code		Specification Information	Application Notes			
e.g.	EP1P48S, 117	Specify trim color.	Used to connect panels of the same height.	NOTE: EP1 & EP2 Panels and components are available in legacy colors only.		
EP1P	Post		Kit includes single height			
48	Height		post, panel connector and	Bottom levelers on post		
s	Straight assembly		base raceway shroud(s) appropriate for the	allow for up to 1½" vertical adjustment.		
117	Soft Grey trim		geometry specified.	,		

#### **Generation 1** single height post assemblies three and four way



0

3-way (T)

5 may (1)									
W	D	н	MODEL #	P1	P2	P3			
-	-	28"	EP1P28T	\$173	N/A	\$188			
-	-	40"	EP1P40T	\$174	N/A	\$189			
-	-	48"	EP1P48T	\$175	N/A	\$194			
-	-	53"	EP1P53T	\$179	N/A	\$197			
-	-	60"	EP1P60T	\$181	N/A	\$198			
-	-	65"	EP1P65T	\$183	N/A	\$200			
-	-	80"	EP1P80T	\$188	N/A	\$205			

# 

×

#### 3-way (Y)

-	-	28"	EP1P28Y	\$215	N/A	\$243
-	-	40"	EP1P40Y	\$221	N/A	\$244
-	-	48"	EP1P48Y	\$223	N/A	\$245
-	-	53"	EP1P53Y	\$224	N/A	\$247
-	-	60"	EP1P60Y	\$226	N/A	\$248
-	-	65"	EP1P65Y	\$229	N/A	\$251
-	-	80"	EP1P80Y	\$231	N/A	\$251

#### 4-way (X)

	~, ~~,					
-	-	28"	EP1P28X	\$149	N/A	\$164
-	-	40"	EP1P40X	\$154	N/A	\$170
-	-	48"	EP1P48X	\$155	N/A	\$173
-	-	53"	EP1P53X	\$156	N/A	\$174
-	-	60"	EP1P60X	\$158	N/A	\$175
-	-	65"	EP1P65X	\$159	N/A	\$177
-	-	80"	EP1P80X	\$163	N/A	\$181

Order C	ode	Specification Information	Application Notes
e.g.	EP1P80T, 117	Specify trim color	Used to connect panels of the same height.
EP1P	Post		Kit includes single height
80	Height	-	post, panel connector and base raceway shroud(s)
т	"T" assembly	_	appropriate for the
117	Soft Grey trim	_	geometry specified.
		_	NOTE: EP1 & EP2 Panels and components are available in legacy colors only.

Bottom levelers on post allow for up to 1½" vertical adjustment.

# Generation 1 dual height posts

Dual H	eight l	Post				
W	D	н	MODEL #	P1	P2	P3
-	-	28"/40"	EP1DP2840	\$186	N/A	\$203
-	-	28"/48"	EP1DP2848	\$197	N/A	\$215
-	-	28"/53"	EP1DP2853	\$202	N/A	\$226
-	-	28"/60"	EP1DP2860	\$205	N/A	\$229
-	-	28"/65"	EP1DP2865	\$213	N/A	\$232
-	-	28"/80"	EP1DP2880	\$232	N/A	\$259
-	-	40"/48"	EP1DP4048	\$197	N/A	\$215
-	-	40"/53"	EP1DP4053	\$202	N/A	\$226
-	-	40"/60"	EP1DP4060	\$205	N/A	\$229
-	-	40"/65"	EP1DP4065	\$213	N/A	\$232
-	-	40"/80"	EP1DP4080	\$232	N/A	\$259
-	-	48"/53"	EP1DP4853	\$202	N/A	\$226
-	-	48"/60"	EP1DP4860	\$205	N/A	\$229
-	-	48"/65"	EP1DP4865	\$213	N/A	\$232
-	-	48"/80"	EP1DP4880	\$232	N/A	\$259
-	-	53"/60"	EP1DP5360	\$205	N/A	\$229
-	-	53"/65"	EP1DP5365	\$213	N/A	\$232
-	-	53"/80"	EP1DP5380	\$239	N/A	\$264
-	-	60"/65"	EP1DP6065	\$213	N/A	\$232
-	-	60"/80"	EP1DP6080	\$232	N/A	\$259
-	-	65"/80"	EP1DP6580	\$232	N/A	\$259

Order Code		Specification Information	Application Notes			
e.g.	EP1DP4860, 613	Specify trim color.	Dual height posts are used where panels of two	NOTE: EP1 & EP2 Panels and components are available		
EP1DP	Dual height post		different heights intersect. in legacy colors o			
48	Height one	-	Bottom levelers on posts allow for up to 1½"			
60	Height two	_	vertical adjustment.			
613	Silver	-	Due to the variety of			
		-	combinations possible,			
			connector caps, shrouds			
			and post covers must all			
			be ordered separately.			

# Generation 1 triple height posts

#### **Triple Height Post**

pic iicig						
W	D	н	MODEL #	P1	P2	P3
-	-	28"/40"/48"	EP1TP284048	\$232	N/A	\$259
-	-	28"/40"/53"	EP1TP284053	\$232	N/A	\$259
-	-	28"/40"/60"	EP1TP284060	\$232	N/A	\$259
-	-	28"/40"/65"	EP1TP284065	\$248	N/A	\$276
-	-	28"/40"/80"	EP1TP284080	\$277	N/A	\$305
-	-	28"/48"/53"	EP1TP284853	\$232	N/A	\$259
-	-	28"/48"/60"	EP1TP284860	\$232	N/A	\$259
-	-	28"/48"/65"	EP1TP284865	\$248	N/A	\$276
-	-	28"/48"/80"	EP1TP284880	\$277	N/A	\$305
-	-	28"/53"/60"	EP1TP285360	\$232	N/A	\$259
-	-	28"/53"/65"	EP1TP285365	\$247	N/A	\$274
-	-	28"/53"/80"	EP1TP285380	\$276	N/A	\$300
-	-	28"/60"/65"	EP1TP286065	\$248	N/A	\$276
-	-	28"/60"/80"	EP1TP286080	\$277	N/A	\$305
-	-	28"/65"/80"	EP1TP286580	\$277	N/A	\$305
_	-	40"/48"/53"	EP1TP404853	\$232	N/A	\$259
-	-	40"/48"/60"	EP1TP404860	\$232	N/A	\$259
-	-	40"/48"/65"	EP1TP404865	\$248	N/A	\$276
-	-	40"/48"/80"	EP1TP404880	\$277	N/A	\$305
_	-	40"/53"/60"	EP1TP405360	\$232	N/A	\$259
-	-	40"/53"/65"	EP1TP405365	\$247	N/A	\$274
-	-	40"/53"/80"	EP1TP405380	\$276	N/A	\$300
-	-	40"/60"/65"	EP1TP406065	\$248	N/A	\$276
_	-	40"/60"/80"	EP1TP406080	\$277	N/A	\$305
-	-	40"/65"/80"	EP1TP406580	\$277	N/A	\$305
-	-	48"/53"/60"	EP1TP485360	\$232	N/A	\$259
-	-	48"/53"/65"	EP1TP485365	\$247	N/A	\$274
_	-	48"/53"/80"	EP1TP485380	\$251	N/A	\$278
-	-	48"/60"/65"	EP1TP486065	\$248	N/A	\$276
-	-	48"/60"/80"	EP1TP486080	\$277	N/A	\$305
_	-	48"/65"/80"	EP1TP486580	\$277	N/A	\$305
_	-	53"/60"/65"	EP1TP536065	\$247	N/A	\$274
-	-	53"/60"/80"	EP1TP536080	\$250	N/A	\$277
_	-	53"/65"/80"	EP1TP536580	\$277	N/A	\$305
_	-	60"/65"/80"	EP1TP606580	\$277	N/A	\$305
		, ,		+		


Order Code		Specification Information	Application Notes		
e.g.	EP1TP406080, 113	Specify trim color.	Triple height posts are used where 3 or 4 panels of three	NOTE: EP1 & EP2 Panels and components are available	
EP1TP	Triple height post		different heights intersect.	in legacy colors only.	
40	Height one		Bottom levelers on posts allow for up to 1½"		
60	Height two		vertical adjustment.		
80	Height three		Due to the variety of		
113	Dark Grey trim		combinations possible, connector caps, shrouds		
			and post covers must all		
			be ordered separately.		

# Generation 1 single height posts

#### Single Height Post

W	D	Н	MODEL #	P1	P2	P3
-	-	28"	EP1P28	\$86	N/A	\$93
-	-	40"	EP1P40	\$87	N/A	\$97
-	-	48"	EP1P48	\$89	N/A	\$100
-	-	53"	EP1P53	\$91	N/A	\$101
-	-	60"	EP1P60	\$92	N/A	\$103
-	-	65"	EP1P65	\$93	N/A	\$105
-	-	80"	EP1P80	\$100	N/A	\$107

Order Code		Specification Information	Application Notes	
e.g. EP1P48, 177		Specify trim color.	Bottom leveler on posts allow for up to 1½" of	
EP1P	Post	<ul> <li>Panel connectors and shrouds must be</li> </ul>	vertical adjustment.	
48	Height	order separately.	NOTE: EP1 & EP2 Panels and	
117	Soft Grey trim	_	components are available in legacy colors only.	



# · 10 1 ·

EP1PCS


EP1PLUG

ଚ

#### **Panel Connectors**

ТҮРЕ	MODEL #	P1	P2	P3
Straight	EP1PCS	\$37	\$39	\$42
2-way L	EP1PCL	\$46	\$48	\$49
2-way L (for post covers)	EP1PCLK	\$46	\$48	\$49
2-way Adjustable	EP1PCA	\$59	\$67	\$67
3-way T	EP1PCT	\$57	\$59	\$62
3-way Y 120	EP1PCY	\$57	\$59	\$62
4-way X	EP1PCX	\$62	\$67	\$75
End	EP1PCEP	\$43	\$45	\$46
End (for post covers)	EP1PCEPK	\$43	\$45	\$46
Multi-height filler	EP1PCMF	\$30	\$34	\$35
Trim filler	EP1PCTF	\$30	\$34	\$35
Post plug (pkg. of 25)	EP1PLUG	\$20	\$27	\$28

Order Co	ode	Specification Information		Application Notes		
e.g.	EP1PCEP	Specify panel connector and shroud trim color.	NOTE: EP1 & EP2 Panels and components are available	Panel connectors stabilize panel to panel connections.	This piece butts against EP1PCS and EP1PCT, when	
EP1PC	Post connector	Specify one multi-height	in legacy colors only.	Panel connectors have painted finish and a quick mount design. Mounting screws are included. Conical connector screw is included with post.	installed as an addition.	
EP	End with post	post filler (ÉP1PCMF) for each EXCE low panel in a multi- only height connection. they whe	EXCEPTION: EP1 posts connectors only are available in all colors as they may need to be specified when ordering stack-on panels with an EP3 profile.		Shrouds provide a finished raceway cover at posts. Tw way "L" connections do not require an inside shroud.	
				The EP1PCTF is a trim filler piece that is to be used when no other post part can be used in a given panel layout.		



#### **Raceway Shrouds**

Straight	EP1SS	\$30	N/A	\$35
L outside	EP1SL	\$43	N/A	\$46
L outside (for post covers)	EP1SLK	\$43	N/A	\$46
120 outside	EP1SO120	\$34	N/A	\$37
120 inside	EP1SI120	\$20	N/A	\$28
135 outside	EP1SO135	\$34	N/A	\$37
End	EP1SEP	\$59	N/A	\$67
End (for post covers)	EP1SEPK	\$59	N/A	\$67

Order (	ode	Specification Information	Specification Information				
e.g.	EP1SEP	Specify panel connector and shroud trim color.	NOTE: EP1 & EP2 Panels and components are available				
EP1S	Post shroud	Specify one multi-height	in legacy colors only.				
EP	End with post	filler (EP1PCMF) for each low panel in a multi-	EXCEPTION: EP1 posts connectors only are available in all colors as				
		height connection.	they may need to be specified				

#### Application Notes

when ordering stack-on

panels with an EP3 profile.

Panel connectors stabilize panel to panel connections.

Panel connectors have painted finish and a quick mount design.

Mounting screws are included. Conical connector screw is included with post.

The EP1PCTF is a trim filler piece that is to be used when no other post part can be used in a given panel layout. This piece butts against EP1PCS and EP1PCT, when installed as an addition.

Shrouds provide a finished raceway cover at posts. Twoway "L" connections do not require an inside shroud.


**Fabric Panel** 

# H

									••••••••••	
<b>64</b> "	H								PAIN	т
W	MODEL #	A	В	C	D	E	F	G	P2	P3
12"	EP3FA1264(K/N)	\$797	\$847	\$907	\$987	\$1,107	\$1,237	\$1,387	+ \$30	+ \$60
18"	EP3FA1864(K/N)	\$857	\$907	\$967	\$1,047	\$1,167	\$1,297	\$1,447	+ \$30	+ \$60
24"	EP3FA2464(K/N)	\$918	\$968	\$1,028	\$1,108	\$1,228	\$1,358	\$1,508	+ \$30	+ \$60
30"	EP3FA3064(K/N)	\$978	\$1,028	\$1,088	\$1,168	\$1,288	\$1,418	\$1,568	+ \$30	+ \$60
36"	EP3FA3664(K/N)	\$1,074	\$1,184	\$1,314	\$1,474	\$1,724	\$2,004	\$2,324	+ \$30	+ \$60
42"	EP3FA4264(K/N)	\$1,135	\$1,245	\$1,375	\$1,535	\$1,785	\$2,065	\$2,385	+ \$30	+ \$60
48"	EP3FA4864(K/N)	\$1,195	\$1,305	\$1,435	\$1,595	\$1,845	\$2,125	\$2,445	+ \$30	+ \$60
60"	EP3FA6064(K/N)	\$1,304	\$1,414	\$1,544	\$1,704	\$1,954	\$2,234	\$2,554	+ \$30	+ \$60

	Тор Сар	Panel Type	w	н	Raceway
EP Equity panel	3 Beveled FA	Fabric panel	36	29	K With knockouts
					N Without knockouts
EP	3 FA		26	29	K .
	<b>Э ГА</b>			; ;	<u>N</u>

**Insert Panel** 



64" H		G	GLASS INSERT		LAMINATE INSERT			PAINT		
W	MODEL #	OF	PG	GL	DG	L1	L2	L3	P2	P3
12"	EP3()1264(K/N)	\$962	\$1,203	\$1,348	\$1,590	\$1,300	\$1,430	\$1,560	+ \$30	+ \$60
18"	EP3()1864(K/N)	\$974	\$1,276	\$1,421	\$1,747	\$1,372	\$1,509	\$1,646	+ \$30	+ \$60
24"	EP3()2464(K/N)	\$986	\$1,361	\$1,517	\$1,940	\$1,469	\$1,616	\$1,763	+ \$30	+ \$60
30"	EP3()3064(K/N)	\$1,010	\$1,457	\$1,626	\$2,169	\$1,578	\$1,736	\$1,894	+ \$30	+ \$60
36"	EP3()3646(K/N)	\$1,034	\$1,566	\$1,735	\$2,399	\$1,686	\$1,855	\$2,023	+ \$30	+ \$60
42"	EP3()4264(K/N)	\$1,058	\$1,686	\$1,868	\$2,652	\$1,820	\$2,002	\$2,184	+ \$30	+ \$60
48"	EP3()4864(K/N)	\$1,083	\$1,820	\$2,013	\$2,918	\$1,965	\$2,162	\$2,358	+ \$30	+ \$60
60"	EP3( )6064(K/N)	\$1,143	\$1,965	\$2,158	\$3,304	\$2,109	\$2,320	\$2,531	+ \$30	+ \$60

	Panel Type	w	Н	Raceway
EP3 Equity panel	OF Open frame PG Plexiglass insert	36	29	K With knockouts N Without knockouts
EP	PG	36	29	к

Legacy

**Post Assemblies** 

J.		:·····	••••••••••		<u>A</u>			••••••	
	Straight		PAINT			3-way T		PAINT	
	H MODEL #	P1	P2	P3		H MODEL#	P1	P2	P3
	64" EP3P64S	\$189	\$197	\$205		64" <b>EP3P64T</b>	\$183	\$191	\$199
	2-way L		PAINT			3-way 120		PAINT	
	H MODEL# 64" EP3P64L	<b>P1</b> \$183	<b>P2</b> \$191	<b>P3</b> \$199		H MODEL# 64" EP3P64Y	<b>P1</b> \$229	<b>P2</b> \$239	<b>P3</b> \$249
	2-way 120		PAINT			4-way X		PAINT	
	H MODEL#	Р1	P2	P3		H MODEL#	P1	P2	P3
<u> </u>	64" <b>EP3P64120</b>	\$189	\$197	\$205		64" <b>EP3P64X</b>	\$159	\$167	\$175

Specify	Application Notes	Assembly	Top Cap Style
<ol> <li>Model #</li> <li>Paint trim color</li> </ol>	Used to connect panels of the same height	Included • Single height post	3 – Beveled
	Bottom glides on post allow for up to 1 ½" of vertical adjustment.	<ul> <li>Panel connector</li> <li>Appropriate metal shroud</li> </ul>	

#### Generation 3 Post Assemblies

Single He	eight		PAINT	
Н	MODEL #	P1	P2	P3
64"	EP3P64	\$128	\$131	\$134

#### **Dual Height**

29"/64"	EP3DP2964	\$213	\$224	\$235
41"/64"	EP3DP4164	\$213	\$224	\$235
49"/64"	EP3DP4964	\$213	\$224	\$235
54"/64"	EP3DP5464	\$213	\$224	\$235
61"/64"	EP3DP6164	\$213	\$224	\$235
64"/81"	EP3DP6481	\$232	\$243	\$254

		:	••••••••••	
Triple Heig	jht		PAINT	
H	MODEL #	P1	P2	P3
29"/41"/64"	EP3TP294164	\$251	\$262	\$273
29"/49"/64"	EP3TP294964	\$251	\$262	\$273
29"/54"/64"	EP3TP295464	\$251	\$262	\$273
29"/61"/64"	EP3TP296164	\$251	\$262	\$273
29"/64"/81"	EP3TP296481	\$277	\$288	\$299
41"/49"/64"	EP3TP414964	\$251	\$262	\$273
41"/54"/64"	EP3TP415464	\$251	\$262	\$273
41"/61"/64"	EP3TP416164	\$251	\$262	\$273
41"/64"/81"	EP3TP416481	\$277	\$288	\$299
49"/54"/64"	EP3TP495464	\$251	\$262	\$273
49"/61"/64"	EP3TP496164	\$264	\$275	\$286
49"/64"/81"	EP3TP496481	\$277	\$288	\$299
54"/61"/64"	EP3TP546164	\$251	\$262	\$273
54"/64"/81"	EP3TP546481	\$277	\$288	\$299
61"/64"/81"	EP3TP616481	\$277	\$288	\$299

		н		Connection Type
EP3 Equity panel	P Post	64	120	2-way 120
			Е	End w/post
			ETK	Postless end
			L	2-way L
			Т	3-way T
			S	Straight
			Х	4-way
			Υ	3-way 120
EP3	Р	64	S	

End Kits

 End w/Post
 PAINT

 H
 MODEL #
 P1
 P2
 P3

 64"
 EP3P64E
 \$224
 \$232
 \$240

			•••••••••••••••••••••••••••••••••••••••	•••••
Post	less End		PAINT	
Н	MODEL #	P1	P2	P3
29"	EP3ETK29	\$189	\$193	\$196
41"	EP3ETK41	\$191	\$195	\$198
49"	EP3ETK49	\$194	\$197	\$202
54"	EP3ETK54	\$196	\$200	\$204
61"	EP3ETK61	\$198	\$203	\$206
64"	EP3ETK64	\$202	\$205	\$208
66"	EP3ETK66	\$202	\$205	\$208
81"	EP3ETK81	\$212	\$215	\$219

#### End w/Post

#### Specify

- 1. Model #
- 2. Paint trim color

#### Application Notes

Used to finish a panel end that is not being connected to another panel.

#### **Postless End**

#### Specify

1. Model #

2. Paint trim color

#### Application Notes

Used to finish a panel end that is not being connected to another panel.

NOTE: Postless end kit should not be used on panels that are placed perpendicular to a worksurface of the same depth as the front of the worksurface will extend approximately ¾" beyond the panel end.

#### Assembly

#### Included

- Single height postPanel connector
- Appropriate metal shroud
- PP -P -----



#### Assembly

- Included
- Panel connector
- Appropriate metal shroud



Top Cap Styles

3 – Beveled

Panel	Wall St	tarter	PAINT				
W	D	н	H (Actual)	MODEL #	P1	P2	P3
1 1⁄2"	1⁄2"	64"	60"	EP3PWS64	\$62	\$67	\$74
Wall M	ounto	d Char	nol				

#### Wall Mounted Channel

2 1/8"	3⁄4"	64"	60"	EP3WMC64	\$160	\$173	\$178

#### **Panel Wall Starter**

#### Specify

#### 1. Model #

2. Paint trim color

#### Application Notes

Used to start a run of panels by fastening to an existing wall and attaching a connector assembly to it. Creates 1¼" space from face to wall to centerline of post. Constructed of steel.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

#### Assembly

#### Assembly

- Included
- Panel top & bottom hook
- Panel connector

#### Not Included

Fasteners to attach to wall

#### Ordered Separately

- Post
- Shrouds

#### Top Cap Styles

3 – Beveled

## Wall Mounted Channel

Specify

Model #
 Paint trim color

#### Application Notes

Allows hanging of all components and accessories on reinforced building walls. Legacy

Painted extruded aluminum with a plastic insert which snaps in place, covering mounting screws.

NOTE: Neutral Posture assumes no responsibility for wall construction or performance of fasteners used.

#### Assembly

- Included

  Extruded aluminum
- channel
- Insert which snaps into place

¢



W	D	н	MODEL #	P1	P2	P3
1⁄2"	3⁄4"	80"	EC1VWM80	\$35	\$37	\$39

#### **Metal Ceiling Module**

4"	11⁄2"	120"	EE1CM40M	\$754	N/A	\$832
4"	11⁄2"	120"	EE1CM48M	\$754	N/A	\$832
4"	11⁄2"	120"	EE1CM53M	\$754	N/A	\$832
4"	11⁄2"	120"	EE1CM60M	\$754	N/A	\$832
4"	11⁄2"	120"	EE1CM65M	\$754	N/A	\$832
4"	11⁄2"	120"	EE1CM80M	\$754	N/A	\$832

#### Ceiling Infeeds – Generation 3

4"	1 ½"	120"	EE3CM64M	\$754	\$792	\$832

Order Code Vertical Wire Manager:		Vertical Wire Manager:	Ceiling Infeed Modules:	Ceiling Infeed Modules:				
e.g.	EC1VWM <mark>80</mark> , 177	A plastic strip designed to hide a cord running down	Electrical harnesses not included with modules.	by separating the front edge of the pliable tube. Infeed	Painted metal module is 120" long metal extrusion			
EC1VWM	Vertical Wire Manager	the edge of the panel. Cut to desired length in field.	Modules are hollow to accommodate power and/ or data cables from source	module is attached to an available post location of	with attachment hooks at proper height to attach to			
80	Length		into systems furniture.	the appropriate height. The module can not be used for	appropriate height post.			
117	Soft Grey trim	-	With electrical harness installed, infeed holds 35 CAT 5 cables.	panel support and there are no "hang on" capabilities. Includes escutcheon plate.	To connect a metal ceiling infeed to a corner or a straight connection you must use an adjustable			
Specification Information Specify trim color.			Cables/conduit are laid into the lower metal body by removal of the front 1-½" wide access cover and into the upper plastic extrusion	Plate and plastic tube are white to integrate with standard ceiling color. No "hang on" capabilities. Module cannot be used for panel support.	angle connector or adjustable angle connector with a multi-height panel connector.			

#### **Panel accessories**

Coat Hook, Coat Hanger and Carpet Grips

A.	EP1 Coat Hook (6/carton)									
	w	D	н	MODEL #	P1	P2	P3			
	1/2"	3/4"	5"	EP1CH	\$145	N/A	N/A			
	Coat Hanger									
	17"	3⁄8"	9¼"	EP1CHG	\$18	N/A	N/A			
UTU U UUU	Carpet	Grippe	r (12 pack)							
				EP1CG12	\$45	N/A	N/A			
	EP3 Coat Hook Straight (5 pack)									
LS	1⁄8"	1¾"	23⁄8"	EP3MMCH (B/P)	\$170	N/A	N/A			
SF.	EP3 Coat Hook Postless End (5 pack)									
US	13⁄8"	3⁄8"	23⁄8"	EP3MMCHPE (R/L)(B/P)	\$170	N/A	N/A			

Order Code

e.g.	EP1CH, 117				
EP1CH	Coat hook				
117	Soft Grey trim				

#### **Application Notes**

Specification Information

Specify trim color.

Coat Hook and Coat

Hanger available only in

Grey, Soft Grey or Taupe.

NOTE: EP1 & EP2 Panels and

components are available

in legacy colors only.

Dark Neutral, Medium

**Coat Hanger** A plastic coat hanger available to hang on coat hook. EP1 Coat hook:

Molded plastic hook hangs over EP1 panels to hold coats and hangers. Coat hook must hang over straight post location if

straight post location if being used w/EP3 panels.

Carpet gripper:12 per package.

EP3 Coat hook

Aluminum coat hook attaches to any exposed Equity vertical slot. There are two versions. The straight version will work on any Equity vertical slot except for those on an inside corner. The postless end version is handed and extends beyond the edge of a panel with a postless end. Hand is determined by which side of the panel the coat hook is installed on while facing the panel. Available in two colors; Black (B) or Matte Aluminum (P).

# **Counter Caps, Straight** Generation 1 and Generation 2 profiles

#### Straight



NOMINAL W	ACTUAL W	D	н	MODEL #	P1	P2	P3
12"	10.5"	15.25"	-	EW(1/2)1215	\$323	\$335	\$342
24"	22.5"	15.25"	-	EW(1/2)2415	\$358	\$365	\$375
30"	28.5"	15.25"	-	EW(1/2)3015	\$390	\$400	\$408
36"	34.5"	15.25"	-	EW(1/2)3615	\$390	\$400	\$408
42"	40.5"	15.25"	-	EW(1/2)4215	\$398	\$405	\$415
48"	46.5"	15.25"	-	EW(1/2)4815	\$401	\$412	\$420
60"	58.5"	15.25"	-	EW(1/2)6015	\$443	\$452	\$461
72"	70.5"	15.25"	-	EW(1/2)7215	\$467	\$473	\$485
84"	82.5"	15.25"	-	EW(1/2)8415	\$505	\$516	\$525
96"	94.5"	15.25"	-	EW(1/2)9615	\$525	\$536	\$544
108"	106.5"	15.25"	-	EW(1/2)10815	\$542	\$550	\$560
120"	118.5"	15.25"	-	EW(1/2)12015	\$604	\$610	\$618

#### Straight – Extended One End

	12"	12"	15.25"	-	EW(1/2)1215E	\$336	\$344	\$357
	24"	24"	15.25"	-	EW(1/2)2415E	\$368	\$379	\$389
	30"	30"	15.25"	-	EW(1/2)3015E	\$397	\$403	\$413
$\geq$	36"	36"	15.25"	-	EW(1/2)3615E	\$397	\$403	\$413
	42"	42"	15.25"	-	EW(1/2)4215E	\$405	\$415	\$423
	48"	48"	15.25"	-	EW(1/2)4815E	\$419	\$425	\$436
	60"	60"	15.25"	-	EW(1/2)6015E	\$449	\$459	\$468
	72"	72"	15.25"	-	EW(1/2)7215E	\$488	\$495	\$504
	84"	84"	15.25"	-	EW(1/2)8415E	\$509	\$519	\$528
	96"	96"	15.25"	-	EW(1/2)9615E	\$532	\$541	\$549
	108"	108"	15.25"	-	EW(1/2)10815E	\$570	\$581	\$590

#### Straight – Extended Both Ends

_								
	12"	13.5"	15.25"	-	EW(1/2)1215EE	\$344	\$357	\$364
	24"	25.5"	15.25"	-	EW(1/2)2415EE	\$384	\$392	\$401
Ð	30"	31.5"	15.25"	-	EW(1/2)3015EE	\$403	\$413	\$422
	36"	37.5"	15.25"	-	EW(1/2)3615EE	\$403	\$413	\$422
	42"	43.5"	15.25"	-	EW(1/2)4215EE	\$419	\$425	\$436
	48"	49.5"	15.25"	-	EW(1/2)4815EE	\$467	\$473	\$485
	60"	61.5"	15.25"	-	EW(1/2)6015EE	\$462	\$470	\$479
	72"	73.5"	15.25"	-	EW(1/2)7215EE	\$498	\$507	\$517
	84"	85.5"	15.25"	-	EW(1/2)8415EE	\$526	\$537	\$545
	96"	97.5"	15.25"	-	EW(1/2)9615EE	\$542	\$550	\$560
	108"	109.5"	15.25"	-	EW(1/2)10815EE	\$588	\$596	\$606

#### Order Code

_					
e.g.	EW16015,117, 117, 117				
EW1	Worksurface				
60 Width					
15 Depth					
117	Soft Grey laminate				
117	Soft Grey edge				
117	Soft Grey cantilever trim				

#### Specification Information

Specify surface, trim and cantilever trim color.

EW1 Counter caps work with all existing counter caps and are for use on Generation 1 or Generation 2 panels only. Plastic cantilevers are supplied.

EW2 counter caps are for use with Generation 3 panels only. Steel brackets are provided.

Counter caps are designed for mounting on top of panels.

Straight counter caps overhang both sides of the panel equally.

Counter caps fit between posts, appropriate to fit between two taller panels and a dual/triple height connectors.

A counter cap extension (E) covers one post.

A counter cap extension (EE) covers 2 posts.

Steel mounted brackets are supplied.

# **Counter caps, corner** Generation 1 and Generation 2 profiles





Corner							
w	D	Н	MODEL #	P1	P2	P3	
24"	15.25"	-	EW(1/2)CC2415	\$456	\$473	\$494	
30"	15.25"	-	EW(1/2)CC3015	\$489	\$505	\$525	
36"	15.25"	-	EW(1/2)CC3615	\$498	\$517	\$537	

#### Corner – Extended Left

24'	15.25"	-	EW(1/2)CC2415LHE	\$467	\$485	\$502
30'	15.25"	-	EW(1/2)CC3015LHE	\$498	\$517	\$537
36'	15.25"	-	EW(1/2)CC3615LHE	\$509	\$528	\$546

#### **Corner – Extended Right**

24"	15.25"	-	EW(1/2)CC2415RHE	\$467	\$485	\$502
30"	15.25"	-	EW(1/2)CC3015RHE	\$498	\$517	\$537
36"	15.25"	-	EW(1/2)CC3615RHE	\$509	\$528	\$546



#### **Corner – Extended Both Ends**

24"	15.25"	-	EW(1/2)CC2415EE	\$485	\$502	\$521
30"	15.25"	-	EW(1/2)CC3015EE	\$526	\$545	\$562
36"	15.25"	-	EW(1/2)CC3615EE	\$537	\$557	\$572

#### Specification Information Application Notes Order Code Specify surface, trim and Counter caps are They are non-handed A counter cap extension EW1CC3015, 117, cantilever trim color. e.g. designed for mounting and screw holes for (E) covers one post. 117, 117 on top of panels. the mounting brackets EW1 counter caps work A counter cap extension EW1 Worksurface must be field-drilled. with all existing counter Corner counter caps-(E) (EE) covers 2 posts. С Curved corner caps and are for use extended one end, mount Steel mounting brackets with Generation 1 or on top of 24", 30" or 36" are supplied. Width 30 Generation 2 panels. Plastic panels at 90° to each other. cantilevers are supplied. 15 Depth EW2 counter caps are 117 Soft Grey laminate for use with Generation 117 Soft Grey edge 3 panels only. Soft Grey 117 cantilever trim

#### Freestanding support components




 $\bigcirc$ 

#### Flat Brackets (black only)

	•						
W	D	Н	TOP SIZE	MODEL #.	P1	P2	P3
	15"			EB1F24	\$54	N/A	N/A
	21"			EB1F30	\$62	N/A	N/A
Colum	n Base						
		27¾"		EB1FCOL	\$386	\$420	\$437

#### Tackable Privacy Screens



#### **Tackable Privacy**

W	D	H	MODEL #.	А	В	C	D	E	F	G
36"	3⁄4"	21"	EF2PS36	\$473	\$513	\$520	\$534	\$544	\$552	\$569
42"	3⁄4"	21"	EF2PS42	\$496	\$534	\$545	\$564	\$570	\$583	\$597
48"	3⁄4"	21"	EF2PS48	\$517	\$557	\$569	\$585	\$592	\$602	\$618
60"	3⁄4"	21"	EF2PS60	\$553	\$600	\$612	\$626	\$638	\$647	\$667
72"	3⁄4"	21"	EF2PS72	\$592	\$641	\$653	\$671	\$681	\$693	\$714

Order Co	Speci	
e.g.	EF2OS60, 117	Speo trim
EF2OS	Equity freestanding privacy screen	NOTE
60	Length in inches	railro
117	Soft Grey trim	

Le
gac
~

rder Co	ode	Specification Information
.g.	EF2OS60, 117	Specify shelf and stanchion trim color where required.
F20S	Equity freestanding privacy screen	NOTE: Fabric on 72" privacy screens and will be
0	Length in inches	railroaded (turned 90°).
17	Soft Grey trim	

#### WALL MOUNTING SUGGESTIONS

The following information is provided only as a guide, and represents minimum recommendations only. Neutral Posture does not accept responsibility for the attachment of any Neutral Posture product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Neutral Posture products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Neutral Posture products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each usable shelf length.

NOTE: A cabinet's top is considered a "usable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Neutral Posture supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

#### Wall Mounting

	New Construction			Existing Construction			
		Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Wood Stud Wall, the studs being only ceiling height	Steel Stud Wall, the studs being <b>FULL HEIGHT</b> to the roof/floor above	Steel Stud Wall, the studs being only ceiling height	
Stud Specification	Wood studs, grade #2 or better, 3 ½" minimum width, OR Metal studs, minimum 25 gage thickness, 3 %" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/floor structure above	Wood studs must be Grade #2, or better, 3 ½" minimum width	Wood studs must be Grade #2, or better, 3 ½" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	Metal studs must be minimum 25 gage thickness, 3 %" minimum width	
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum.	N/A	Wood studs must be spaced at 16" c/c maximum.	Wood studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	Metal studs must be spaced at 16" c/c maximum.	
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/floor structure above.			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above.		Metal studs must be braced above the ceiling and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs. Then place diagonal studs from the top cap up to underside of the roof / floor structure above.	
Mounting the Neutral Posture Supplied Cleat, Bracket, Frame, etc	Insert a 2" x 6" wood block, #2 grade or better, for a locally approved flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the locally approved wood backing system as directed by the manufacturer.) Fasten the Neutral Posture supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Neutral Posture supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6" and fasten the lower horizontal element to the wall every 16".	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet and beyond to the next stud. Insert a 2" x 6" wood block, #2 grade or better, [or a locally approved flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Neutral Posture supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6". For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6" and fasten the lower horizontal element to each wall stud, using one fastener per stud	
Fasten the Neutral Posture Supplied Wall Cleat With	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	%s" x 3 ½" masonry screws Screws or equiv. in every mounting hole provided with 1 ¼" embedment, screwed directly into the masonry wall	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	#10 x 2 ½" wood screws or equiv. in every mounting hole provided, screwed directly into the wood blocking	

Legacy

#### **GENERAL INFORMATION**

Following is the Neutral Posture key lock policy, applicable to all products.

Neutral Posture pedestals, overheads, and storage cabinets ship without lock cores installed. The locks are field installed. If your purchase order does not specify key-alike you will automatically receive random lock cores with your order.

Neutral Posture furniture can be keyed-alike or random keyed.

#### **KEY-ALIKE**

Furniture may be keyed alike at no charge. Write "key-alike" in the description of your purchase order for any storage piece you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Neutral Posture will select key numbers from the standard range of 226 – 425. Key numbers will not be repeated unless over 199 sets are ordered.

There is no charge for key-alike orders if placed with the furniture order.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

#### KEYS

A key is shipped with every lock core. 199 Key numbers are available. For numbers above 199, contact Sales Support. Additional keys and key blanks are available.

#### **MASTER KEYING**

Neutral Posture locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. Master keys must be ordered separately.

#### **INSTALLING LOCK CORES**

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

#### **SERVICE PARTS**

MODEL #	DESCRIPTION	LIST
NLCKE	Shrouded Key (Specify key number desired)	\$21
NAKC	Change Key	\$21
NKM	Master Key	\$21

#### NOTE: A letter of approval on company letterhead from the client must accompany all orders for master keys.


NOTE: Neutral Posture locks/keys are not compatible with Knoll Equity pedestals/double pedestals.

#### **HOW TO SPECIFY KEY-ALIKE**

Following is an example of how to specify keyalike for a cluster of 10 workstations.

#### **STEP 1**

Using the project floor plan, count the number of locks in each workstation.



#### STEP 2

Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station 3 workstations with 4 locks per station 2 workstations with 5 locks per station

#### STEP 3

For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

#### **STEP 4**

Then enter the pattern number "NSPEC\_\_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., NSPEC 30).

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C

#### **STEP 5**

Repeat for other groups.

QTY	MODEL #	DESCRIPTION	UNIT LIST	EXT LIST
5	NSPEC 2	Set of 2 cores/keys	N/C	N/C
3	NSPEC 4	Set of 4 cores/keys	N/C	N/C
2	NSPEC 5	Set of 5 cores/keys	N/C	N/C

Your key instructions are complete.

Neutral Posture will select key numbers for each set from 199 available numbers.

For additions to existing installations, specify desired key numbers in the description.

#### Key-alike policy to match locks

ordered prior to %12/00

#### EQUITY

In order to specify an Equity locking component with an "H" series core, apply an "A" suffix to the Equity Base pattern number.

All keyed locks in the Equity system are randomly\* keyed, as a standard offering. For those requiring all locks within a workstation (or group of workstations) to be keyed alike, Equity also offers a key-alike option.

#### **EQUITY LOCKING COMPONENTS**

Identify the cabinets to be keyed alike by adding the suffix "P" to the standard catalog number (i.e., EC20F36AP indicates a keyalike EC20F36A cabinet). The cabinet will be factory-prepared with the hardware mechanisms excluding the lock core and key. List price will be reduced by \$22.

#### **MULTIPLE KEY-ALIKE PACKAGES**

For multiple keys of the same number, specify ALCKE - (number of keys desired, from 2 to 8.) Price is: Number of Keys x \$22. (i.e.: ALCKE-5 Pkg. of five cores with keys = \$110.00)

#### LOCK CORES

Order the lock cores required separately (ALCKE series). Cores are numbered sequentially, with up to 250 different combinations available (ALCKEH6001- ALCKEH6250). Use one line item for each quantity of lock cores to be keyed alike. Series H6001-H6100 are standard lead-time.

#### **MASTER KEY**

A master key (AKM) is available that will unlock all cabinets and pedestals with the same prefix letter, for

example: H6001, H6002. A single key is supplied and priced, as shown below.

DESCRIPTION	CATALOG NUMBER	LIST
Equity Lock and Keys	ALCKE(H6)	\$26
Change Key	AKC	\$21
Master Key	AKM	\$21

#### SHIPMENT

Additional lead time of 2-4 weeks may apply when more than 100 lock sequences are specified for key-alike (contact Sales Support for current lead times).

The key-alike core and keys are shipped separately from the components for field installation in the appropriate workstation components.

\*Randomly keyed means that no attempt is made to assure that locks have the same number or that they are, in fact, different.

# NeutralPosture

NeutralPosture.com 3904 N. Texas Ave. Bryan, TX 77803 **T** 979.778.0502 **F** 979.778.0408

GSA SCS Indoor Advantage BIFMA e3/LEVEL ISO 9001:2008 Approved

